

## Freshwater algae in Britain and Ireland - Bibliography

**Floras, monographs, articles with records and environmental information, together with papers dealing with taxonomic/nomenclatural changes since 2003 (previous update of 'Coded List') as well as those helpful for identification purposes. Theses are listed only where available online and include unpublished information.**

**Useful websites are listed at the end of the bibliography. Further links to relevant information (catalogues, websites, photocatalogues) can be found on the site managed by the British Phycological Society (<http://www.brphyesoc.org/links.lasso>).**

- Abbas A, Godward MBE (1964) Cytology in relation to taxonomy in Chaetophorales. Journal of the Linnean Society, Botany 58: 499–597.
- Abbott J, Emsley F, Hick T, Stubbins J, Turner WB, West W (1886) Contributions to a fauna and flora of West Yorkshire: algae (exclusive of Diatomaceae). Transactions of the Leeds Naturalists' Club and Scientific Association 1: 69–78, pl.1.
- Acton E (1909) *Coccomyxa subellipsoidea*, a new member of the Palmellaceae. Annals of Botany 23: 537–573.
- Acton E (1916a) On the structure and origin of *Cladophora*-balls. New Phytologist 15: 1–10.
- Acton E (1916b) On a new penetrating alga. New Phytologist 15: 97–102.
- Acton E (1916c) Studies on the nuclear division in desmids. 1. *Hyalotheca dissiliens* (Smith) Bréb. Annals of Botany 30: 379–382.
- Adams J (1908) A synopsis of Irish algae, freshwater and marine. Proceedings of the Royal Irish Academy 27B: 11–60.
- Ahmadjian V (1967) A guide to the algae occurring as lichen symbionts: isolation, culture, cultural physiology and identification. Phycologia 6: 127–166
- Allanson BR (1973) The fine structure of the periphyton of *Chara* sp. and *Potamogeton natans* from Wytham Pond, Oxford, and its significance to the macrophyte-periphyton metabolic model of R.G. Wetzel and H.L. Allen. Freshwater Biology 3: 535–542.
- Allen GO (1950) British Stoneworts (Charophyta). Haslemere Natural History Society, The Haslemere Education Museum, Surrey. 52 pp.
- Allsopp A (1963) *Schizomeris leibleinii* Kütz. – another alga from the Reddish Canal. British Phycological Journal 2: 257–259
- An SS, Friedl T, Hegewald E (1999) Phylogenetic relationships of *Scenedesmus* and *Scenedesmus*-like coccoid green algae as inferred from ITS-2 rDNA sequence comparisons. Plant Biology 1: 418–428
- Anand PL (1937) A taxonomic study of the algae of the British chalk-cliffs. Journal of Botany, London 75, Suppl. II: 1–51.
- Anagnostidis K, Komárek J (1985) Modern approach to the classification system of cyanophytes 1 – Introduction. Archiv für Hydrobiologie, Suppl. 71 [Algological Studies 38/39]: 291–302
- Anagnostidis K, Komárek J (1988) Modern approach to the classification system of cyanophytes 3 – Oscillatoriales. Archiv für Hydrobiologie, Suppl. 80 [Algological Studies 50–53]: 327–472.
- Andersen RA, Bailey JC (2002) Phylogenetic analysis of 32 strains of *Vaucheria* (Xanthophyceae) using the rbcL gene and its two flanking spacer regions. Journal of Phycology 38: 583–592.
- Angeler DG, Schagerl M, Mülner AN (2002) Taxonomic comments on the genus *Menodium* (Euglenozoa). With a description of *Menodium intermedium* sp. nov. European Journal of Protistology 38: 393–404.
- Antoine SE, Benson-Evans K (1985) Benthic flora of the River Wye System, Wales, UK. Nova Hedwigia 42: 31–47.
- Antoine SE, Benson-Evans K (1986) Spatial and temporal distribution of some interesting diatom species in the River Wye System, Wales, UK. Limnologica 17: 79–86.
- Antoine SE, Esho TR, Benson-Evans K (1984) Studies of the bottom sediments and epipelagic algae of the River Ely, South Wales, UK. Limnologica 16: 1–7.
- Archer W (1827–1897) William Archer published between 1858 and 1885 about 230 papers of which the vast majority are short notes (often a page) on desmids collected in Ireland. Many appeared in the Quarterly Journal of Microscopic Science and sometimes the same article was published in two or more journals. For a full list of Archer's papers, see Prescott GW1984 Bibliographia Desmidiacearum

- Universalis (A Contribution to a Bibliography of Desmid Systematics, Biology and Ecology from 1774–1982). Koeltz Scientific Books, Koenigstein. 612 pp.
- Asaul ZI (1975) Viznachnik evglenovikh vodorostey Ukrainskoy R. S. R. [Survey of the euglenophytes of the Ukrainian SSR]. Naukova Dumka, Kiev. 407 pp. [in Ukrainian]
- Atkins WRG, Harris GT (1924) Seasonal changes in the water and heleoplankton of freshwater ponds. Scientific Proceedings of the Royal Dublin Society 18: 1–21.
- Auber H, Brook AJ, Shephard KL (1989) Measurement of the adhesion of a desmid to a substrate. British Phycological Journal 24: 293–295.
- Bachmann H (1907) Vergleichende Studien über das Phytoplankton von den Seen Schottlands und der Schweiz. Archiv für Hydrobiologie und Planktonkunde 3: 1–91.
- Backhaus D (1976) Beiträge zur Ökologie der benthischen Algen des Hochgebirges in den Pyrenäen. II. Cyanophyceen und übrige Algengruppen. Internationale Revue der Gesamten Hydrobiologie 61: 471–516
- Bailey-Watts AE (1974) The algal plankton of Loch Leven, Kinross. Proceedings of the Royal Society of Edinburgh B 74: 135–156.
- Bailey-Watts AE (1976) Planktonic diatoms and some diatom–silica relations in a shallow eutrophic Scottish loch. Freshwater Biology 6: 69–80.
- Bailey-Watts AE (1978) A nine-year study of the phytoplankton of the eutrophic and non-stratifying Loch Leven, Kinross, Scotland. Journal of Ecology 6: 741–771
- Bailey-Watts AE, Bindloss ME, Belcher JH (1968) Freshwater primary production by a blue-green alga of bacterial size. Nature, London 220: 1344.
- Bailey-Watts AE, Komárek J (1991) Towards a formal description of a new species of *Synechococcus* (Cyanobacteria/Cyanophyceae) from the freshwater picoplankton. Archiv für Hydrobiologie, Suppl. 88 [Algological Studies 61]: 5–19.
- Bailey AE, Kirika A (1981) The assessment of size variation in Loch Leven phytoplankton: methodology and some its uses in the study of factors influencing size. Journal of Plankton Research 3: 261–282.
- Bailey-Watts AE, Lund JWG (1973) Observations on a diatom bloom in Loch Leven, Scotland. Biological Journal of the Linnean Society 5: 235–253.
- Bailey RH, Moore JA (1985) Gloucestershire charophyte records 3. Gloucestershire Naturalists Society Journal 36: 80–83.
- Balbi DM (2000) Suspended chlorophyll in the River Nene, a small nutrient-rich river in eastern England: long-term and spatial trends. Science of the Total Environment 251: 401–421.
- Bando T (1988) A revision of the genera *Docidium*, *Haplotaenium* and *Pleurotaenium* (Desmidiaceae, Chlorophyta) of Japan. Journal of Science of the Hiroshima University, ser. B, div. 2 (Botany) 22: 1–63
- Barber HG, Haworth EY (1981) A Guide to the Morphology of the Diatom Frustule. Scientific Publications of the Freshwater Biological Association, UK No. 44. 112 pp.
- Barker J (1866) *Staurastrum scrabrum* new to Ireland. Quarterly Journal of Microscopical Science 6: 184.
- Barker J (1869a) A new and remarkable species of *Penium* (*P. spirostriolatum*). Quarterly Journal of Microscopical Science 9: 194.
- Barker J (1869b) *Desmidium aptogonum* new to Ireland. Quarterly Journal of Microscopical Science 9: 198–199.
- Barker J (1873) *Closterium rostratum* conjugated, also the occurrence of *Cosmarium plicatum* Reinsch. Quarterly Journal of Microscopical Science 13: 435.
- Barker J (1896c) On a proposed new *Staurastrum* (*S. elongatum* Bark.). Quarterly Journal of Microscopical Science 9: 424.
- Bastow RF (1949) Lundy Freshwater Diatom Flora. Lundy Field Society 3rd Annual Report 1949: 32.
- Bastow RF (1954) New and rare freshwater diatoms from Devon. Transactions of the Devonshire Association for the Advancement of Science, Literature and the Arts 86: 285–290.
- Bastow RF (1957) Estuarial diatoms of the River Taw. Transactions of the Devonshire Association for the Advancement of Science, Literature and the Arts 89: 264–269.
- Battarbee RW (1976) *Coscinodiscus lacustris* in Lough Neagh – a case of mistaken identity? British Phycological Journal 11: 305–307.
- Battarbee RW (1978) Observations on the recent history of Lough Neagh and its drainage basin. Philosophical Transactions of the Royal Society B 281: 303–345.

- Battarbee RW, Carter C (1993) The recent analysis of Lough Neagh. Part B. Diatom and chironomid analysis. In Wood RB, Smith RV (eds) Lough Neagh. The Ecology of a Multipurpose Water Resource. Kluwer, Dordrecht: 133–147.
- Battarbee RW, Charles DF, Dixit SS, Renberg, I (1999) Diatoms as indicators of surface water acidity. In Stoermer EF, Smol JP (eds) The Diatoms: Applications for the Environmental and Earth Sciences. Cambridge University Press, Cambridge: 85–127
- Beadle J (2014) Saturn has landed on the moors: first records of *Saturnella saturnus* from the British Isles. FBA Newsletter 63: 1–3.
- Beakes GW, Canter HM; Jaworski GHM (1993) Sporangium differentiation and zoospore fine structures of the chytrid *Rhizophyridium planktonicum*, a fungal parasite of *Asterionella formosa*. Mycological Research 97: 1059–1074.
- Beem AP van, Simons J (1988) Growth and morphology of *Draparnaldia mutabilis* (Chlorophyceae, Chaetophorales) in synthetic medium. British Phycological Journal 23: 143–151.
- Beesley L (1904) A fountain alga. New Phytologist 3: 74–82.
- Belcher JH (1956) On the occurrence of *Bangia atropurpurea* (Roth) Ag. in a freshwater site in Britain. Hydrobiologia 8: 298–299.
- Belcher JH (1959) Some uncommon Chlorophyceae from the Lee Valley. British Phycological Bulletin 1: 73–74.
- Belcher JH (1960) Culture studies of *Bangia atropurpurea* (Roth) Ag. New Phytologist 59: 367–373.
- Belcher JH (1964a) Some new and uncommon British Volvocales. III. British Phycological Bulletin 2: 307–312.
- Belcher JH (1964b) Observations on *Spermatozopsis exsultans* Korshikov in culture. Nova Hedwigia 8: 127–133.
- Belcher JH (1965a) Some new and uncommon British Volvocales. IV. British Phycological Bulletin 2: 414–421.
- Belcher JH (1965b) *Volvulina steinii* Playfair from the English Lake District, a new British record. British Phycological Bulletin 2: 501–502.
- Belcher JH (1965c) An investigation of three clones of *Monomastix* Scherffel by light microscopy. Nova Hedwigia 9: 74–82.
- Belcher JH (1966a) *Prasinochloris sessilis* gen. et sp. nov., a coccoid member of the Prasinophyceae, with some remarks upon cyst formation in *Pyramimonas*. British Phycological Bulletin 3: 43–51.
- Belcher JH (1966b) Colony structure in *Chrysocapsa epiphytica* Lund. British Phycological Bulletin 3: 81–82.
- Belcher JH (1966c) *Microglena butcheri* nov. sp., a flagellate from the English Lake District. Hydrobiologia 27: 65–69.
- Belcher JH (1967) Reproduction and growth of the mixotrophic flagellate *Furcilla stigmatophora* (Skuja) Korshikov (Volvocales). Archiv für Mikrobiologie 58: 181–185
- Belcher JH (1968a) Lorica construction in *Pseudokephyriion pseudospirale* Bourrelly. British Phycological Bulletin 3(3): 495–499.
- Belcher JH (1968b) The fine structure of *Furcilla stigmatophora* (Skuja) Korshikov. Archiv für Mikrobiologie 60: 84–94.
- Belcher JH (1968c) A morphological study of *Pedinomonas major* Korshikov. Nova Hedwigia 16: 131–139.
- Belcher JH (1969a) A morphological study of the phytoflagellate *Chrysococcus rufescens* Klebs in culture. British Phycological Journal 4: 105–117.
- Belcher JH (1969b) A re-examination of *Phaeaster pascheri* Scherffel in culture. British Phycological Journal 4: 191–197.
- Belcher JH (1969c) Further observations on the type species of *Pyramimonas* (*P. tetrarhynchus*) Schmad: an examination by light microscopy, together with notes on its taxonomy. Journal of the Linnean Society (Botany) 2: 241–243.
- Belcher JH (1969d) Some remarks upon *Mallomonas papillosa* Harris & Bradley and *M. calceolus* Bradley. Nova Hedwigia 18: 257–270.
- Belcher JH (1974) *Chrysosphaera magna* sp. nov., a new coccoid member of the Chrysophyceae. British Phycological Journal 9: 139–144.
- Belcher (J)H, George E, Swale E(MF) (2006) Contributions towards a new algal flora of Cambridgeshire (Vice-county 29). Phylum Euglenophyta. Nature in Cambridgeshire 40: 24.

- Belcher JH, Swale EMF (1976) *Spumella elongata* (Stokes) nov. comb., a colourless flagellate from soil. Archiv für Protistenkunde 118: 215–220.
- Belcher JH, Carter CF, Peters AF (2009) An unknown filamentous brown alga (Phaeophyceae) from a domestic freshwater aquarium in Northampton UK. The Phycologist 77: 13.
- Belcher (J)H, George E, Swale E(MF) (2006) Contributions towards a new algal flora of Cambridgeshire (Vice county 29). Phylum Euglenophyta. Nature in Cambridgeshire 40: 24–31.
- Belcher JH, Storey JE (1968) The phytoplankton of Rostherne and Mere Meres, Cheshire. Naturalist, Hull 905: 57–61.
- Belcher (J)H, George E, Swale E(MF) (2003) Notes on the phytoplankton of the Great Ouse River and its tributary the Cam. Nature in Cambridge 41: 29–36.
- Belcher (J)H, George E, Swale E(MF) (2006) The curious *Dylakosoma symbioticum* and three other colourless euglenoid flagellates, newly recorded for Britain. Bulletin of the Quekett Microscopical Club 50: 10–14.
- Belcher (J)H, George E, Swale E(MF) (2007) Contributions towards a new algal flora of Cambridgeshire II. Phyla Prasinophyta and Chlorophyta, class Volvocales. Nature in Cambridge 49: 25–30.
- Belcher (J)H, George E, Swale E(MF) (2008) Contributions towards a new algal flora of Cambridgeshire (Vice-county 29), III. Phylum Chlorophyta, class Chlorococcales (first part). Nature in Cambridge 50: 37–43.
- Belcher JH, Swale EMF (1957) Some uncommon freshwater algae. British Phycological Bulletin 5: 40–42.
- Belcher JH, Swale EMF (1961) Some new and uncommon British Volvocales. British Phycological Bulletin 2: 56–62.
- Belcher JH, Swale EMF (1962) Culture studies on *Ankistrodesmus* and some similar genera. 1. Some less common and new British species. British Phycological Bulletin 2: 126–132.
- Belcher JH, Swale EMF (1963) Some new and uncommon British Volvocales. II. British Phycological Journal: 210–218.
- Belcher JH, Swale EMF (1967a) *Chromulina placentula* sp. nov. (Chrysophyceae), a freshwater nannoplankton flagellate. British Phycological Bulletin 3: 257–267.
- Belcher JH, Swale EMF (1967b) Observations on *Pteromonas tenuis* sp. nov. and *P. angulosa* (Carter) Lemmermann (Chlorophyceae, Volvocales) by light and electron microscopy. Nova Hedwigia 13: 353–359.
- Belcher JH, Swale EMF (1971) The microanatomy of *Phaeaster pascheri* Scherff. (Chrysophyceae). British Phycological Journal 6: 157–169.
- Belcher JH, Swale EMF (1972) Some features of the microanatomy of *Chrysococcus cordiformis* Naumann. British Phycological Journal 7: 53–59.
- Belcher JH, Swale E(MF) (1976) A Beginner's Guide to Freshwater Algae. Institute of Terrestrial Ecology/Natural Environment Research Council. HMSO, London. 48 pp
- Belcher JH, Swale EMF (1977) Species of *Thalassiosira* (diatoms, Bacillariophyceae) in the plankton of English rivers. British Phycological Journal 12: 291–297.
- Belcher JH, Swale EMF (1978) *Skeletonema potamos* (Weber) Hasle and *Cyclotella atomus* Hustedt (Bacillariophyceae) in the plankton of rivers in England and France. British Phycological Journal 13: 177–182.
- Belcher JH, Swale EMF (1979) An Illustrated Guide to River Phytoplankton. HMSO, London. 64 pp.
- Belcher JH, Swale EMF (1981) Records of *Simonsnia delogeii* and some interesting species of *Navicula* (diatoms) from English rivers, mainly near Cambridge. Microscopy. Journal of the Quekett Microscopical Club 34: 201–206.
- Belcher JH, Swale EMF (1984) Unusual and surprising algae from a Cambridge roof. Microscopy. Journal of the Quekett Microscopical Club 35: 136–143.
- Belcher (J)H, Swale E(MF) (1984) Catch a falling star. Folklore 95: 210–220.
- Belcher JH, Swale EMF (1991) *Thorea*, *Bangia*, and other freshwater red algae in Cambridgeshire. Nature in Cambridgeshire 33: 42–45.
- Belcher JH, Swale EMF (1992) Conspicuous growth of algae in Trumpington Street, Cambridge. Nature in Cambridgeshire 38: 71–75.
- Belcher JH, Swale EMF (1996) Some uncommon algae from Cambridgeshire waters. Nature in Cambridgeshire 38: 71–75.
- Belcher JH, Swale EMF (1999) Vision Park Pool, Histon, and its remarkable phytoplankton. Nature in Cambridgeshire 41: 21–29.

- Belcher JH, Swale EMF (2000) Three uncommon algal flagellates from Cambridgeshire waters. *Nature in Cambridgeshire* 42: 80–83.
- Belcher JH, Swale EMF (2001) Records and illustrations of the desmid alga *Closterium* from water bodies around Cambridge. *Nature in Cambridge* 43: 17–22.
- Belcher (J)H, Swale E(MF) (2002) Uncommon Cambridgeshire freshwater algae (*Polytoma*, *Hyalobrachion*, *Collodictyon*, *Chroodactylon* and *Porphyridium*) and common and rarely observed purple sulphur bacteria. *Nature in Cambridge* 44: 33–35.
- Belcher (J)H, Swale E(MF) (2003) Preliminary observations on some puddles around Cambridgeshire. *Nature in Cambridge* 46: 20–28.
- Belcher JH, Swale EMF, Heron J (1966) Ecological and morphological observations on a population of *Cyclotella pseudostelligera* Hustedt. *Journal of Ecology* 54: 335–340.
- Bellinger EG (1977) Seasonal size changes in certain diatoms and their possible significance. *British Phycological Journal* 12: 233–239.
- Bellinger EG (1992) A Key to Common British Algae. 4th edn. The Institution of Water and Environmental Management. 138 pp.
- Bellinger EG, Sigue DC (2010) Freshwater Algae Identification and Use as Bioindicators. Wiley-Blackwell. 271 pp.
- Bellinger EG, Sigue DC (2015) Freshwater Algae: Identification and Use as Bioindicators. 2nd edn. Wiley-Blackwell. In press.
- Bennion H, Appleby P (1999) An assessment of recent environmental change in Llangorse Lake using palaeolimnology. *Aquatic Conservation* 9: 361–375.
- Benson-Evans K, Antoine R (1993) A Check List of the Freshwater, Brackish and Marine Algae of South Wales, U.K. D.Brown & Sons, Cowbridge.
- Benson-Evans K, Antoine R (1996) A Guide to the Freshwater, Brackish and Marine Algae of South Wales, UK. Bioline Cardiff. 387 pp.
- Benson-Evans K, Fisk D, Pickup G, Davies P (1967) The natural history of Slapton Ley nature reserve. Preliminary studies on the freshwater algae. *Field Studies* 2: 493–519.
- Benson-Evans K, Williams PF, McLean RO, Prance N (1975) Algal communities in polluted rivers of South Wales. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* 19: 2010–2019.
- Berg MS van den, Scheffer M, Coops H, Simons J (1998) The role of Characean algae in the management of eutrophic shallow lakes. *Journal of Phycology* 34: 750–756.
- Berkeley MJ (1833) Gleanings of British algae; being an appendix to the supplement to English Botany. London. 50 pp., 20 pls.
- Berrendero E, Perona E, Mateo P (2008) Genetic and morphological characterization of *Rivularia* and *Calothrix* (Nostocales, Cyanobacteria) from running water. *International Journal of Evolutionary Microbiology* 58: 447–460.
- Bethge H (1935) *Chroococcus plancticus*, eine neue planktonische Cyanophyceae. *Berichte Deutsche Gesellschaft* 53: 265–269.
- Billington CA, Jones AK (1976) Aspects of the spatial distribution of the algae of the Nant-y-Moch Reservoir, Ceredigion, Wales. *Hydrobiologia* 50: 43–54.
- Bindloss ME, Holden AV, Bailey-Watts AE, Smith IR (1973) Phytoplankton production, chemical and physical conditions in Loch Leven. In Kajak Z, Hillbricht-Ilkowska A (eds) *Productivity Problems of Freshwaters*. Proceedings of the IBP-UNESCO Symposium on Productivity Problems of Freshwaters. Kazimierz Dolny, Poland, May 6–12, 1970. Warszawa, Kraków: 639–659.
- Birch SP, Kelly MG, Whitton BA (1989) Macrophytes of the River Wear: 1966, 1976, 1986. *Transactions of the Botanical Society of Edinburgh* 45(1988): 203–212.
- Bisset JP (1878) A new *Micrasterias* from Scotland. *Proceedings of the Dublin Microscopic Club* 18: 348.
- Bisset JP (1884) List of the Desmidieae found in gatherings made in the neighbourhood of Lake Windermere during 1883. *Journal of the Royal Microscopical Society* II 4: 173–176.
- Blackburn JB, Temperley BW (1936) *Botryococcus* and the algal coals. *Transactions of the Royal Society of Edinburgh* 58: 841–853.
- Blackburn SI, Tyler PA (1980) Conjugation, germination and meiosis in *Micrasterias mahabuleshwarensis* Hobson (Desmidiaeae). *British Phycological Journal* 15: 83–93.
- Bliding C (1963) A critical of European taxa of Ulvales, Part 1; *Capsosiphon*, *Percusaria*, *Blidingia*, *Enteromorpha*. *Opera Botanica* 8(3): 1–160.

- Blum JL (1953) The racemose Vaucheriaceae with inclined or pendent oogonia. Bulletin of the Torrey Botanical Club 80: 478–497.
- Blum JL (1972) Vaucheriaceae. North American Flora Series II, part 8: 1–64.
- Boedeker C, Eggert A, Immers A, Smets E (2010) *Aegagropila linnaei*, with special reference to the lake ball habit. Bioscience 60: 187–198.
- Boedeker C, Immers I (2009) No more lake balls (*Aegagropila linnaei* Kützing, Cladophorophyceae, Chlorophyta) in the Netherlands? Aquatic Ecology 43: 891–902.
- Bolas PM, Lund JWG (1974) Some factors affecting the growth of *Cladophora glomerata* in the Kentish Stour. Proceedings of the Society for Water Treatment and Examination 23: 25–51.
- Bold H(C) (1958) Three new Chlorophycean algae. American Journal of Botany 45: 737–743.
- Bolton T (1886) Micro-organisms in a swampy ditch in Sutton Park. The Midland Naturalist 4: 173–176.
- Borge O (1907) Beiträge zur Algenflora von Schweden. Arkiv für die Botanik 6: 1–88 (1906).
- Bornet JBE, Flahault CGM (1886–8) Revision des Nostocacées hétérocystées contenues dans les principaux herbiers de France. Annales des Sciences Naturelles, Botanique sér. 7, 3: 323–381 (1886); 4: 343–373 (1886); 5: 51–129 (1887); 7: 177–262 (1888). (Nomenclatural rules require 1886 to be listed as year for the authority, whichever year the species was described) Reprinted in 1956 by Weinheim/Bergstr. Chez H.R. Engelmann (J. Cramer).
- Bornet JBE, Thuret GA (1876) Notes Algologiques I. Paris. 198 pp.
- Bory de Saint Vincent JBM (1822) Dictionnaire Classique d'Histoire Naturelle. 1. Paris. 199 pp.
- Bourrelly P (1937) Une nouvelle espèce de cyanophycée d'eau douce du genre *Desmosiphon*. Bulletin du Centre d'Études et de Recherches Scientifiques – Biarritz II(4): 589–593.
- Bourrelly P (1951) Notes sur quelques Chlorococcales. Bulletin Museum de Paris sér. 2, 23: 673–684.
- Bourrelly P (1966) Les Algues d'Eau Douce. Initiation à la Systématique. I. Les Algues Vertes. Boubée, Paris. 511 pp.
- Bourrelly P (1970) Les Algues d'Eau Douce III. Les Algues Bleues et Rouges; Les Eugléniens, Peridiniens et Cryptomonadienes. Boubée, Paris. 512 pp.
- Bourrelly P (1972) Les Algues d'Eau Douce I. Les Algues Vertes. Boubée, Paris. 572 pp.
- Bourrelly P (1981) Les Algues d'Eau Douce II. Les Algues Jaunes et Braunes, Chrysophycées, Phaeophycées, Xanthophycées et Diatomées. Rev. Éditions Boubée, Paris. 438 pp.
- Bourrelly P (1985) Les Algues d'Eau Douce. III. Les Algues Bleues et Rouges, Les Eugléniens, Peridiniens et Cryptomonadienes. Société Nouvelle des Éditions Boubée, Paris. 606 pp.
- Bowker DW, Denny P (1980) The seasonal succession and distribution of epiphytic algae in the phyllosphere of *Lemna minor* L. Archiv für Hydrobiologie 90: 39–56.
- Bowker DW, Denny P (1983) The spatial distribution of algae on shoots of emergent macrophytes in a reed swamp in the littoral zone of Lake Windermere. Nova Hedwigia 37: 389–401.
- Bowles B, Quennell S (1971) Some quantitative algal studies on the River Thames. Proceedings of the Society for Water Treatment and Examination 20: 35–51.
- Bradley DE (1966b) Observations on some chrysomonads from Scotland. Journal of Protozoology 13: 143–154.
- Braun A (1855) Algarum Unicellularium Genera Nova et Minus Cognita . . . 2 edn, Lipsiae. 111 pp.
- Bristol BM (1917) On the life history and cytology of *Chlorochytrium grande* sp. nov. Annals of Botany 31: 107–126.
- Bristol BM (1919) On the life-history and cytology of *Chlorococcum humicola*. Journal of the Linnean Society, Botany 44: 92.
- Bristol BM (1920a) A review of the genus *Chlorochytrium* Cohn. Journal of the Linnean Society, Botany 45: 1–28.
- Bristol BM (1920b) On the alga-flora of some desiccated English soil. Annals of Botany 34: 35–80.
- Bristol BM (1921) Some aspects of the work of the late Professor G.S. West, M.A., D.Sc., F.L.S. Proceedings of the Birmingham Natural History and Philosophical Society 14: 139–146.
- Bristol Roach BM (1927) On the algae of some normal English soils. Journal of Agricultural Science 17: 563–588.
- Broady PA, Ingerfeld M (1999) *Ammatoidea normanii* (Cyanobacteria, Homoeotrichaceae) from La Gorce Mountains, Antarctica. Archiv für Hydrobiologie, Suppl. 130 [Algological Studies 95]: 1–13.
- Brodie J, Lewis J (2007) Unravelling the algae the past, present, and future of algal systematics. Systematics Association Special Volume 75, CRC Press, Taylor & Francis Group, London, 376 pp.
- Brook AJ (1954a) Notes on some uncommon algae from lochs in the Tummel–Garry catchment area. Transactions and Proceedings of the Botanical Society of Edinburgh 36: 207–214.

- Brook AJ (1954b) The bottom-living algal flora of slow sand filter beds of waterworks. *Hydrobiologia* 6: 333–351.
- Brook AJ (1955a) Notes on some uncommon algae from lochs in Kinross, Perthshire and Caithness. *Transactions and Proceedings of the Botanical Society of Edinburgh* 36: 309–316.
- Brook AJ (1955b) The attached algal flora of slow sand filter beds of waterworks. *Hydrobiologia* 7: 103–117.
- Brook AJ (1955c) The aquatic fauna as an ecological factor in studies of the occurrence of freshwater algae. *Revue Algologique* NS 3: 141–145.
- Brook AJ (1957a) Notes on freshwater algae, mainly from lochs in Perthshire and Sutherland. *Transactions and Proceedings of the Botanical Society of Edinburgh* 37: 114–122.
- Brook AJ (1957b) On some forms of *Micrasterias* new to or rare in Britain. *Naturalist, Hull* (1957): 37–39.
- Brook AJ (1957c) Notes on desmids of the genus *Staurastrum* I. *Naturalist, Hull* (1957): 93–100.
- Brook AJ (1958a) Desmids from the plankton of Irish loughs. *Proceedings of the Royal Irish Academy* 59B: 71–91.
- Brook AJ (1958b) Notes on algae from the plankton of some Scottish freshwater lochs. *Transactions and Proceedings of the Botanical Society of Edinburgh* 37: 174–181.
- Brook AJ (1958c) Changes in the phytoplankton of some Scottish hill lochs resulting from their artificial enrichment. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* 13: 298–305.
- Brook AJ (1958/59) *Staurastrum paradoxum* Meyen and *S. gracile* Ralfs in the British freshwater plankton, and a revision of the *S. anatinum* group of radiate desmids. *Transactions of the Royal Society of Edinburgh* 63: 589–628.
- Brook AJ (1959a) The published figures of *Staurastrum paradoxum* Meyen. *Revue Algologique, NS* 4: 239–255.
- Brook AJ (1959b) Notes on the desmids of the genus *Staurastrum*. III. *Staurastrum paradoxum* in the Jenner Herbarium of the British Museum. *Naturalist, Hull* 1959: 81–83.
- Brook AJ (1959c) The status of desmids in the plankton and the determination of phytoplankton quotients. *Journal of Ecology* 47: 429–445.
- Brook AJ (1959d) *Staurastrum pendulum* var. *pinguiforme* Croasdale, fo. *minor* West; fo. *major* fac. *quadrata* and *S. micron* var. *perpendiculatum* nov. comb., desmids new to the British freshwater plankton. *Nova Hedwigia* 9: 157–162.
- Brook AJ (1959e) De Brébisson's determinations of *Staurastrum paradoxum* Meyen and *S. gracilis* Ralfs. *Nova Hedwigia* 1: 163–165.
- Brook AJ (1960) The varieties of *Staurastrum paradoxum* Meyen – *nomen dubium*. *Nova Hedwigia* 1: 431–442.
- Brook AJ (1964) The vegetation of the Scottish freshwater lochs. In Burnett JH (ed.) *The Vegetation of Scotland*. Oliver & Boyd, Edinburgh: 290–305.
- Brook AJ (1965) Planktonic algae as indicators of lake types, with special reference to the Desmidiaceae. *Limnology and Oceanography* 10: 403–411.
- Brook AJ (1981a) The Biology of Desmids. *Botanical Monographs* 16. 1–267. Blackwell, Oxford.
- Brook AJ (1981b) Population dynamics and water quality with special reference to the Desmidiaceae. In Hoestlandt H (ed.) *Dynamique de Populations et Qualité de l'Eau*. Gauthier-Villars.
- Brook AJ (1981c) Calcium sulphate inclusions in the desmids *Bambusina* and *Gonatozygon*. *British Phycological Journal* 16: 267–272.
- Brook AJ (1982) Desmids of the *Staurastrum tetracerum* group from a eutrophic lake in mid-Wales. *British Phycological Journal* 17: 259–274.
- Brook AJ (1984) Comparative studies in a polyphyletic group, the Desmidiaceae – 30 years on. In Irvine DEG, John DM (eds) *Systematics of the Green Algae* [Systematics Association Special Volume 27]. Academic Press, London: 251–269.
- Brook AJ (1985) On *Gonatozygon aculeatum* var. *groenbladii* Ružička and *G. brebissonii* De Bary (Desmidiales). *Microscopy. The Journal of the Quekett Microscopical Club* 35: 293–296.
- Brook AJ (1987) Algae with a taste for the unusual. *New Scientist* 115 (1577): 55–57.
- Brook AJ (1990) *Closterium sublaterale* Ružička, a rare desmid, newly recorded in Britain. *British Phycological Journal* 25: 291–294.

- Brook AJ (1992a) *Spirotaenia alpina* Schmidle (Zygnemaphyceae: Mesotaeniaceae), a saccoderm desmid new to the British Isles: revised description and observations on cell division. *British Phycological Journal* 27: 29–38.
- Brook AJ (1992b) *Cylindrocystis debaryi* Grönblad, a saccoderm desmid newly recorded for the British Isles; observations on its zygosporule production, and of parthenospore production in *C. brebissonii* Menegh. *Microscopy. Journal of the Quekett Microscopical Club* 36: 703–708. C
- Brook AJ (1992c) The desmid *Closterium pusillum* Hantzsch from two terraqueous habitats, with observations on asexual spore formation. *British Phycological Journal* 27: 409–416.
- Brook AJ (1994a) A new species of *Spirotaenia*, *S. cambrica* (family Mesotaeniaceae) of the subgenus Polytaeniae, from Mid-Wales. *The Quekett Journal of Microscopy* 37: 191–194.
- Brook AJ (1994b) *Cylindrocystis cushleckae*, a new species of saccoderm desmid (Family Mesotaeniaceae). *The Quekett Journal of Microscopy* 37: 225–231.
- Brook AJ (1994c) Algae. In Maitland PS, Boon PJ, McLusky DS (eds) *The Fresh Waters of Scotland: a National Resource of International Significance*. John Wiley & Sons, Sussex: 131–146.
- Brook AJ (1995) *Closterium variabile* sp. nov., (Zygnemaphyceae), a desmid new to science from Bedfordshire, England; and comments on *C. sphaerosporum* (West) nov. comb. *The Quekett Journal of Microscopy* 37: 384–391.
- Brook AJ (1996) *Tenogametum sinensis* Jao & Hu (Charophyceae: Zygnematales), a genus and species of filamentous alga previously unrecorded from the British Isles or Europe. *The Quekett Journal of Microscopy* 37: 653–659.
- Brook AJ (1997) The proposed establishment of a new desmid genus *Polytaenia*, previously the subgenus Polytaenia of the genus *Spirotaenia* and the description of a new species *P. luetkemuelleri*. *The Quekett Journal of Microscopy* 38: 7–14.
- Brook AJ (1998) *Tortitaenia* nom. nov. pro. *Polytaenia* Brook, a name of a genus of saccoderm desmids. *The Quekett Journal of Microscopy* 38: 146.
- Brook AJ (2001) The drought resistant desmid *Cosmarium pericymatum* Nordstedt, and a description of the new var. *corrugatum*. *The Quekett Journal of Microscopy* 39: 127–132.
- Brook AJ, Ells W (1987) Feeding of amoebae on desmids. *Microscopy. The Journal of the Quekett Microscopical Club* 35: 537–540.
- Brook AJ, Fotheringham J, Bradly J, Jenkins A (1980) Barium accumulation by desmids of the genus *Closterium* (Zygnemaphyceae). *British Phycological Journal* 15: 261–264.
- Brook AJ, Grime GW, Watt F (1988) A study of barium accumulation in desmids using the Oxford scanning proton microprobe. *Nuclear Instrumentation Methodology B30*: 372–377.
- Brook AJ, Holden AV (1957) Fertilization experiments in Scottish freshwater lochs. I. Loch Kinardochy. *Scottish Home Department Freshwater and Salmon Fisheries Research Series* 17: 1–30.
- Brook AJ, Williamson DB (1985) Needle-like inclusions in the terminal vacuoles of *Closterium lunula* (Müll.) Nitzsch. *Microscopy. Journal of the Quekett Microscopical Club* 35: 226–233.
- Brook AJ, Williamson DB (1988a) *Closterium arcus* sp. nov., a new British desmid. *British Phycological Journal* 23: 391–394.
- Brook AJ, Williamson DB (1988b) The survival of desmids on the drying mud of a small lake. In: Round FE (ed.) *Algae and the Aquatic Environment. Contributions in Honour of J.W.G. Lund*. Biopress, Bristol: 185–196.
- Brook AJ, Williamson DB (1990) *Actinotaenium habeebense* (Irénée Marie) nov. comb., a rare, drought resistant desmid. *British Phycological Journal* 25: 321–327.
- Brook AJ, Williamson DB (1991) A check list of desmids of the British Isles. *Freshwater Biological Association UK. Occasional Paper* 28. 40 pp.
- Brook AJ, Williamson DB (2010) *A Monograph on British Desmids: Families Mesotaeniaceae, Peniaceae, Closteriaceae*. Ray Society, London.
- Brook AJ, Williamson DB, Shoesmith E (1993) On the status of *Closterium abruptum* West and *C. nilssonii* Borge (Desmidaceae: Zygnemaphyceae). *Nova Hedwigia* 57: 255–268.
- Brook AJ, Woodward WB (1965) Some observations on the effects of water in flow and outflow on the plankton of small lakes. *Journal of Animal Ecology* 25: 22–35.
- Brosnan S, Brown PJ, Farmer MA, Triemer RE (2005) Morphological separation of the euglenoid genera *Trachelomonas* and *Strombomonas* (Euglenophyta) based on lorica development and posterior strip reduction. *Journal of Phycology* 41: 590–605.

- Brosnan S, Shin W, Kjer KM, Triemer RE (2003) Phylogeny of the photosynthetic euglenophytes inferred from the nuclear SSU and partial LSU rDNA. International Journal of Systematic and Evolutionary Microbiology 53: 1175–1186.
- Brummitt RK, Powell CE (1992) Authors of Plant Names A List of Authors of Scientific Names of Plants, with Recommended Standard Forms of Their Names, Including Abbreviations. Royal Botanic Gardens, Kew. 732 pp.
- Bryant J(A) (2007) The stoneworts (Chlorophyta, Charales). In Guiry MD, John DM, Rindi F, McCarthy K (eds) New Survey of Clare Island. Volume 6: The Freshwater and Terrestrial Algae. Royal Irish Academy, Dublin: 67–72, 254.
- Bryant JA, Stewart NF (2011) Charales. In John DM, Whitton BA, Brook AJ (eds) Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae. Second Edition. Cambridge University Press, Cambridge: 742–765.
- Bryant JA, Stace CA, Stewart NF (2002) A checklist of Characeae of the British Isles. Watsonia 24: 203–208.
- Buchheim M, Buchheim J, Carlson T, Braband A, Hepperle D, Krienitz L, Wolf M, Hegewald E (2005) Phylogeny of the Hydrodictyaceae (Chlorophyceae): inferences from rDNA data. Journal of Phycology 41: 1039–1054.
- Buchheim MA, Buchheim JA, Carlson T, Kugrens P (2002) Phylogeny of *Lobocharamium* (Chlorophyceae) and allies: A study of 18S and 26S rDNA data. Journal of Phycology 38: 376–383.
- Buchheim MA, Michalopoulos EA, Buchheim JA (2001) Phylogeny of the Chlorophyceae with special reference to the Sphaeropleales: a study of 18S and 26S rDNA data. Journal of Phycology 37: 819–835.
- Bullock-Webster GR (1898) Some new Characeae records. Journal of Botany 36: 182–184.
- Bullock-Webster GR (1901) Some new Characeae records. Journal of Botany 39: 101–102.
- Bullock-Webster GR (1902) Characeae from County Monaghan: The Irish Naturalist 11: 141–146.
- Bullock-Webster GR (1917) The Characeae of Fanad, E. Donegal. The Irish Naturalist 26: 1–5.
- Bullock-Webster GR (1918) The Characeae of the Rosses, W. Donegal. The Irish Naturalist 17: 7–10.
- Bullock-Webster GR (1919) A new *Nitella*. Journal of Botany 57: 1–2.
- Bullock-Webster GR (1920) Some charophyte notes. The Irish Naturalist 29: 55–58.
- Bullock-Webster GR (1922) Notes on charophytes. Journal of Botany 60: 148–149.
- Bunting W, Lund JWG (1956) A new blue-green alga epizoic on *Daphnia pulex*. Naturalist, Hull, July–September: 1–3.
- Burchardt L (ed.) 2014 Key to identification of phytoplankton species in lakes and rivers. W. Szafer Institute of Botany, Polish Academy of Sciences, Kraków.
- Burrows E (1991) Seaweeds of the British Isles 2 Chlorophyta. Natural History Museum Publications, London. 238 pp.
- Butcher RW (1924) The plankton of the River Wharfe (Yorkshire). Naturalist, Hull 175: 175–180, 211–214.
- Butcher RW (1931) An apparatus for studying the growth of epiphytic algae with special reference to the River Tees. Transactions of Northern Naturalists Union 1(1): 1–15.
- Butcher RW (1932a) Studies in the ecology of rivers II. The microflora of rivers with special reference to the algae on the river bed. Annals of Botany 46: 813–861.
- Butcher RW (1932b) Notes on new and little-known algae from the beds of rivers. New Phytologist 31: 289–309.
- Butcher RW (1933) Studies on the ecology of rivers. I. On the distribution of macrophytic vegetation in the rivers of Britain. Journal of Ecology 21: 58–91.
- Butcher RW (1940) Studies on the ecology of rivers. IV. Observations on the growth and distribution of the sessile algae in the River Hull, Yorkshire. Journal of Ecology 28: 210–233.
- Butcher RW (1942) The plankton of the River Wharfe. Naturalist, Hull (1942): 175–180, 211–214.
- Butcher RW (1946) Studies in the ecology of rivers. VI. The algal growth in certain highly calcareous streams. Journal of Ecology 33: 268–283.
- Butcher RW (1947) Studies on the ecology of rivers. VII. The algae of organically enriched waters. Journal of Ecology 35: 186–191.
- Butcher RW (1959) An introductory account of the smaller algae of the British coastal waters I. Fisheries Investigations. 74 pp.
- Butcher RW (1967) An introductory account of the smaller algae of British coastal waters. Part IV: Cryptophyceae. Fisheries Investigations, London, Series 4. 54 pp.

- Butcher RW, Longwell J, Pentelow FTK (1937) Survey of the River Tees. Part III. – The Non-Tidal Reaches – Chemical and Biology. Technical Paper of Water Pollution Research No. 6. 189 pp. HMSO, London.
- Butcher RW, Pentelow FTK, Woodley JWA (1931) An Investigation of the River Lark and the Effect of Beet Sugar Pollution. MAFF Fisheries Investigations Series I, II(3). 112 pp. HMSO, London.
- Calado AJ, Moestrup Ø (2005) On the freshwater dinoflagellates presently included in the genus *Amphidinium*, with a description of *Prosoaulax* gen. nov. *Phycologia* 44: 112-119.
- Cann JP, Pennick NC (1986) Observations on *Petalomonas cantuscygni*, n. sp., a new halo-tolerant strain. *Archiv für Protistenkunde* 132: 63-71.
- Canter HM (1949a) Studies on British chytrids VI. Aquatic Synchitridaceae. *Transactions of the British Mycological Society* 32: 69–94.
- Canter HM (1949b) On *Apharomycopsis bacillariacearum* Scherffel, *A. desmidiella* n. sp., and *Ancylistes* sp. in Great Britain. *Transactions of the British Mycological Society* 32: 162–170.
- Canter HM (1949c) Studies on British chytrids VII. On *Phytochytrium mucronatum*. *Transactions of the British Mycological Society* 32: 236–240.
- Canter HM (1954) Fungal parasites of the phytoplankton III. *Transactions of the British Mycological Society* 37: 111–132.
- Canter HM (1963) Studies on British chytrids. XXIII. New species on chrysophycean algae. *Transactions of the British Mycological Society* 46: 305-320.
- Canter HM, Lund JWG (1966) The periodicity of planktonic desmids in Windermere, England. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* 16: 163–172.
- Canter HM, Lund JGW (1968) The importance of protozoa in controlling the abundance of planktonic algae in lakes. *Proceedings of the Linnean Society of London* 179: 203–219.
- Canter HM, Lund JWG (1969) The parasitism of planktonic desmids by fungi. *Österreichische Botanische Zeitschrift* 116: 351–377.
- Canter-Lund H, Lund JWG (1995) Freshwater Algae. Their Microscopic World Explored. Biopress, Bristol. 360 pp.
- Carter CF, John DM (2012) *Asterosiphon dichotomus* (Kützing) Rieth: a new record of an edaphic xanthophyte for the British Isles. *The Phycologist* 83: 37.
- Carter CF, John DM (2012) Interesting new records of British freshwater algae from Pitsford Water, Northamptonshire. *The Phycologist* 83: 29.
- Carter CF, Williamson DB (2008) A rediscovered UK desmid: *Closterium regulare* Bréb. *The Phycologist* 75: 24.
- Carter HJ (1859) On fecundation in *Eudorina elegans* and *Cryptoglena*. *Annals and Magazine of Natural History* ser. 3, 2: 237–253.
- Carter JR (1947) The genus *Gomphonema*. *Microscope* 6: 170–176.
- Carter JR (1960a) British freshwater forms of the genus *Gomphonema*. *Microscope* 12: 255–264.
- Carter JR (1960b) Minute forms of the genus *Navicula*. *Microscope* 12: 283–289.
- Carter JR (1961a, b, c) The genus *Achnanthes* as it occurs in British freshwaters. *Microscope* 12: 320–326; 13: 15–22, 37–45.
- Carter JR (1962a, b) Diatom notes: some unusual British forms. *Microscope* 13: 156–162, 231–237.
- Carter JR (1971a) Diatoms from the Devil's Hole Cave, Fife, Scotland. *Nova Hedwigia* 21: 657–681.
- Carter JR (1971b) Diatoms, the forgotten family. *Vasculum* 56: 66–69.
- Carter JR (1972a) Some observations on the diatom *Pinnularia acoricola*. *Microscope* 32: 162–165.
- Carter JR (1972b) The diatoms of Slapestone Sike, Upper Teesdale. *Vasculum* 57: 35–41.
- Carter JR, Bailey-Watts AE (1981) A taxonomic study of diatoms from standing freshwaters in Shetland. *Nova Hedwigia* 33: 513–629.
- Carter N (1919a) Studies on the chloroplasts of desmids. I. *Annals of Botany* 33: 215–254.
- Carter N (1919b) Studies on the chloroplasts of desmids. II. *Annals of Botany* 33: 295–304.
- Carter N (1919c) *Trachelomonas inconstans*, a new flagellate. *New Phytologist* 18: 118–119.
- Carter N (1919d) On the cytology of two species of *Characiopsis*. *New Phytologist* 18: 177–186.
- Carter N (1937a) New or interesting algae from brackish water. *Archiv für Protistenkunde* 90: 1–68.
- Carter N (1937b) *Pseudomallomonas anglica*: a new British flagellate. *New Phytologist* 36: 57–63.
- Carty P (2008) *Parvodinium* gen. nov. for the Umbonatum group of *Peridinium* (Dinophyceae). *Ohio Journal of Science* 108: 103-107.

- Casamatta DA, Johansen JR, Vis ML, Broadwater ST (2005) Molecular and morphological characterization of ten polar and near-polar strains within the Oscillatoriaceae (Cyanobacteria). *Journal of Phycology* 41: 421–438.
- Castenholz RW (1989) Order Oscillatoriaceae (pp. 1771–1780). Order Nostocales (pp. 1780–1793). Order Stigonematales (pp. 1794–1799). In Bergey's Manual of Systematic Bacteriology 3. Williams & Wilkins, Baltimore.
- Castenholz RW, Rippka R, Herdman M, Wilmette A (2001) In Bergey's Manual of Systematic Bacteriology Second Edition, Volume 1 The Archaea and the Deeply Branching and Phototrophic Bacteria. Springer, New York etc. 721 pp. Form-genus V. *Leptolyngbya*: 544–547.
- Castenholz RW, Waterbury JB (1989) Group 1. Cyanobacteria. Preface. In Bergey's Manual of Systematic Bacteriology 3. Williams & Wilkins, Baltimore: 1710–1727.
- Caveiro SC, Calado AJ, Daugbjerg N, Moestrup Ø (2009) Ultrastructure and LSU rDNA-based revision of *Peridinium* group *palatinum* (Dinophyceae) with the description of *Palatinus* gen. nov. *Journal of Phycology* 45: 1175–1194.
- Chapman DV, Dodge JD, Heaney SI (1981) An electron microscope study of the excystment and early development of the dinoflagellate *Ceratium hirundinella*. *British Phycological Journal* 16: 183–194.
- Chapman DV, Dodge JD, Heaney SI (1985) Seasonal and diel changes in ultrastructure in the dinoflagellate *Ceratium hirundinella*. *Journal of Plankton Research* 7: 263–278.
- Chapman PL (1966) Additions to the freshwater algae of the Northampton district. *Journal of the Northampton Natural History Society* 35: 481–482.
- Chodat R (1897) Étude de biologie lacustre. A. Recherches sur les algues pélagiques de quelques lacs suisses et français. *Bulletin de l'Herbarie de Bossier*, Genève 5: 289–320.
- Christensen T (1952) Studies on the genus *Vaucheria* I. A list of finds from Denmark and England with notes on some submarine species. *Botanisk Tidskrift* 49: 171–188.
- Christensen T (1956) Studies on the genus *Vaucheria* II. Remarks on some species from brackish water. *Botaniska Notiser* 109: 275–280.
- Christensen T (1968) *Vaucheria* types in the Dillenian Herbaria. *British Phycological Bulletin* 3: 463–469.
- Christensen T (1969) *Vaucheria* collections from Vaucher's region. *Biologiske Skrifter* 16 (4): 1–36.
- Christensen T (1970) *Vaucheria prona*, a new name for a common alga. *Botanisk Tidskrift* 65: 245–251.
- Ciminio MT, Delwiche CA (2002) Molecular and morphological data identify a cryptic species complex in endophytic members of the genus *Coleochaete* (Charophyta: Coleochaetaceae). *Journal of Phycology* 38: 1213–1221.
- Ciugulea I, Nudelman MA, Brosnan S, Triemer RE (2008) Phylogeny of the euglenoid loricate genera *Trachelomonas* and *Strombomonas* (Euglenophyta) inferred from nuclear SSU and LSU rDNA. *Journal of Phycology* 44: 406–418.
- Ciugulea I, Triemer RE (2010) A color atlas of photosynthetic euglenoids. Michigan State University Press, East Lansing, MI. 232 pp.
- Clegg J, Haworth EY (1985) Diatoms of the Kentmere diatomite deposits. *Microscopy. Journal of the Quekett Microscopical Club* 35: 285–290.
- Clegg MR, Maberly SC, Jones RI (2007) Behavioral response as a predictor of seasonal depth distribution and vertical niche separation in freshwater phytoplanktonic flagellates. *Limnology and Oceanography* 52: 441–455.
- Clements FE, Shantz HL (1909) A new genus of blue-green algae. *Minnesota Botanical Studies* 4: 133–135.
- Cmiech HA, Leedale GF, Reynolds CS (1984) Morphological and ultrastructural variability of planktonic Cyanophyceae in relation to seasonal periodicity. I. *Gloeotrichia echinulata*. Vegetative cells, polarity, heterocysts, akinetes. *British Phycological Journal* 19: 259–275.
- Cmiech HA, Reynolds CS, Leedale GF (1984) Seasonal periodicity, heterocyst differentiation and sporulation of planktonic Cyanophyceae in a shallow lake, with special reference to *Anabaena solitaria*. *British Phycological Journal* 19: 24–5257.
- Coesel PFM (1983) De Desmidiaeën van Nederland 2 Fam. Closteriaceae. Stichting Uitgeverij Koninklijke Nederlandse Natuurhistorische Vereniging. 49 pp.
- Coesel PFM (1988) Biosystematic studies on the *Closterium moniliferum/ehrenbergii* complex (Conjugatophyceae, Chlorophyta) in western Europe. II. Sexual compatibility. *Phycologia* 27: 421–424.

- Coesel PFM (1989) Biosystematic studies on the *Closterium moniliferum/ehrenbergii* complex (Chlorophyta, Conjugatophyceae) in western Europe. IV. Distributional aspects. Cryptogamie, Algologie 10: 133–141.
- Coesel PFM (1994a) Die Desmidiaceen van Nederland 15 Fam. Desmidiaceae (3). Stichting Uitgeverij Koninklijke Nederlandse Natuurhistorische Vereniging. 52 pp.
- Coesel PFM (1998) Sieralgen en natuurwaarden: handleiding ter bepaling van natuurwaarden van stilstaande, zoete wateren, op basis van het desmidiaceenbestand (met een supplement op de Nederlandse sieralgenflora). Wetenschappelijke Mededeling KNNV 224: 1–56.
- Coesel PFM, Meerster KJ (2007) Desmids of the Lowlands. Mesotaeniaceae and Desmidiaceae of the European Lowlands. KNNV, Zeist, The Netherlands [An English language version of the Dutch language series ‘Die Desmidiaceen van Nederland’ (Coesel 1982–1997)].
- Coesel PFM, Meesters KJ (2013) European flora of the desmid genera *Staurastrum* and *Staurodesmus*. KNNV Publishing, Zeist, The Netherlands. 357 pp.
- Compère P (1996) *Octocanthium* (Hansgirg) Compère, a new generic name in the Desmidiaceae. Beihefte Nova Hedwigia 11(2): 501–507.
- Cooke MC (1880) New *Cosmarium* from Trafalgar Square. Grevillea 9: 16.
- Cooke MC (1881) On some desmids new to Britain in 1880. Journal of the Quekett Microscopical Club 6: 203–211.
- Cooke MC (1882–84) British Fresh-Water Algae, Exclusive of Desmidiaceae and Diatomaceae. Williams & Norgate, London. 329 pp.
- Cooke MC (1885) Essex freshwater algae. Journal and Proceeding of the Essex Field Club 4: 47.
- Cooke MC (1887) British Desmids: a supplement to British Fresh-Water Algae. London. 205 pp.
- Cooke MC (1890) Introduction to Fresh-Water Algae, with an enumeration of all the British species. Kegan Paul, Trench, Trübner, London. 339 pp.
- Cooke MC, Wills AW (1881) Notes on British Desmids. Grevillea 1881: 89–92.
- Conrad W (1934) Materieaux pour une monographie du genre *Lepocinclis* Perty. Archiv für Protistenkunde 82: 203–249.
- Compère P (1992) Charophytes. In: Flora Pratique des Algues d’Eau Douce de Belgique, 4. Jardin Botanique National de Belgique, Meise.
- Coppejans E (1995) Flore Algologique des Côtes du Nord de la France et de la Belgique Jardin Botanique National de Belgique, Meise. 454 pp.
- Cotton AD (1912) Clare Island Survey: marine algae. Proceedings of the Royal Irish Academy 31 (1911–15), section 1, part 15.
- Couté A, Preisig H (1981) Sur l’ultrastructure de *Microglena butcheri* Belcher (Chrysophyceae, Ochromonadales, Synuraceae) et sur sa position systématique. Protistologica 17: 465–467.
- Cox EJ (1987) *Placoneis* Mereschkowsky: the re-evaluation of a diatom genus originally characterized by its chloroplast type. Diatom Research 2: 145–157.
- Cox EJ (1996) Identification of Freshwater Diatoms from Live Material. Chapman & Hall, London. 158 pp.
- Cox EJ (2003a) *Placoneis* Mereschkowsky (Bacillariophyta) revisited: resolution of several typification and nomenclatural problems, including the generitype. Botanical Journal of the Linnaean Society 141: 53–83.
- Cox EJ (2003b) Sorting out the rag-bag: live material, SEM data and the systematics of naviculoid diatoms. Quekett Journal of Microscopy 39: 447–458.
- Cox ER, Bold HC (1966) Taxonomic investigations of the genus *Stigeoclonium*. Phycological Studies 7: 7–167.
- Craveiro SC, Calado AJ, Daugbjerg N, Moestrup Ø (2009) Ultrastructure and LSU rDNA-based revision of *Peridinium* group palatinum (Dinophyceae) with the description of *Palatinus* gen. nov. Journal of Phycology 45: 1175–1194.
- Cronberg G, Annadotter H (2006) Manual on Aquatic Cyanobacteria. Photo Guide and Synopsis of their Toxicology. Intergovernmental Oceanographic Commission of UNESCO, 7 Place de Fontenoy, 75352 Paris 07 SP, France, 106 pp.
- Cronberg G, Weibull C (1981) *Cyanodictyon imperfectum*, a new chroococcocal blue-green alga from Lake Trummen, Sweden. Archiv für Hydrobiologie, Suppl. 60 [Algological Studies 27]: 101–110.
- Czurda V (1932) Zygemales. In Die Süßwasser-Flora Deutschlands, Österreichs und der Schweiz 9. 2nd edn. Gustav Fischer, Jena: 1–232.

- Dakin WI, Latarche M (1913) The plankton of Lough Neagh: a study of the seasonal changes in the plankton by quantitative methods. *Proceedings of the Royal Irish Academy* 30B: 20–95.
- Delf EM (1915) The algal vegetation of some pools on Hampstead Heath. *New Phytologist* 14: 63–80.
- Deflandre G (1930). *Strombomonas nouveau genere d'euglénacées (Trachelomonas Ehr. pro parte).* Archiv für Protistenkunde 69: 551–614.
- DeNicola DM, de Eytó E, Wemaëre A, Irvine K (2003) Production and respiration of epilithic algal communities in Irish lakes of different trophic status. *Archiv für Hydrobiologie* 157: 67–87.
- DeNicola DM, de Eytó E, Wemaëre A, Irvine K (2004) Using epilithic algal communities to assess trophic status in Irish lakes. *Journal of Phycology* 40: 481–495.
- Denis M, Frémy P (1923–24) Une nouvelle Cyanophycées hétérocystée: *Anabaena viguieri*. *Bulletin de la Société Linnéenne de Normandie* 7 sér. 6: 122–125.
- Desikachary TV (1959) Cyanophyta. Indian Council of Agricultural Research, New Delhi. 686 pp.
- De Toni GB (1889) *Sylloge Algarum Omnium Husque Cognitarum* 1. *Sylloge Chlorophycearum CXXXIX + 1325 pp.* Patavii.
- De Valera M, Ó Seaghdha T (1968) On the occurrence in Galway of *Physolinum monile* (De Wildem.) Printz sensu Khan. *Irish Naturalist Journal* 16: 14.
- De Winder B, Stal LJ, Mur LR (1990) *Crinalium epipsammum* sp. nov.: a filamentous cyanobacterium with trichomes composed of elliptical cells and containing poly-β-(1,4) glucan (cellulose). *Journal of General Microbiology* 136: 1645–1653.
- Dillard GE (1989) Freshwater algae of the southwestern Southern United States, Part 1. Chlorophyceae: Volvocales, Tetrasporales and Chlorococcales. *Bibliotheca Phycologica* 81: 1–202.
- Dillwyn LW (1809) British Confervae: or coloured figures and descriptions of the British Plants referred by botanists to the genus *Conferva*. W. Phillips, London. 87 pp.
- Dodge JD, Crawford RM (1970) The morphology and fine structure of *Ceratium hirundinella* (Dinophyceae). *Journal of Phycology* 6: 137–149.
- Doddy P, Roden CM (2014) The nature of the black deposit occurring in solution hollows on the limestone pavement of the Burren, Co. Clare. *Biology and Environment: Proceedings of the Royal Irish Academy*. 114(2): 71–77.
- Donkin AS (1869) On several new and rare species of fresh-water diatomaceae discovered in Northumberland. *Quarterly Journal of the Microscopical Society* 9: 287–296.
- Dop AJ (1979) *Porterinema fluviatile* (Porter) Waern (Phaeophyceae) in the Netherlands. *Acta Botanica Neerlandica* 28: 449–458.
- Douglas B (1958) The ecology of the attached diatoms and other algae in a small stony stream. *Journal of Ecology* 46: 295–322.
- Dowling RC (1941) Dipping in Teesdale ponds. *Darlington Field Club records* (1941): 1–3.
- Drew KM (1935) The life-history of *Rhodochorton violaceum* (Kützing) nov. comb. (*Chantransia violacea* Kütz.). *Annals of Botany* 49: 439–450.
- Drew KM (1936) *Rhodochorton violaceum* (Kütz.) Drew, and *Chantransia* Murray and Barton. *Annals of Botany* 50: 419–426.
- Drew KM (1946) Anatomical observations on a new species of *Batrachospermum*. *Annals of Botany*, NS 10: 339–352.
- Droop MR (1954) Conditions governing haematochrome formation and loss in the alga *Haeamatococcus pluvialis* Flotow. *Archiv für Mikrobiologie* 20: 391–397.
- Droop MR (1955) Some new supra-littoral Protista. *Journal of the Marine Biological Association of the United Kingdom* 34: 233–245.
- Drouet F (1968) Revision of the Classification of the Oscillatoriaceae. *Monographs of the Academy of Natural Sciences, Philadelphia* 15. 334 pp.
- Drouet F (1981) Revision of the Stigonemataceae with a Summary of the Classification of the Blue-green Algae. *Beihefte Nova Hedwigia* 66: 1–331.
- Duthie HC (1964) The survival of desmids in ice. *British Phycological Bulletin* 2: 376–377.
- Duthie HC (1965a) A study of the distribution and periodicity of some algae in a bog pool. *Journal of Ecology* 53: 343–359.
- Duthie HC (1965b) Some observations on the algae of Llyn Ogwen, North Wales. *Journal of Ecology* 53: 361–370.
- Duthie HC (1965c) Some observations on the ecology of desmids. *Journal of Ecology* 53: 695–703.

- Eaton JW, Carr NG (1980) Observations on the biology and mass occurrence of *Ophrydium versatile* (Müller) (Ciliophora: Peritrichia) and associated algae in Lough Ree, Ireland. The Irish Naturalists' Journal 20(2): 55–60.
- Edwards P (1975a) An assessment of possible pollution effects over a century on the benthic marine algae of Co. Durham. Botanical Journal of the Linnean Society 70: 269–305.
- Edwards P (1975b) Evidence for a relationship between the genera *Rosenvingiella* and *Prasiola* (Chlorophyta). British Phycological Journal 10: 291–297.
- Edwards RW, Benson-Evans K, Learner MA, Williams P, Williams R (1972) A biological survey of the River Taff. Journal of the Institute of Water Pollution Control 2: 1–24.
- Elenkin AA (1938) Monographie Algarum Cyanophycearum Aquidulcum et Terrestrium Infinitibus URSS Inventarum, Vol. 1 Pars Specialis (Systematica) Fasc. I. Acad. Nauk, URSS, Moscow & Leningrad: 984 pp.
- Ells W (1992) Observations of some rare British Desmidiaceae. Microscopy. Journal of the Quekett Microscopical Club 36: 709–711.
- Ellwood NTW, Haile SM, Whitton BA (2008) Aquatic plant nutrients, moss phosphatase activities and tissue composition in four upland streams in northern England. Journal of Hydrology 350: 246–260.
- Ellwood NTW, Whitton BA (2007) Importance of organic phosphate hydrolyzed in stalks of the lotic diatom *Didymosphenia geminata* and the possible impact of climatic and atmospheric changes. Hydrobiologia 592: 121–133.
- Eloranta P, Kwandrans J (2007) Freshwater Red Algae (Rhodophyta) Identification guide to European taxa, particularly to those in Finland. Norrlinia 15: 1–103.
- Eminson DF, Moss B (1980) The composition and ecology of periphyton communities in freshwaters. 1. The influence of host type and external environment on community composition. British Phycological Journal 15: 426–446.
- Entwistle TJ, Vis ML, Chiasson WB, Necchi Jr O, Sherwood AR (2009) Systematics of the Batrachospermales (Rhodophyta) - A synthesis. Journal of Phycology 45: 704–715.
- Environment Agency (2007) Common freshwater diatoms of Britain and Ireland: An interactive identification key (CD-ROM). ISBN 978-1-84432-705-8. B
- Ettl H (1960) Die Algenflora des Schönhengstes und seiner Umgebung. I. Nova Hedwigia 2: 509–544.
- Ettl H (1965) Beitrag zur Kenntnis der Morphologie der Gattung *Chlamydomonas* Ehrenberg. Archiv für Protistenkunde 108: 271–420.
- Ettl H (1976) Die Gattung *Chlamydomonas* Ehrenb. Beihefte Nova Hedwigia 49: 1–1122.
- Ettl H (1978) Xanthophyceae. In Süßwasserflora von Mitteleuropa 3 (1). Gustav Fischer, Stuttgart: 1–530.
- Ettl H (1980) Beiträge zur Kenntnis der Süßwasseralgen Dänemarks. Botanisk Tidskrift 74: 179–223.
- Ettl H (1983) Chlorophyta I – Phytomonadina. In Ettl H, Gerloff J, Heyning H, Mollenhauer D (eds) Süßwasserflora von Mitteleuropa 9. Gustav Fischer, Stuttgart: 1–807.
- Ettl H, Gärtner G (1995) Syllabus der Boden-, Luft- und Flechtenalgen. Gustav Fischer Verlag, Stuttgart, Jena & New York, 721 pp.
- Ettl H, Gerloff J, Heyning H (1984). Süßwasserflora von Mitteleuropa 16. Conjugatophyceae I, Chlorophyta VIII, Zygnemales. Gustav Fischer, Stuttgart: 1–876.
- Evans GH (1970) Pollen and diatom analyses of late-Quaternary deposits in the Blelham Basin, north Lancashire. New Phytologist 69: 821–874.
- Evans JH (1958) The survival of freshwater algae during dry periods I. An investigation of five small ponds. Journal of Ecology 46: 149–168.
- Evans JH (1959) The survival of freshwater algae during dry periods. Part II. Drying experiments. Part III. Stratification of algae in pond margin litter and mud. Journal of Ecology 47: 55–70; 71–81.
- Evans JH (1960) Further investigations of the algae of pond margins. Hydrobiologia 15: 384–394.
- Evans JH (1964) *Pteromonas varians* Jane [? = *P. equicilita* (Gicklh.) Bourr.]. British Phycological Bulletin 2: 317–321.
- Evans JH (1988) Long term changes in planktonic cryptophycean populations. In Round FE (ed.) Algae and the Aquatic Environment. Biopress, Bristol: 44–52.
- Fenton EW (1936) The periodicity and distribution of algae in Boghall Glen (Midlothian). The Scottish Naturalist 1936: 143–148.
- Fenton EW (1938) Algae studies from Boghall Glen (Midlothian). IV. Soil Algae. The Scottish Naturalist 1938: 165–172.

- Fenton EW (1939) Algae studies from Boghall Glen (Midlothian). V. Cultures Series No. I. The Scottish Naturalist March-April 1939: 50–54.
- Field JH (1971) The algae of Warwickshire. A preliminary list of genera. Proceedings of the Birmingham Natural History and Philosophical Society 22: 179–183.
- Firth RI, Hartley B (1971) A Pennine diatom site. Microscopy 32: 108–113.
- Fitzjohn AE (1940) The algae of four Somersetshire Pools. Proceedings of the Bristol Naturalists' Society 4th Series IX(I): 62–65.
- Flint EA (1950) An investigation of the distribution in time and space of the algae of a British water reservoir. Hydrobiologia 2: 217–239.
- Flint EA (1955) The occurrence of *Chlorosaccus fluidus* Luther. New Phytologist 54: 84–88.
- Florey JE, Hawley GRW (1994) A *Hydrodictyon reticulatum* bloom at Loe Pool, Cornwall, and its catchment. European Journal of Phycology 29: 17–20.
- Flower RJ, Battarbee RW (1985) The morphology and biostratigraphy of *Tabellaria quadriseptata* (Bacillariophyceae) in acid waters and lake sediments in Galloway, southwest Scotland. British Phycological Journal 20: 69–79.
- Foged N (1977) Freshwater diatoms in Ireland. Bibliotheca Diatomologica 34: 1–222.
- Förster K (1982) Das Phytoplankton des Süßwassers, Conjugatophyceae, Zygnematales und Desmidiales (excl. Zygnemataceae). In Thienemann A (ed.) Die Binnengewässer XVI, 8(1). E. Schweizerbart'sche, Stuttgart: 1–543.
- Foster PL (1979). Responses of Freshwater Algae to Heavy Metals. PhD Thesis, University of Cambridge. 261 pp.+37 pls.
- Fott B (1948) Taxonomical studies on Chlorococcales. II. Studia Botanica Chechoslovaca 9: 6–17.
- Fott B (1971) Taxonomische Übertragungen und Namensänderung enunter den Algen IV. Chlorophyceae und Euglenophyceae. Preslia 43: 289–303.
- Fott B (1974) Taxonomie der palmelloiden Chlorococcales (Familie Palmogloeaceae). Preslia 46: 1–31.
- Fourtanier E, Kociolek JP (1999) Catalogue of the diatom genera. Diatom Research 14: 1–190.
- Fourtanier E, Kociolek JP (2003) Addendum to “Catalogue of the Diatom Genera”. Diatom Research 18: 243–258.
- Foy RH, Smith RV (1993) Physiological ecology of Lough Neagh phytoplankton. In Wood RB, Smith RV (eds) Lough Neagh. The Ecology of a Multipurpose Water Resource. Kluwer, Dordrecht: 245–279.
- Francke JA, Simons J (1985) Morphology and systematics of *Stigeoclonium* Kütz. (Chaetophorales). In Irvine DEG, John DM (eds) Systematics of the Green Algae [Systematics Association Special Volume 27]. Academic Press, London: 363–377.
- Frémy P (1929–33) Cyanophycées des côtes d'Europe. Mémoires de la Société Nationale des Sciences Naturelles et Mathématiques de Cherbourg 41: 1–233.
- Frémy P (1930) Les Myxophycées de l'Afrique Équatoriale Française. Archives de Botanique III, Mémoire No. 2.
- Friedl T (1995) Inferring taxonomic positions and testing genus level assignments in coccoid green lichen algae: a phylogenetic analysis of 18S ribosomal RNA sequences from *Dictyochloropsis reticulata* and from members of the genus *Myrmecia* (Chlorophyta, Trebouxiophyceae cl. nov.). Journal of Phycology 31: 632–639.
- Friedl T (1997) The evolution of the Green Algae. In Bhattacharya D (ed.) Origins of Algae and their Plastids. Plant Systematics and Evolution, Suppl. 11: 87–101.
- Friedmann I (1955) *Geitlerea calcarea* n. gen. et n. sp. new atmophytic lime-incrusting blue-green alga. Botanica Notiser 108: 439–445.
- Freidrich G, Geissler U, Gerloff, J (1984) Vorläufige Rote Liste der Braun- und Rotalgen des Süßwassers (Phaeophyceae und Rhodophyceae). In Rote Liste der gefährdeten Tiere und Pflanzen in der Bundesrepublik Deutschland. Naturschutzaktuell 1: 187–189.
- Fritsch FE (1902a) Algological Notes I. Preliminary report on the phytoplankton of the Thames. Annals of Botany 16: 1–9.
- Fritsch FE (1902b) Observations on species of *Aphanochaete* Braun. Annals of Botany 16: 403–417.
- Fritsch FE (1902c) Algological notes III. Preliminary report on the phytoplankton of the Thames. Annals of Botany 16: 576–584.
- Fritsch FE (1903a) Further observations on the phytoplankton of the River Thames. Annals of Botany 17: 631–647. B
- Fritsch FE (1903b) Algological notes IV. Remarks on the periodical development of the algae in the artificial waters of Kew. Annals of Botany 17: 274–278.

- Fritsch FE (1905) The plankton of some English rivers. Annals of Botany 19: 163–167.
- Fritsch FE (1906) Algae. Bulletin of Miscellaneous Information. The wild fauna and flora of the Royal Botanic Gardens. Kew Bulletin, Additional Series, V: 187–220.
- Fritsch FE (1913) Studies of the occurrence and reproduction of British freshwater algae in nature. Annales de Biologie Lacustre 6: 1–83.
- Fritsch FE (1914) Notes on British flagellates. I–IV. New Phytologist 13: 341–352.
- Fritsch FE (1929a) The encrusting algal communities of certain fast-flowing streams. New Phytologist 28: 165–196.
- Fritsch FE (1929b) The genus *Sphaeroplea*. Annals of Botany 43: 1–26.
- Fritsch FE (1932) Contributions to our knowledge of British algae. II. *Chrysopyxis stenostoma* Lauterborn. Journal of Botany 70: 130–131.
- Fritsch FE (1933) Contribution to our knowledge of British Algae V. Journal of Botany 71: 187–196.
- Fritsch FE (1935) The Structure and Reproduction of the Algae I. Cambridge University Press, London. 791 pp.
- Fritsch FE (1942) *Chrooderma*, a new genus of subaerial algae. Annals of Botany 6: 565–575.
- Fritsch FE (1945) The Structure and Reproduction of the Algae II. Cambridge University Press, Cambridge. 939 pp.
- Fritsch FE (1949a) The lime-encrusted *Phormidium* community of British streams. Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie 10: 141–144.
- Fritsch FE (1949b) Contributions to our knowledge of British Algae. Hydrobiologia 1: 115–125.
- Fritsch FE (1952) Comparative studies in a polyphyletic group, the Desmidiaceae. Proceedings of the Linnean Society, London 164: 258–280.
- Fritsch FE, John RP (1942) An ecological and taxonomic study of the algae of British soils. II. Consideration of the species observed. Annals of Botany NS 6: 371–395.
- Fritsch FE, Pantin CFA (1946) Calcareous concretions in a Cambridgeshire stream. Nature, London 157: 397.
- Fritsch FE, Rich F (1907) Studies on the occurrence and reproduction of British freshwater algae in nature. 1. Preliminary observations on *Spirogyra*. Annals of Botany 21: 423–436.
- Fritsch FE, Rich F (1909) A five years' observation of the fishpond, Abbot's Leigh, near Bristol. Proceedings of the Bristol Natural History Society series 4, 2: 27–54.
- Fritsch FE, Rich F (1913) Studies in the occurrence and reproduction of British freshwater algae in nature. III. four years' investigation of a freshwater pond. Annales de Biologie Lacustre 6: 1–83.
- Fritsch FE, Rich F (1924) British freshwater algae in nature. 3. four years' observation of a freshwater pond. An ecological and taxonomic study of the algae of British soils. II. Annales de Biologie Lacustre 6: 33–115. C
- Furet JE (1979) Algal Studies on the River Wye System. Ph.D. Thesis, University of Wales, Cardiff.
- Galliford AL, Williams EG (1948) Microscopic organisms of some brackish pools at Leasowe, Wirral, Cheshire. The North Western Naturalist 23: 39–62.
- Garbary DJ (1987) The Achrochaetiaceae (Rhodophyta): An annotated bibliography. Bibliotheca Phycologica 77: 1–267.
- Gärtner G, Ingolić E (2003) Further studies on *Desmococcus* Brand emend. Vischer (Chlorophyta, Trebouxiophyceae) and a new species of *Desmococcus spinocystis* sp. nov. from soil. Biologia, Bratislava 58/4: 517–523.
- Geitler L (1922) Die Mikrophyten-Biocenose der *Fontinalis*-Bestände des Lunzer Untersees und ihre Abhängigkeit vom Licht. Internationale Revue der gesamten Hydrobiologie und Hydrologie 10: 693–691.
- Geitler L (1925) Cyanophyceae. In Pascher A (ed.) Die Süßwasser-Flora Deutschlands, Österreichs und der Schweiz 12. Gustav Fischer, Jena: 1–450.
- Geitler L (1928) Über die Tiefenflora an Felsen im Lunzer Untersee. Archiv für Protistenkunde 62: 96–104.
- Geitler L (1932a) Cyanophyceae. In Rabenhorst's Kryptogamen-Flora von Deutschland, Österreich und der Schweiz 14. Akademische Verlagsgesellschaft, Leipzig: 1–1356.
- Geitler L (1932b) *Porphyridium sordidum* n. sp., eine neue Süßwasserbangiale. Archiv für Protistenkunde 76: 595–604.
- Geitler L (1965) Die Gattung *Podochedra* (Chlorophyceae, Chlorococcales). Österreichische Botanische Zeitschrift 112: 173–183.

- Germain H (1981) Flore des Diatomées Diatomophycées Eaux Douce et Saumâtres. Boubée, Paris. 449pp.
- Gerrath JF (1993) The biology of desmids: a decade of progress. In Round FE, Chapman DJ (eds) Progress in Phycological Research 9. Biopress, Bristol: 79–192.
- Gibson CE (1993) The phytoplankton population of Lough Neagh. In Wood RB, Smith RV (eds) Lough Neagh. The Ecology of a Multipurpose Water Resource. Kluwer, Dordrecht: 203–223.
- Gibson CE, Foy RH, Fitzsimons AG (1980) A limnological reconnaissance of the Loch Erne system, Ireland. Internationale Revue der Gesamten Hydrobiologie und Hydrographie 65: 49–84.
- Gibson CE, Wood RB, Dickson EL, Jewson DH (1971) The succession of phytoplankton in Lough Neagh 1968–70. Mitteilungen Internationale Vereinigung für Theoretische und Angewandte Limnologie 19: 146–160.
- Gibson MT, Whitton BA (1987a) Hairs, phosphatase activity and environmental chemistry in *Stigeoclonium*, *Chaetophora* and *Draparnaldia* (Chaetophorales). British Phycological Journal 22: 11–22.
- Gibson MT, Whitton BA (1987b) Influence of phosphorus on morphology and physiology of freshwater *Chaetophora*, *Draparnaldia* and *Stigeoclonium* (Chaetophorales, Chlorophyta). Phycologia 26: 59–69.
- Gibson RJH (1891) A revised list of the marine algae of the L.M.B.C. district. Proceedings and Transactions of the Liverpool Biological Society 5: 8–143.
- Gilbert O, Goldie H, Hodgson D, Marker M, Pentecost A, Proctor M, Richardson D (2005) The ecology of Cowside Beck, a tributary of the River Skirfare in the Malham area of Yorkshire. Field Studies Council, Malham Tarn Field Centre, Settle, North Yorkshire BD24 9PU, UK: 45 pp fsc.malham@ukonline.co.uk
- Gleave HH (1972) *Hydrosera triquetra*, a diatom new to European waters. Microscopy. Journal of the Quekett Microscopical Club 32: 208.
- Godward MB (1933) Contributions to our knowledge of British Algae. Journal of Botany 71: 33–44.
- Godward M(B) (1937) An ecological and taxonomic investigation of the littoral flora of Lake Windermere. Journal of Ecology 25: 496–568.
- Godward MBE (1956) Cytotaxonomy of *Spirogyra* I. *S. submargaritata*, *S. subechinata* and *S. britannica*. Journal of the Linnean Society, Botany 55: 532–546.
- Godward MBE (1966) The Chromosomes of the Algae. Edward Arnold, London. 212 pp
- Godward MBE (1974) An investigation of the causal distribution of algal epiphytes. Beihefte zum Botanischen Zentralblatt A 52: 506–539.
- Godward MBE, Newnham RE (1965) Cytotaxonomy of *Spirogyra* II. *S. neglecta* (Hass.) Kütz., *S. punctulata* Jao, *S. majuscula* (Kütz.) Gzurda emend., *S. ellipsospora* Transeau, *S. porticalis* (Müller) Cleve. Journal of the Linnean Society of London, Botany 59: 99–110
- Goodyear E (2013) Quantifying the desmid diversity of Scottish Blanket Mires. Ph.D. Thesis, University of Aberdeen.
- Gomont M [A] (1892–1893) Monographie des Oscillariées (Nostocacées Homocystées). Annales Science de Naturelle sér. 7, Botanique 15: 263–368 [Bourrelly, 1972, lists this work as 1893, and gives pages 1–107 and 111–302, respectively; however, nomenclatural rules require 1892 to be listed as year for the authority, whichever year the species was described]. Reprinted in 1972, with Introduction by P. Bourrelly, by J. Cramer and Wheldon & Wesley, Ltd, Codicote, Herts, UK, and New York.
- Gomont M [A] (1895) Note sur un *Calothrix sporifère* (*Calothrix stagnalis* sp. n.). Journal of Botany 9: 1–6.
- Gomont M[A] (1896) Contribution à la flore algologique de la Haute-Auvergne. Bulletin de la Société Botanique de France 43: 373–393.
- Gontcharov AA, Melkonian M (2004) Unusual position of the genus *Spirotaenia* (Zygnematophyceae) among streptophytes revealed by SSU rDNA and rbcL sequence comparisons. Phycologia 43: 105–113.
- Gonzalves EA (1981) Oedogoniales. Indian Council for Agricultural Research, New Dehli. 757 pp.
- Goodwin KM (1926) Some observations on *Batrachospermum moniliforme*. New Phytologist 25: 51–54.
- Gorham E, Lund JWG, Sanger JE, Dean WE (1974) Some relationships between algal standing crop, water chemistry and sediment chemistry in the English Lakes. Limnology & Oceanography 19: 601–617.
- Green JC, Hibberd DJ (1977) The ultrastructure and taxonomy of *Diacronema vlikianum* (Prymnesiophyceae) with special reference to the haptonema and flagellar apparatus. Journal of the Marine Biological Association of the United Kingdom 57: 1125–1136.

- Greville RK (1824) Flora Edinensis: with a concise introduction to the Natural Orders of the class Cryptogamia. Blackwood, Edinburgh. 478pp.
- Greville RK (1826) Scottish cryptogamic flora Vol. 4 (fasc. 43–48). MacLachlan & Stewart; Baldwin, Craddock & Joy, Edinburgh & London: pls 211–240.
- Griffiths BM (1909) On two new members of the Volvocaceae. New Phytologist 8: 130–137.
- Griffiths BM (1912) The algae of Stanklin Pool, Worcestershire; an account of their distribution and periodicity. Proceedings of the Birmingham Natural History and Philosophical Society 12: 1–13.
- Griffiths BM (1915) On *Glaucocystis nostochinearum* Itzigsohn. Annals of Botany 29: 423–432.
- Griffiths BM (1916) The August heleoplankton of some North Worcestershire pools. Journal of the Linnean Society, Botany 43: 423–432.
- Griffiths BM (1922) The heleoplankton of three Berkshire pools. Journal of the Linnean Society, Botany 46: 1–11.
- Griffiths BM (1923) The phytoplankton of bodies of fresh water, and the factors determining its occurrence and composition. Journal of Ecology 11(2): 18–4213.
- Griffiths BM (1924) The free-floating microflora or phytoplankton of Hornsea Mere, E. Yorkshire. Naturalist, Hull (1924): 245–247.
- Griffiths BM (1925a) Studies in the phytoplankton of the lowland waters of Great Britain. III. The phytoplankton of Shropshire, Cheshire and Staffordshire. Journal of the Linnean Society, Botany 47: 75–98.
- Griffiths BM (1925b) The phytoplankton of the Wicken Fen Area. In Gardner JS, Tansley AG (eds) The Natural History of Wicken Fen, Pt. 2: 116–121.
- Griffiths BM (1926) Studies in the phytoplankton of the lowland waters of Great Britain. No. IV. The phytoplankton of the Isle of Anglesey and of Llyn Ogwen, North Wales. Journal of the Linnean Society, Botany 47: 355–366.
- Griffiths BM (1927) Studies in the phytoplankton of the lowland waters of Great Britain. No. V. The phytoplankton of some Norfolk Broads. Journal of the Linnean Society, Botany 47: 595–612.
- Griffiths BM (1929) On desmid plankton. New Phytologist 27: 98–107.
- Griffiths BM (1936a) The limnology of the Long Pool, Butterby Marsh, Durham: an account of the temperature, oxygen-content, and composition of the water, and of the periodicity and distribution of the phyto- and zooplankton. Journal of the Linnean Society, Botany 50: 393–416.
- Griffiths BM (1936b) A preliminary list of the freshwater algae of Northumberland and Durham. Vasculum 22: 89–95.
- Griffiths BM (1939a) Early references to waterbloom in British Lakes. Proceedings of the Linnean Society, Session 151(Pt 1) 3: 12–19.
- Griffiths BM (1939b) The free-floating microscopic plant life of the lakes of the Isle of Raasay, Inner Hebrides. Proceedings of the University of Durham Philosophical Society 10: 71–87.
- Griffiths BM, Cooke FE (1933) Studies in the phytoplankton of the lowland waters of Great Britain. No. VI. The rotifer fauna associated with the phytoplankton of twenty-eight lowland waters. Journal of the Linnean Society, Zoology XXXVIII (No. 260): 465–471.
- Griggs RF (1912) The development and cytology of *Rhodochytrium*. The Botanical Gazette 53: 127–173.
- Gross W (2000) Ecophysiology of algae living in highly acidic environments. Hydrobiologia 433: 31–37.
- Grönblad R (1962) Desmids from the British Isles. Nova Hedwigia 4: 467–479.
- Grove AJ, Bristol BM, Carter N (1920) The flagellates and algae of the district around Birmingham, compiled from records left by the late Prof. G.S. West. Journal of Botany London 58, Suppl. 3: 1–55.
- Grove WB (1915) *Pleodorina illinoiensis* Kofoid in Britain. New Phytologist 14: 169–182.
- Groves H, Groves J (1878a) A review of the British Characeae. Journal of Botany 18: 97–103, 129–135, 161–167, 207–210.
- Groves H, Groves J (1878b) “*Chara connivens*, ‘Salzm.,’ A.Braun”. Journal of Botany 16: 120.
- Groves H, Groves J (1881a) On *Chara obtusa*, Desv., a species new to Britain. Journal of Botany 19: 216.
- Groves H, Groves J (1881b) Notes on British Characeae. Journal of Botany 19: 353–356.
- Groves H, Groves J (1883) Notes on British Characeae. Journal of Botany 21: 20–23.
- Groves H, Groves J (1884) Notes on British Characeae. Journal of Botany 22: 1–5.
- Groves H, Groves J (1884–85) The Characeae of West Cornwall. Transactions of the Penzance Natural History and Antiquarian Society 1884–1885: 185.
- Groves H, Groves J (1885a) Notes on British Characeae. Journal of Botany 23: 81–83.
- Groves H, Groves J (1885b) *Nitella capitata* Ag. in Cambridgeshire. Journal of Botany 23: 185.
- Groves H, Groves J (1886) Notes on the British Characeae for 1885. Journal of Botany 24: 1–4.

- Groves H, Groves J (1887) Notes on British Characeae. *Journal of Botany* 25: 146.
- Groves H, Groves J (1890) Notes on British Characeae. *Journal of Botany* 28: 65–69.
- Groves H, Groves J (1893) Notes on Irish Characeae. *The Irish Naturalist* 2: 163–164.
- Groves H, Groves J (1895a) The distribution of the Characeae in Ireland. *The Irish Naturalist* 4: 7–11, 37–41.
- Groves H, Groves J (1895b) Notes on British Characeae. *Journal of Botany* 33: 289–292.
- Groves H, Groves J (1898) Notes on British Characeae. *Journal of Botany* 36: 409–413.
- Groves J (1915) A new *Nitella*. *Journal of Botany* 53: 41–42.
- Groves J (1916) On the name *Lamprothamnus* Braun. *Journal of Botany* 54: 336–337.
- Groves J (1919) Notes on *Lychnothamnus* Braun. *Journal of Botany* 57: 125–129.
- Groves J, Bullock-Webster GR (1917a) *Nitella mucronata* in Gloucester. *Journal of Botany* 55: 323–324.
- Groves J, Bullock-Webster GR (1917b) *Tolypella nidifica* Leonh. *General Irish Natural History* 26(8): 134–13.
- Groves J, Bullock-Webster GR (1920) The British Charophyta. I. Nitelleae. *The Ray Society*, London. 141 pp.
- Groves J, Bullock-Webster GR (1924) The British Charophyta. II. Chareae. *The Ray Society*, London. 129 pp.
- Gugger M, Molica R, Le Berre B, Dufour P, Bernard C, Humbert J-F (2005) Genetic diversity of *Cylindrospermopsis* strains (Cyanobacteria) isolated from four continents. *Applied and Environmental Microbiology* 71: 1097–1199.
- Guiry MD, John DM, Rindi F, McCarthy K (eds) (2007) The Freshwater and Subaerial Algae of Clare Island. New Survey of Clare Island 6. The Royal Irish Academy, Dublin.
- Gutowski A, Foerster J (2007) Benthische Algen ohne Diatomeen und Characeen Bestimmungshilfe. Feldführer. LANUV-Arbeitsblatt 2. Landsamt für Natur, Umwelt und Verbraucherschutz Nordrhein-Westfalen, 45659 Recklinghausen, Germany. 90 pp.
- Gutowski A, Foerster J (2009) Benthische Algen ohne Diatomeen und Characeen Bestimmungshilfe. LANUV-Arbeitsblatt 9. Landsamt für Natur, Umwelt und Verbraucherschutz Nordrhein-Westfalen, 45659 Recklinghausen, Germany. 474 pp.
- Hajdu L, Hegewald E, Cronberg G (1976) Beiträge zur Taxonomie der Gattung *Coelastrum* (Chlorophyta, Chlorococcales). *Annales Historico-Naturales Musei Nationalis Hungarici*, Budapest 68: 31–38.
- Guzkowska MAJ, Gasse F (1990) Diatoms as indicators of water quality in some English urban lakes. *Freshwater Biology* 23: 253–250.
- Håkansson H (2002) A compilation and evaluation of species in the genera *Stephanodiscus*, *Cyclostephanos* & *Cyclotella* with a new genus in the family Stephanodiscaceae. *Diatom Research* 17(1): 1139.
- Hall CA (1920) Desmids of the Clyde area, new records. *Glasgow Naturalist* 8: 122–127.
- Hammerton D (1959) A biological and chemical study of Chew Valley Lake. *Proceedings of the Society of Water Treatment and Examination. Journal of the Linnean Society, Botany* 8: 87–132.
- Hannen, van E, Fink P, Lüeling M (2002) A revised secondary structure model for the internal transcribed spacer 2 of the green algae *Scenedesmus* and *Desmodesmus* and its implication for the phylogeny of these algae. *European Journal of Phycology* 37: 203–208.
- Hanyuda T, Wakana I, Arai S, Miyajiv K, Watano Y, Ueda K (2002) Phylogenetic relationships within Cladophorales (Ulvophyceae, Chlorophyta) inferred from 18S rRNA gene sequences with special reference to *Aegagropila linnaei*. *Journal of Phycology* 38: 564–571.
- Happey C, Moss B (1967) Some aspects of the biology of *Chrysococcus diaphanus* in Abbot's Pond, Somerset. *British Phycological Bulletin* 3: 269–279.
- Happey-Wood CM (1976) The occurrence and relative importance of nanno-Chlorophyta in freshwater algal communities. *Journal of Ecology* 64: 279–292.
- Happey-Wood CM (1978) The application of culture methods in studies of the ecology of small green algae. *Mitteilungen Internationale Vereinigung fur Theoretische und Angewandte Limnologie* 21: 385–397.
- Happey-Wood CM (1980) Periodicity of epipelic unicellular Volvocales (Chlorophyceae) in a shallow acid pool. *Journal of Phycology* 16: 116–128.
- Happey-Wood CM (1988) Vertical migration patterns of flagellates in a community of freshwater benthic algae. *Developmental Hydrobiology* 45: 99–123.

- Happey-Wood CM, Kennaway GMA, Ong MH, Chittenden AM, Edwards G (1988) Contributions of nano- and pico-plankton to the productivity of phytoplankton and epipelagic algae in an upland Welsh Lake. In Round FE (ed.) *Algae and the Aquatic Environment*. Biopress, Bristol: 168–184.
- Happey-Wood CM, Priddle J (1984) The ecology of epipelagic algae of five Welsh lakes, with special reference to Volvocalean green flagellates (Chlorophyceae). *Journal of Phycology* 20: 109–124.
- Harding JPC (1996) Use of algae for monitoring rivers in the United Kingdom: recent developments. In Whitton BA, Rott E (eds) *Use of Algae for Monitoring Rivers II*. E. Rott, Innsbruck, Austria: 125–132.
- Harding JPC, Hawley GRW (1991) Use of algae for monitoring rivers in the United Kingdom. In Whitton BA, Rott E, Friedrich G (eds) *Use of Algae for Monitoring Rivers I*. Institut für Botanik, Universität Innsbruck, Austria: 183–193.
- Harding JPC, Kelly MG (1999) Recent developments in algal based monitoring in the United Kingdom. In Prygiel J, Whitton BA, Bukowska J (eds) *Use of Algae for Monitoring Rivers III*. Agence de l'Eau Artois-Picardie, Douai: 26–34.
- Harding JPC, Whitton BA (1976) Resistance to zinc of *Stigeoclonium tenuum* in the field and the laboratory. *British Phycological Journal* 11: 417–426.
- Harding JPC, Whitton BA (1981) Accumulation of zinc, cadmium and lead by field populations of *Lemanea*. *Water Research* 15: 301–309.
- Hargreaves JW, Lloyd EJH, Whitton BA (1975) Chemistry and vegetation of highly acidic streams. *Freshwater Biology* 5: 563–576.
- Hargreaves JW, Whitton BA (1976) Effect of pH on growth of acid stream algae. *British Phycological Journal* 11: 215–223.
- Hariot P (1889) Notes sur le genre *Trentepohlia* Martius (Suite). *Journal de Botanique* 24: 393–405.
- Harris GT (1917) The desmid flora of Dartmoor. *Microscopy. Journal of the Quekett Microscopical Club* 13: 247–276.
- Harris GT (1920) The desmid flora of a Triassic district. *Microscopy. Journal of the Quekett Microscopical Club* 14: 137–162.
- Harris GT (1930) The freshwater Bacillariales of Devonshire. *Transactions of the Devon Association for the Advancement of Science* 62: 285–310.
- Harris GT (1933) The Oedogoniales of Devonshire. *Transactions of the Devonshire Association for the Advancement of Science, Literature and Arts* 65: 213–226.
- Harris K (1953) A contribution to our knowledge of *Mallomonas*. *Journal of the Linnean Society of London, Botany* 55(356): 88–102.
- Harris K (1958) A study of *Mallomonas insignis* and *Mallomonas akrokomos*. *Journal of General Microbiology* 19: 55–64.
- Harris K (1963) Observations on *Sphaleromantis tetragona*. *Journal of General Microbiology* 33: 345–348.
- Harris K (1966) The genus *Mallomonopsis*. *Journal of General Microbiology* 42: 175–184.
- Harris K (1967) Variability in *Mallomonas*. *Journal of General Microbiology* 46: 185–191.
- Harris K (1970a) Imperfect forms and taxonomy of *Mallomonas*. *Journal of General Microbiology* 61: 63–76.
- Harris K (1970b) Species of the Torquata group of *Mallomonas*. *Journal of General Microbiology* 61: 77–80.
- Harris K, Bradley DE (1956) Electron microscopy of *Synura* scales. *Discovery* 17: 229–332.
- Harris K, Bradley DE (1957) An examination of the scales and bristles of *Mallomonas* in the electron microscope using carbon replicas. *Journal of the Royal Microscopical Society* 3,76: 37–46.
- Harris K, Bradley DE (1958) Some unusual Chrysophyceae studied in the electron microscope. *Journal of General Microbiology* 18: 71–83.
- Harris K, Bradley DE (1960) A taxonomic study of *Mallomonas*. *Journal of General Microbiology* 22: 750–777.
- Harris TM (1940) A contribution to the knowledge of the British freshwater dino flagellata. *Proceedings of the Linnean Society, London* 152: 4–33.
- Hartley B (1986) A check-list of the freshwater, brackish and marine diatoms of the British Isles and adjoining coastal waters. *Journal of the Marine Biological Association of the United Kingdom* 66: 531–610.
- Hartley B (1994) John R. Carter (1908–1993). *Diatom Research* 9: 235–236.
- Hartley B, Barber HG, Carter JR (1996) An Atlas of British Diatoms [Sims PA ed.]. Biopress, Bristol. 601pp.

- Harvey WH (1841) Manual of British Algae. Van Voorst, London. 229 pp.
- Hašler P, Pouličková A (2010) Diversity, taxonomy and autecology of autochthonous epipelic cyanobacteria of the genus *Komophovoron* (Borziaceae, Oscillatoriaceae): a study on populations from the Czech Republic and British Isles. *Biologia* 65(1): 7-16.
- Hassall AH (1842) Observations on the genera *Zygnema*, *Tyndaridea*, and *Mougeotia* with descriptions of new species. *Annals and Magazine of Natural History* 10 series 1: 34–47.
- Hassall AH (1843) Descriptions of British freshwater *Confervae*, mostly new, with observations on some of the genera. *Annals and Magazine of Natural History* 11 series 1: 428–437.
- Hassall AH (1845) A History of the British Freshwater Algae I (Text). Highley, London. 462 pp; II. 103 pls.
- Hassall AH (1852) A History of the British Freshwater Algae, including descriptions of the Desmidiacea and Diatomacea. I. (Text). Taylor, Walton & Maberly, London. 462 pp.
- Hawley GRW, Whitton BA (1991) Seasonal changes in chlorophyll-containing picoplankton populations of ten lakes in northern England. *Internationale Revue der Gesamten Hydrobiologie* 76: 545–554.
- Haworth EY (1969) The diatoms of a sediment core from Blea Tarn, Langdale. *Journal of Ecology* 57: 429–439.
- Haworth EY (1972) The recent diatom history of Loch Leven, Kinross. *Freshwater Biology* 2: 131–141.
- Haworth EY (1974) Some problems of diatom taxonomy in Scottish lake sediments. *British Phycological Journal* 9: 47–55.
- Haworth EY (1975) A scanning electron microscope study of some different frustule forms of the genus *Fragilaria* found in Scottish late-glacial sediments. *British Phycological Journal* 10: 73–80.
- Haworth EY (1976) Two late-glacial (Late-Devensian) diatom assemblage profiles from northern Scotland. *New Phytologist* 77: 227–256.
- Haworth EY (1984) Stratigraphic changes in algal remains (diatom and chrysophytes) in the recent sediments of Blelham Tarn, English Lake District. In Haworth EY, Lund JWG (eds) *Lake Sediments and Environmental History*. Leicester University Press: 165–190.
- Haworth EY (1985) The highly nervous system of the English Lakes; aquatic ecosystem sensitivity to external changes, as demonstrated by diatoms. *Report of the Freshwater Biological Association* 53: 60–79.
- Haworth EY (1988) Distribution of diatom taxa of the old genus *Melosira* (now mainly *Aulacoseira*) in Cumbrian waters. In Round FE (ed.) *Algae and the Aquatic Environment*. Biopress, Bristol: 138–167.
- Haworth EY, Atkinson K.M, Carrick TR (1988) The preliminary assessment of diatom distribution in the waterbodies of Cumbria, NW England. In *Proceedings of the 10th International Diatom Symposium* (Jöensuu, 1988): 459–470.
- Haycock B, Hinton G (2010) Monitoring stoneworts *Chara* spp. at Bosherston Lakes. In Hursford C, Schneider M, Cowx I (eds) *Conservation Monitoring in Freshwater: A Practical Guide and Case Studies*. Springer, Dordrecht, Heidelberg, London, New York: 277–290.
- Hayden HS, Blomster J, Maggs CA, Silva PC, Stanhope MJ, Waaland JR (2003) Linnaeus was right all along: *Ulva* and *Enteromorpha* are not distinct genera. *European Journal of Phycology* 28: 277–294.
- Hayward J (1957) The periodicity of diatoms in bogs. *Journal of Ecology* 45: 947–954.
- Heaney SI, Chapman DV, Morison HR (1983) The role of the cyst stage in the seasonal growth of the dinoflagellate *Ceratium hirundinella* within a small productive lake. *British Phycological Journal* 18: 47–59.
- Heaney SI, Lund JWG, Canter HM, Gray K (1988) Population dynamics of *Ceratium* spp. In three English lakes. *Hydrobiologia* 161: 133–148.
- Heering W (1921) Siphonales. In Pascher A (ed.) *Süßwasserflora Deutschlands, Österreichs und der Schweiz* 7. Gustav Fischer, Jena: 69–99.
- Hegewald E (1997) Taxonomy and phylogeny of *Scenedesmus*. *Algae* 12: 235–246.
- Hegewald E (2000) New combinations in the genus *Desmodesmus* (Chlorophyceae, Scenedesmaceae). *Archiv für Hydrobiologie, Suppl.* 131 [Algological Studies 96]: 1–18.
- Hegewald E, An AA, Schnepf E, Tsarenko P (1998) Taxonomy and cell wall ultrastructure of *Scenedesmus lunatus* (Chlorophyta, Chlorococcales). *Archiv für Hydrobiologie, Suppl.* 126 [Algological Studies 91]: 11–25.
- Hegewald E, Deason TR (1996) *Pseudodidymocystis*, a new genus of Scenedesmaceae (Chlorophyceae). *Archiv für Hydrobiologie* 82: 119–127.
- Hegewald E, Engelberg K, Paschma R (1988) Beitrag zur Taxonomie der Gattung *Scenedesmus* Subgenus *Scenedesmus* (Chlorophyceae). *Nova Hedwigia* 47: 497–533.

- Hegewald E, Hanagata N (2000) Phylogenetic studies on Scenedesmaceae. Archiv für Hydrobiologie, Suppl. 136 [Algological Studies 100]: 24-49.
- Hegewald E, Krienitz L, Schnepf E (1994) Studies on *Scenedesmus costato-granulatus* Skuja. Nova Hedwigia 59: 97-127.
- Hegewald E, Schnepf E (1974a) Beiträge zur Kenntnis der Grünalgenart *Scenedesmus verrucosus* Roll. Archiv für Hydrobiologie, Suppl. 46 [Algological Studies 11]: 151-162.
- Hegewald E, Schnepf E (1974b) *Scenedesmus abundans* (Kirchn.) Chod., an older name for *Chlorella fusca* Shih. et Krauss. Archiv für Protistenkunde 139: 133-176.
- Hegewald E, Schnepf E (1986) Zur Struktur und Taxonomie spindelförmiger Chlorellales (Chlorophyta), *Schroederia*, *Pseudoschroederia* gen.nov., *Closteriopsis*. Archiv für Hydrobiologie, Suppl. 73 [Algological Studies 42]: 21-48.
- Hegewald E, Silva PC (1988) Annotated catalogue of *Scenedesmus* and nomenclaturally related genera, including original descriptions and figures. Bibliotheca Phycologica 80: 1-587.
- Hegewald E, Wolf M (2003) Phylogenetic relationships of *Scenedesmus* and *Acutodesmus* (Chlorophyta, Chlorophyceae) as inferred from 18s rDNA and ITS-S sequence comparisons. Plant Systematics and Evolution 241: 185-191.
- Hegewald E, Wolf M, Keller A, Friedl T, Krienitz L (2010) ITS2 sequence structure phylogeny in the Scenedesmaceae with special reference to *Coelastrum* (Chlorophyta, Chlorophyceae), including the new genera *Comasiella* and *Pedinodesmus*. Phycologia 49: 325-335.
- Heuff H, Horkan K (1984) Caragh. In Whitton BA (ed.) Ecology of European Rivers. Blackwell, Oxford: 364-384.
- Heywood P (1988) Ultrastructure of *Chilomonas paramecium* and the phylogeny of the cryptoprotists. Biosystems 21: 293-298.
- Heywood P (1990) Phylum Raphidophyta. In Margulis L, Corliss JO, Melkonian M, Chapman DJ (eds) Handbook of Protista. Jones & Bartlett, Boston: 318-325.
- Hibberd DJ (1970) Observations on the cytology and ultrastructure of *Ochromonas tuberculatus* sp. 119-143.
- Hibberd DJ (1971) Observations on the cytology and ultrastructure of *Chrysamoeba radians* Klebs (Chrysophyceae). British Phycological Journal 6: 207-223.
- Hibberd DJ (1973) Observations on the ultrastructure of flagellar scales in the genus *Synura* (Chrysophyceae). Archiv für Mikrobiologie 89: 291-304.
- Hibberd DJ (1974) Observations on the cytology and ultrastructure of *Chlorobotrys regularis* (West) Bohlin, with special reference to its position in the Eustigmatophyceae. British Phycological Journal 9: 37-46.
- Hibberd DJ (1977a) The cytology and ultrastructure of *Chrysonebula holmesii* Lund (Chrysophyceae), with special reference to the flagellar apparatus. British Phycological Journal 12: 369-383.
- Hibberd DJ (1977b) Ultrastructure and cyst formation in *Ochromonas tuberculata* (Chrysophyceae). Journal of Phycology 13: 309-320.
- Hibberd DJ (1978) The fine structure of *Synura sphagnicola* (Korsh.) Korsh. (Chrysophyceae). British Phycological Journal 13: 403-412.
- Hibberd DJ (1979) Notes on the ultrastructure of the genus *Paraphysomonas* (Chrysophyceae) with special reference to *P. bandaiensis* Takahashi. Archiv für Protistenkunde 121: 146-154.
- Hibberd DJ (1980) Eustigmatophytes. In Cox ER (ed.) Phytoflagellates. Elsevier/North Holland, Amsterdam: 319-334.
- Hickel B (1985) *Cyanonephron styloides* gen et sp. nov., a new chroococcocal blue-green alga (Cyanophyta) from a brackish lake. Archiv für Hydrobiologie, Suppl. 71 [Algological Studies 38/39]: 99-104.
- Hickel B (1991) Two new chroococcocal cyanophytes from a brackish environment (Schlei-Fjord), Germany. Archiv für Hydrobiologie, Suppl. 92 [Algological Studies 64]: 97-104.
- Hickman M (1971) The standing crop and primary productivity of the epiphyton attached to *Equisetum fluviatile* L. in Priddy Pool, North Somerset. British Phycological Journal 6: 51-59.
- Hickman M (1973) The standing crop and primary productivity of the phytoplankton of Abbot's Pond, North Somerset. Journal of Ecology 61: 269-287.
- Hickman M (1974) The seasonal succession and vertical distribution of the phytoplankton in Abbot's Pond, North Somerset, U.K. Hydrobiologia 44: 127-147.
- Hill DRA (1991a) *Chroomonas* and other blue-green cryptomonads. Journal of Phycology 27: 133-145.

- Hill DRA (1991b) A revised circumscription of *Cryptomonas* (Cryptophyceae) based on examination of Australian strains. *Phycologia* 30: 170–180.
- Hill DRA (1991c) Diversity of heterotrophic cryptomonads. In Patterson DJ, Larsen J (eds) *The Biology of Free-Living Heterotrophic Flagellates* [Systematics Association Special Volume 45]. Clarendon Press, Oxford: 235–240.
- Hill DRA, Wetherbee R (1986) *Proteomonas sulcata* gen. et sp. nov. (Cryptophyceae), a cryptomonad with two morphologically distinct and alternating forms. *Phycologia* 25: 521–543.
- Hilliard DK (1966) New or rare chrysophytes from Lancashire County, England. *Archiv für Protistenkunde* 109: 114–124.
- Hilton S, Parrott G.J (1961) Freshwater studies in Derbyshire. I. *Nitella flexilis* Agardh from Allestree Park Lake 1961. A county record. *Transactions of the Derby Natural History Society* 2: 14–16.
- Hindák F (1963) Systematik der Gattungen *Koliella* gen. nov. und *Raphidionema* Lagerh. *Nova Hedwigia* 6: 95–125.
- Hindák F (1970) A contribution to the systematics of the family Ankistrodesmaceae. *Algological Studies* 1: 7–32.
- Hindák F (1977) Studies on the chlorococcal algae (Chlorophyceae). I. *Biologické Práce* 23: 1–192.
- Hindák F (1978) New taxa and reclassification in the Chlorococcales (Chlorophyceae). *Preslia* 50: 97–109.
- Hindák F (1980) Studies on the chlorococcal algae (Chlorophyceae). II. *Biologické Práce* 26: 1–196.
- Hindák F (1983) Review of the genus *Lagerheimia* Chod. incl. *Chodatella* Lemm. (Chlorococcales, Chlorophyceae). *Schweizerische Zeitschrift für Hydrologie* 45: 372–387.
- Hindák F (1984) Studies on the chlorococcal algae (Chlorophyceae) III. *Biologické Práce* 30: 1–312.
- Hindák F (1987) Taxonomic survey of the genera *Fusola* (Chlorococcales), *Elakatothrix*, *Closteriospira* and *Chadefauothrix* (Ulothrichales). *Preslia* 59: 193–228.
- Hindák F (1988) Studies on the chlorococcal algae (Chlorophyceae). IV. *Biologické Práce* 34: 1–264.
- Hindák F (1990) Studies on the chlorococcal algae (Chlorophyceae). V. *Biologické Práce* 36: 1–227.
- Hindák F (1992) Morphological variation of two species of the chlorococcal genus *Coelastrum*, *C. verrucosum* and *C. palii*. *Archiv für Hydrobiologie, Suppl.* 93 [Algological Studies 65]: 35–42.
- Hindák F (2000) Morphological citation of four planktic nostocalean cyanophytes – members of the genus *Aphanizomenon* or *Anabaena*? *Hydrobiologia* 438: 107–116.
- Hindák F (2001) Fotografický atlas mikroskopický Siníc. VEDA, Slovak Academy of Sciences, Bratislava.
- Hindák F (2001) Colour Atlas of Cyanophytes. VEDA, Slovak Academy of Sciences, Bratislava. 253 pp.
- Hindák F (2009) Colour Atlas of Cyanophytes. VEDA, Slovak Academy of Sciences, Bratislava. 256 pp.
- Hirn KE (1900) Monographie und Iconographie der Oedogoniaceen. *Acta Societatis Scientiarum Fennicae* 27: 1–394. (Nomenclatural rules give Hirn 1900 to be the starting date for the taxonomy of the Order Oedogoniales)
- Hu Hongjun, Wei Yinxin (2006) The Freshwater Algae of China - Systematics, Taxonomy and Ecology. Academia Sinica. 1023 pp. [In Chinese, with names in Latin]
- Hodgetts WJ (1916) *Dicranochaete reniformis* Hieron., a freshwater alga new to Britain. *New Phytologist* 15: 108–116.
- Hodgetts WJ (1918a) *Uronema elongatum*, a new freshwater member of the Ulotrichaceae. *New Phytologist* 17: 159–166.
- Hodgetts WJ (1918b) The conjugation of *Zygogonium ericetorum* Kütz. *New Phytologist* 17: 238–251.
- Hodgetts WJ (1920a) *Roya anglica* G.S.West a new desmid; with an emended description of the genus *Roya*. *Journal of Botany* 58: 65–69.
- Hodgetts WJ (1920b) Notes on freshwater algae. I–IV. *New Phytologist* 19: 254–263.
- Hodgetts WJ (1920c) A new species of *Spirogyra*. *Annals of Botany* 34: 519–524.
- Hodgetts WJ (1921–22) A study of some of the factors controlling the periodicity of freshwater algae in nature VII. *Spirogyra*. *New Phytologist* 20: 150–194, 195–227; 21: 15–33.
- Hoef-Emden K, Marin B, Melkonian M (2002) Nuclear and nucleomorph SSU rDNA phylogeny in the Cryptophyta and the evolution of cryptophyte diversity. *Journal of Molecular Evolution* 55: 161–179.
- Hoef-Emden K, Melkonian M (2003) Revision of the Genus *Cryptomonas* (Cryptophyceae): combination of molecular phylogeny and morphology provides insights into a long-hidden dimorphism. *Protist* 154: 371–409.

- Hoef-Emden K (2007) Revision of the genus *Cryptomonas* (Cryptophyceae) II: Incongruences between the classical morphospecies concept and molecular phylogeny in smaller pyrenoid-less cells. *Phycologia* 46: 402–428.
- Hoef-Emden K (2008) Molecular phylogeny of phycocyanin-containing cryptophytes: Evolution of biliproteins and geographical distribution. *Journal of Phycology* 44: 985–993.
- Hoek C van den (1963a) Revision of the European Species of *Cladophora*. E.G. Brill, Leiden. 248 pp.
- Hoek C van den, Mann DG, Jahns HM (1995) Algae. An Introduction to Phycology. Cambridge University Press, Cambridge. 623 pp.
- Hoffmann L (1985) Quelques remarques sur la classification des Oscillatoriaceae. *Cryptogamie Algologie* 6: 71–76.
- Hoffmann L (1986) Cyanophycées aériennes et subaériennes du Grand-Duché de Luxembourg. *Bulletin Jardin Botanique National de Belgique* 56: 77–127.
- Hoffmann L (1988) The development of hormogonia, a possible taxonomic criterium in false-branching blue-green algae (Cyanophyceae, Cyanobacteria). *Archiv für Protistenkunde* 135: 41–43.
- Hoffmann L (1989) Algae of terrestrial habitats. *Botanical Review* 55: 77–105.
- Hoffmann L, Castenholz RW (2001) Form-genus II *Fischerella* Gomont 1895. In Bergey's Manual of Systematic Bacteriology Second Edition, Volume 1 The Archaea and the Deeply Branching and Phototrophic Bacteria. Springer, New York etc. 721 pp., pp. 593–595.
- Hoffmann L, Komárek J, Kastovský J (2005) System of cyanoprokaryotes (cyanobacteria) - state in 2004. *Archiv für Hydrobiologie, Supplemente* 159: 95–115.
- Holdway PA, Watson RA, Moss B (1978) Aspects of the ecology of *Prymnesium parvum* (Haptophyta) and water chemistry in the Norfolk Broads, England. *Freshwater Biology* 8: 295–311.
- Holmes NTH, Lloyd EJH, Potts M, Whitton BA (1972) Plants of the River Tyne and future water transfer scheme. *Vasculum* 57: 56–78.
- Holmes NTH, Whitton BA (1975a) Macrophytes of the River Tweed. *Transactions of the Botanical Society of Edinburgh* 42: 369–381.
- Holmes NTH, Whitton BA (1975b) Notes on some macroscopic algae new or seldom recorded for Britain: *Nostoc parmeliooides*, *Heribaudiella fluviatilis*, *Cladophora aegagropila*, *Monostroma bullosum*, *Rhodoplax schinzii*. *Vasculum* 60: 47–55.
- Holmes NTH, Whitton BA (1977a) The macrophytic vegetation of the River Tees in 1975: observed and predicted changes. *Freshwater Biology* 7: 43–60.
- Holmes NTH, Whitton BA (1977b) Macrophytes of the River Wear: 1966–1976. *Naturalist, Hull* (1977): 53–73.
- Holmes NTW, Whitton BA (1977c) Macrophytic vegetation of the River Swale, Yorkshire. *Freshwater Biology* 7: 545–558.
- Holmes NTH, Whitton BA (1981a) Phytoplankton of four rivers, the Tyne, Wear, Tees and Swale. *Hydrobiologia* 80: 110–127.
- Holmes NTH, Whitton BA (1981b) Phytobenthos of the River Tees and its tributaries. *Freshwater Biology* 11: 139–168.
- Hooker WJ (1821) Flora Scotica: or a description of Scottish Plants. Taylor, London.
- Hooker WJ (1833) Class XXIV. Cryptogamia. In Smith JE (ed.) The English Flora 5(1). Longman, Rees, Orme, Brown, Green & Longmans, London: 1–432.
- Horecká M, Komárek J (1979) Taxonomic position of three planktonic blue-green algae from the genera *Aphanizomenon* and *Cylindrospermopsis*. *Preslia* 51: 289–312.
- Hornby AJW (1918) A new British freshwater alga. *New Phytologist* 17: 41–43.
- Houghton GU (1972) Long-term increases in plankton growth in the Essex Stour. *Water Treatment and Examination* 21: 299–308.
- Houk V (2003) Atlas of freshwater centric diatoms with a brief key and descriptions. Part 1: Melosiraceae, Orthoseiraceae, Paraliaceae and Aulacoseiraceae. *Czech Phycology Supplement Vol. 1*.
- Houk V, Klee R (2007) Atlas of freshwater centric diatoms with a brief key and descriptions. Part 2. Melosiraceae and Aulacoseiraceae (Supplement to Part I). *Fottea* 7:2. 170 pp.
- Howland LJ (1931) A four year's investigation of a Hertfordshire pond. *New Phytologist* 30: 81–125.
- Huber-Pestalozzi G (1938) Das Phytoplankton des Süßwassers. Systematik und Biologie. Die Binnengewässer 16(1). Schweizerbart'sche, Stuttgart. 342 pp.
- Huber-Pestalozzi G (1950). Das Phytoplankton des Süßwassers. Cryptophyceen, Chloromonadinen, Peridineen. In Thienemann A (ed.) Die Binnengewässer 16(3). Schweizerbart'sche, Stuttgart: 1–310.

- Huber-Pestalozzi G (1955) Das Phytoplankton des Süßwassers. Euglenophyceen. In Thienemann A (ed.) Die Binnengewässer 16(4). Schweizerbart'sche, Stuttgart: 1–606.
- Huber-Pestalozzi G (1961) Das Phytoplankton des Süßwassers. Chlorophyceae (Grunalgen) Ordnung: Volvocales. In Thienemann A (ed.) Die Binnengewässer 16(5). Schweizerbart'sche, Stuttgart: 1–744.
- Huber-Pestalozzi G, Fott B (1968) Das Phytoplankton des Süßwassers. Cryptophyceae, Chloromonadophyceae, Dinophyceae. 2nd edn. In Thienemann A (ed.) Die Binnengewässer 16(3). Schweizerbart'sche, Stuttgart: 1–322.
- Hudson JW, Crompton KJ, Whitton BA (1971) Ecology of Hell Kettles 2. The ponds. Vasculum 56: 38–45.
- Hudson W (1778) Flora Anglicana Vol. 2, 2nd edn. Nourse & Faulder, London. 690 pp.
- Hughes MK, Whitton BA (1972) Algae of Slapestone Sike, Upper Teesdale. Vasculum 57: 30–35.
- Hull J (1799) The British Flora, or a Linnean Arrangement of British Plants. R. & W. Dean, Manchester, London & Edinburgh. 449 pp.
- Huss VAR, Frank C, Hartmann EC, Hirmer M, Kloboucek A, Seidel BM, Wenzeler P, Kessler E (1999) Biochemical taxonomy and molecular phylogeny of the genus *Chlorella* sensu lato (Chlorophyta). Journal of Phycology 35: 587–598.
- Hustedt F (1927–66) Kryptogamen-Flora von Deutschland, Österreich und der Schweiz. Band VII Die Kieselalgen. kademische, Leipzig [3 volumes: 1927–1966].
- Hustedt F (1930) Bacillariophyta (Diatomeae). In Pascher A (ed.) Die Süßwasser-Flora Deutschlands, Österreichs und der Schweiz 10. Gustav Fischer, Jena: 1–466.
- Irvine K, Allot N, De Eyto E, Free G, White J, Caroni R, Kennelly C, Keaney J, Lennon C, Kemp A, Barry E, Day S, Mills P, O'Riain G, Quirke B, Ywomey H, Sweeney P (2001) Ecological Assessment of Irish Lakes, Final Report. Environmental Protection Agency (Ireland), Dublin 503 pp.
- Islam AKM (1963) A revision of the genus *Stigeoclonium*. Beihefte Nova Hedwigia 10: 1–164.
- Israelson G (1938) Über die Süßwasserphaeophyceen Schwedens. Botaniska Notiser 1938: 113–128.
- Israelson G (1942) The freshwater Florideae of Sweden. Symbolae Botanica Upsaliensis 6(1): 1–134.
- Jaag O (1932) Untersuchungen über *Rhodoplax Schinzii*, eine interessante Alge vom Rheinfall. Bericht der Schweizerischen Botanischen Gesellschaft 41(2): 356–371.
- Jaag O (1945) Untersuchungen über die Vegetation und Biologie der Algen des nackten Gesteins in den Alpen, im Jura und im schweizerischen Mittelland. Beiträge Kryptogamen Flora Schweiz 9: 1–560.
- James EJ (1935) An investigation of the algal growth in some naturally occurring soils. Beihefte zum Botanische Centralblatt A, 53: 519–533. B
- Jane FW (1937, 1938, 1939) Some Hertfordshire flagellates. I–III. Transactions of the Hertfordshire Natural History Society 20: 133–140, 340–351; 21: 115–122.
- Jane FW (1939–1940) Two new chrysophycean flagellates *Cyclonexis erinus* and *Synochromonas elaeochorus*. Proceedings of the Linnean Society of London 152(3): 298–309.
- Jane FW (1944a) Observations on some British chrysomonads. Annals and Magazine of Natural History ser. 11, 77: 340–344.
- Jane FW (1944b) Studies on the British Volvocales. New Phytologist 43: 36–48.
- Jane FW (1945a) Observations of some British chrysomonads. II. *Chrysostephanosphaera globulifera* Scherffel. Annals and Magazine of Natural History, Ser. 11, 12: 546–552.
- Jane FW (1945b) Some new or little known algae from Anglesey and Caernarvonshire. Transactions of the Anglesey Antiquarians Society Field Club 1945: 73–91.
- Jane FW, Dowling RE (1939) On the occurrence of *Mastigospaera gobii* Schewiakoff, in Britain. Proceedings of the Linnean Society of London 151(2): 50–57.
- Javornický P (2001) Freshwater rhizomonads. Archiv für Hydrobiologie, Supplementband [Algological Studies] 138: 93–116.
- Javornický P (2003a) *Cryptomonas ovata* Ehrenberg (Cryptophyceae) and some related species. Archiv für Hydrobiologie, Supplementband (Algological Studies) 149: 43–65.
- Javornický P (2003b) Taxonomic notes on some freshwater planktonic Cryptophyceae based on light microscopy. Hydrobiologia 502: 271–283.
- Jenner E (1845) A Flora of Tunbridge Wells: being a list of indigenous plants within a radius of fifteen miles around that place. Tunbridge Wells, London. 260 pp.
- Jewson DH, Briggs M (1993) Benthic algae in Lough Neagh. In Wood RB, Smith RV (eds) Lough Neagh. The Ecology of a Multipurpose Water Resource. Kluwer, Dordrecht: 239–243.

- John D(M) (2007a) Freshwater and terrestrial habitats. In Guiry MD, John DM, Rindi F, McCarthy K (eds) New Survey of Clare Island. Volume 6: The Freshwater and Terrestrial Algae. Royal Irish Academy, Dublin: 13-24, 254.
- John D(M) (2007b) The green algae (Chlorophyta, in part) and most other phyla. In Guiry MD, John DM, Rindi F, McCarthy K (eds) New Survey of Clare Island. Volume 6: The Freshwater and Terrestrial Algae. Royal Irish Academy, Dublin: 254, 73–113.
- John DM (2007c) *Ulothrix*. In Brodie J, Maggs CA, John DM (eds) Green Seaweeds of Britain and Ireland. British Phycological Society: 50-57.
- John DM (2011) Phylum Eustigmatophyta. In John DM, Whitton BA, Brook AJ (eds) Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae. Second Edition. Cambridge University Press, Cambridge: 346-347.
- John DM (2011) Phylum Chlorophyta. In John DM, Whitton BA, Brook AJ (eds) Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae. Second Edition. Cambridge University Press, Cambridge: 364-765.
- John DM, Champ WST, Moore JA (1982) The changing status of Characeae in four marl lakes in the Irish Midlands. Journal of Life Sciences, Royal Dublin Society 4: 47–71.
- John DM, Douglas GE, Brooks SJ, Jones GC, Ellaway J, Rundle S (1998) Blooms of the water net *Hydrodictyon reticulatum* (Chlorococcales, Chlorophyta) in a coastal lake in the British Isles: their cause, seasonality and impact. Biologia, Bratislava 53: 537–545.
- John DM, Johnson LR (1987) Observations on the developmental morphology, growth rate, and reproduction of *Microthamnion kuetzingianum* Nägeli (Pleurastraceae, Pleurastrales) in culture and a taxonomic assessment of the genus. Nova Hedwigia 44: 25–53.
- John DM, Johnson LR (1989) A cultural assessment of the freshwater species of *Pseudendoclonium* Wille (Ulotrichales, Ulvophyceae) Chlorophyta). Archiv für Hydrobiologie, Suppl. 82 [Algological Studies 54]: 79–112.
- John DM, Johnson LR, Moore JA (1989a) Observations on *Thorea ramosissima* Bory Batrachospermales, Thoreaceae), a freshwater red alga rarely recorded in the British Isles. British Phycological Journal 24: 99–102.
- John DM, Johnson LR, Moore JA (1989b) The red alga *Thorea ramosissima*: its distribution and status in the Thames catchment. The London Naturalist 68: 49–53.
- John DM, Johnson LR, Moore JAM (1990) Observations on the phytobenthos of the freshwater Thames III. The floristic composition and seasonality of algae in the tidal and non-tidal river. Archiv für Hydrobiologie 120: 143–168.
- John DM, Johnson LR, Moore JAM (1991) Observations on the plants of an intermittently polluted, spring-fed pool flowing into the Thames. The London Naturalist 70: 47–58.
- John DM, Johnson LR, Whitton BA (1990) The freshwater algae of selected sites in Durham, Northumberland, and Cumbria. British Phycological Newsletter 6–10.
- John DM, Maggs CA (1997) Species problems in eukaryotic algae: a modern perspective. In Claridge MF, Dawah HA, Wilson MR (eds) Species: the Units of Biodiversity [Systematics Association Special Volume 54]. Chapman & Hall, London: 83–107.
- John DM, Moore JA (1985a) Observations on the phytobenthos of the freshwater Thames I. The environment, floristic composition and distribution of the macrophytes (principally macroalgae). Archiv für Hydrobiologie 102: 435–459.
- John DM, Moore JA (1985b) Observations on the phytobenthos of the freshwater Thames II. The floristic composition and distribution of the smaller algae sampled using artificial surfaces. Archiv für Hydrobiologie 103: 83–97.
- John DM, Pentecost A, Whitton BA (2001) Terrestrial and freshwater eukaryotic algae. In Haworth DL (ed.) The Changing Wildlife of Great Britain and Ireland [Systematics Association Special Volume 62]. Taylor & Francis, London: 148–149.
- John DM, Whitton BA (2012) British Isles Freshwater Algal Flora Matters corrections and additions. The Phycologist 83: 39-40.
- John DM, Whitton BA (2013) Freshwater Algal Flora of the British Isles corrections and additions. The Phycologist 84: 4-5.
- John DM, Whitton BA (2014) Freshwater Algal Flora of the British Isles – Update 3 Corrections and additions. The Phycologist 87: 2–127.
- John DM, Whitton BA, Brook AJ (eds) (2002) The Freshwater Algal Flora of the British Isles. Cambridge University Press, Cambridge. 702 pp.

- John DM, Whitton BA & Brook AJ (eds) (2011) *The Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae*. Second Edition. Cambridge University Press, Cambridge. 878 pp.
- John DM, Williamson DB (2007) Important Plant Areas for freshwater algae. In Brodie J, John DM, Tittley I, Holmes MJ, Williamson DB (2007) *Important Plant Areas for algae: a provisional review of sites and areas of importance for algae in the United Kingdom*. Plantlife International, Salisbury, UK: 46–59, 61–93. ([http://www.plantlife.org.uk/uploads/documents/Algae\\_IPA\\_Report\\_FINAL\\_PDF.pdf](http://www.plantlife.org.uk/uploads/documents/Algae_IPA_Report_FINAL_PDF.pdf))
- John DM, Williamson DB (2008) *A Practical Guide to the Desmids of the West of Ireland*. Martin Ryan Institute, Galway. 196 pp.
- John DM, Williamson DB, Guiry MD (2012) *A Catalogue of the Desmids (Streptophycophyta, Zygnematophyceae, Zygnematales) of Ireland*. Occasional Papers 15 National Botanic Gardens, Glasnevin, Dublin. 83 pp.
- John DM, York PV (2003) Freshwater algae. In Leigh C, Ware C (eds) *The development of the flora, fauna and environment of the Wildlife Garden at the Natural History Museum, London*. The London Naturalist 82: 84–86, 113.
- John RP (1942) An ecological and taxonomic study of the algae of British soils I. The distribution of the surface-growing algae. *Annals of Botany NS* 6: 323–349.
- Johnson LR (2011) Phylum Xanthophyta (Tribophyta) (Yellow Green Algae). In John DM, Whitton BA, Brook AJ (eds) *Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae*. Second Edition. Cambridge University Press, Cambridge: 240–249.
- Johnson LR, John DM (1990) Observations on *Dilabifilum* (Class Chlorophyta, Order Chaetophorales sensu stricto) and allied genera. *British Phycological Journal* 25: 53–61.
- Johnson LR, John DM (1992) Taxonomic observations on some uncommon and new *Gongrosira* species (Chaetophorales sensu stricto, Division Chlorophyta). *British Phycological Journal* 27: 153–163.
- Jones JRE (1949) A further ecological study of calcareous streams in the ‘Black Mountain’ district of South Wales. *Journal of Animal Ecology* 18: 142–159.
- Jones JRE (1950) A further ecological study of the River Rheidol: the food of the common insects of the mainstream. *Journal of Animal Ecology* 19: 159–174.
- Jones R, Benson-Evans K. (1973) A study of Llangorse Lake, Breconshire. *Ecology and Pollution Bulletin* 1: 1–37.
- Jones RA, Stewart NF (2001) *Nitella gracilis* (Smith) Agardh, an elusive charophyte new to Cardiganshire (V.C.46). *Watsonia* 23: 443–453.
- Joosten AMT (2006) *Flora of the Blue-green algae of the Netherlands I The Non-Filamentous Species of Inland Waters*. KNNV Publishing, Utrecht. 239 pp.
- Jørgensen MF, Murray S, Daugbjerg N (2004) *Amphidinium* revisited. I. Redefinition of *Amphidinium* (Dinophyceae) based on cladistic and molecular phylogenetic analyses. *Journal of Phycology* 40: 351–365.
- Joshua W (1883) Notes on British Desmidieae. II. 2. *Journal of Botany* 22: 289–298.
- Joshua W (1885) On some new and rare Desmidieae. III. *Journal of Botany* 23: 33–35.
- Joyce A (1998) The distribution of five species of *Desmidium* in Sutherland and Skye. *Botanical Journal of Scotland* 50: 93–97.
- Juggins S (1992) Diatoms in the Thames Estuary, England: ecology, palaeoecology, and salinity transfer function. *Bibliotheca Diatomologica* 25: 1–224.
- Jupp BP, Spence DHN, Britton RH (1974) The distribution and production of submerged macrophytes in Loch Leven, Kinross. *Proceedings of the Royal Society of Edinburgh B* 74: 195–208.
- Kadlubowska JZ (1972) Chlorophyta V. Conjugales: Zygnemaceae, Zrostnicowate. *Flora Śląskowodna Polski [Freshwater Flora of Poland]* 12A(5): 1–431. Polska Akademia Nauk, Krakow.
- Kadlubowska JZ (1984) Conjugatophyceae I Zygnemales = Chlorophyta VIII. In Ettl H, Gerloff J, Heyning H, Mollenhauer D (eds) *Süßwasserflora von Mitteleuropa* 16. Gustav Fischer, Stuttgart: 1–532.
- Kann E (1945) Zur Ökologie der Litoralalgen ostholsteinischen Waldseen. *Archiv für Hydrobiologie* 41: 14–42.
- Kann E (1972) Zur Systematik und Ökologie der Gattung *Chamaesiphon* (Cyanophyceae) 1. Systematik. *Archiv für Hydrobiologie, Suppl.* 41 [Algological Studies 7]: 117–171.
- Kann E (1978) Sytematik und Ökologie der Algen österreichischer Bergbäche. *Archiv für Hydrobiologie, Suppl.* 53 [Monogr. Beiträge]: 405–643.
- Kann E (1993) Der litorale Algenaufwuchs im See Erken und in seinem Abfluß (Uppland, Schweden). *Archiv für Hydrobiologie, Suppl.* 97 [Algological Studies 69]: 91–112.

- Kann E, Komárek J (1970) Systematische-ökologische Bermerkungen zu den Arten des Formenkreis *Phormidium autumnale*. Schweizerische Zeitschrift für Limnologie 32: 495–518.
- Karim AGA (1967) Algal flora of certain gravel pits in the Thames Valley, U.K. Hydrobiologia 30: 577–599. C
- Karsten U, Friedl T, Schumann R, Hoyer K, Lembcke S (2005) Mycosporine-like amino acids and phylogenies in green algae: *Prasiola* and its relatives from the Trebouxiophyceae (Chlorophyta). Journal of Phycology 41: 557–566.
- Katana A, Kwiatowski J, Spalik K, Zakryś B, Szalacha E, Szymańska H (2001) Phylogenetic position of *Koliella* (Chlorophyta) as inferred from nuclear and chloroplast small unit rDNA. Journal of Phycology 37: 443–451.
- Kelly MG (2000) Identification of common benthic diatoms in rivers. Field Studies 9: 583–700.
- Kelly MG, Bennion H, Cox EJ, Goldsmith J, Jamieson J, Juggins S, Mann DG, Telford RJ (2005) Common Freshwater Diatoms of Britain and Ireland: an Interactive Key. Environment Agency, Bristol.
- Kelly MG, Haworth EY (2011) Phylum Bacillariophyta. In John DM, Whitton BA, Brook AJ (eds) Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae. Second Edition. Cambridge University Press, Cambridge: 348–353.
- Kelly M(G), Juggins S, Guthrie R, Pritchard S, Jamieson J, Rippey B, Hirst H, Yallop M (2008) Assessment of ecological status in U.K. rivers using diatoms. Freshwater Biology 53: 403–422.
- Kelly MG, Juggins S, Yallop ML (2009) Distribution and ecology of *Navicula claytonii* (J.R. Carter) M.G. Kelly, comb. nov. in Britain and Ireland. Diatom Research 24: 245–248.
- Kelly MG., King L, ní Chatháin N (2009) The conceptual basis of ecological status assessments using diatoms. Proceedings of the Royal Irish Academy: Biology and Environment 109B:175–189.
- Kennedy B, O'Grady M, Whitton BA (2012) Chapter 25. Cyanobacteria of western Ireland. Online article linked to Whitton BA (ed.) (2012) Ecology of Cyanobacteria II. Springer, Dordrecht.
- Kessler E, Schäfer M, Hümmel C, Kloboucek A, Huss VAR (1997) Physiological, biochemical, and molecular characters for the taxonomy of the subgenera of *Scenedesmus* (Chlorococcales, Chlorophyta). Botanica Acta 110: 244–250.
- Keyes McDonnell J, Fahy E (1978) An annotated list of the algae comprising a lotic community in western Ireland. Irish Naturalists' Journal 19(6): 184–187.
- Khan AS (1951) On the occurrence of *Physolinum monilia* (De Wildeman) Printz in England. Hydrobiologia 3: 79–83.
- Kies L (1976) Untersuchungen zu Feinstruktur und taxonomischer Einordnung von *Gloeochaete wittrockiana*, einer apoplastidalen capsalen Alge mit blaugrünen Endosymbionten (Cyanellen). Protoplasma 87: 419–446.
- Kies L (1980) Vorkommen endophytischer Bakterien in *Colacium vesiculosum* Ehrenb. (Euglenophyceae) und deren Verlust nach langjähriger Kultur der Alge. Mitteilungen Institut für Allgemeine Botanik, Hamburg 17: 13–17.
- King L, Barker P, Jones RI (2000) Epilithic algal communities and their relationship to environmental variables in lakes of the English Lake District. Freshwater Biology 45: 425–442.
- King L, Clarke G, Bennion H, Kelly MG, Yallop ML (2006) Recommendations for sampling littoral diatoms in lakes for ecological status assessments. Journal of Applied Phycology 18:15–25.
- Kirkby SM, Hibberd DJ, Whitton BA (1972) *Pleurocladia lacustris* A.Braun (Phaeophyta) – a new British record. Vasculum 57: 51–56.
- Klaveness D (1988) Ecology of the Cryptomonadida: A first review. In Sandgren CD (ed.) Growth and reproductive strategies of freshwater phytoplankton. Cambridge University Press, Cambridge: 105–133.
- Klebs GA (1886) Über die Organisation der Gallerte bei einigen Algen und Flagellaten. Untersuchungen Botanische Institut Tübingen 2: 135, pl. 3, fig. 13. Notarissia 1: 340–341.
- Klebs GA (1893) Flagellatenstudien II. Zeitschrift für Wissenschaftliche Zoologie 55: 353–445.
- Klebs G (1896) Über die Fortpflanzungs-Physiologie der niederen Organismen, der Protobionten, . . . Specieller Theil, Die Bedingungen der Fortpflanzung bei einigen Algen und Pilzen. Jena. xviii + 1–543 pp.
- Klebs G (1896) Die Bedingungen der Fortpflanzung bei einigen Algen und Pilzen. Gustav Fischer, Jena.
- Knudson BM (1952–1953) The diatom genus *Tabellaria*. Annals of Botany NS 16: 421–440; 17: 131–155; 7: 598–609.

- Knudson BM (1954) The ecology of the diatom genus *Tabellaria* in the English Lake District. *Journal of Ecology* 42: 345–358.
- Knudson BM (1955) The distribution of *Tabellaria* in the English Lake District. *Mitteilungen internationale Vereinigung für Theoretische und angewandte Limnologie* 12: 216–218.
- Knudson BM (1957) Ecology of the epiphytic diatom *Tabellaria flocculosa* (Roth) Kütz. var. *flocculosa* in three English lakes. *Journal of Ecology* 45: 93–112.
- Kolkwitz R, Krieger H (1941–44) Zygemales. In Dr L. Rabenhorst's Kryptogamen-Flora von Deutschland und der Schweiz 13(2). Becker & Erler, Leipzig: 1–499.
- Komárek J (1958) Die taxonomische Revision der planktischen Blaualgen der Tschechoslowakei. In Komárek J, Ettl H (eds) *Algologische Studien*. Naklad, CSAV, Praha: 10–206.
- Komárek J (1974) The morphology and taxonomy of crucigenoid algae (Scenedesmaceae, Chlorococcales). *Archiv für Protistenkunde* 116: 1–74.
- Komárek J (1976) Taxonomic review of the genera *Synechocystis* Sauv. 1892, *Synechococcus* Nág. 1849 and *Cyanothece* gen. nov. (Cyanophyceae). *Archiv für Protistenkunde* 118: 119–179.
- Komárek J (1979) Änderungen in der Taxonomie der Chlorokokkal Algen. *Archiv für Hydobiologie Suppl.* 56 [Algological Studies 24]: 239–263.
- Komárek J (1983) *Rhabdogloea*, the correct name of cyanophycean *Dactylococcopsis* sensu auct., non Hansgirg (1988). *Taxon* 32: 464–466.
- Komárek J (2003a) Problem of the taxonomic category "species" in cyanobacteria. *Archiv für Hydobiologie, Suppl.* 148: 281–297.
- Komárek J (2003b) Planktic oscillatorialean cyanoprokaryotes (short review according to combined phenotype and molecular aspects). *Hydrobiologia* 502: 367–382.
- Komárek J (2010) Modern taxonomic revision of planktic nostocacean cyanobacteria: a short review of genera. *Hydrobiologia* 639: 231–243.
- Komárek J (2013) Cyanoprokaryota Teil 3. Heterocytous Genera. *Süßwasserflora von Mitteleuropa* 19. Springer, Heidelberg. 1130 pp., 484 figs.
- Komárek J, Anagnostidis K (1986) Modern approach to the classification system of cyanophytes. 2 – Chroococcales. *Archiv für Hydrobiologie, Suppl.* 73 [Algological Studies 43]: 157–226.
- Komárek J, Anagnostidis K (1999) Cyanoprokaryota: Chroococcales. In *Süßwasserflora von Mitteleuropa* 19(1). Gustav Fischer, Jena: 1–548.
- Komárek J, Anagnostidis K (2005) Cyanoprokaryota:- 2. Oscillatoriales. In *Süßwasserflora von Mitteleuropa* 19(2). Spektrum Akademische Verlag, Heidelberg: 1–758.
- Komárek J, Cronberg G (2001) Some chroococcalean and oscillatorialean cyanoprokaryotes from southern African lakes, ponds and pools. *Nova Hedwigia* 73: 129–160.
- Komárek J, Fott B (1983) Chlorophyceae (Grünalgen) Ordnung: Chlorococcales. Das Phytoplankton des Süßwassers. In: *Die Binnengewässer XVI*, 7(1). Schweizerbart'sche, Stuttgart: 1–1044.
- Komárek J, Hindák F (1988) Taxonomic review of natural populations of the cyanophytes from the *Gomphosphaeria*-complex. *Archiv für Hydrobiologie* 80: 205–225.
- Komárek J, Jankovská V (2001) Review of the green algal genus *Pediastrum*; implications for pollen-analytical research. *Bibliotheca Phycologica* 108: 1–127.
- Komárek J, Kann E (1973) Zur Taxonomie und Ökologie der Gattung *Homoeothrix*. *Archiv für Protistenkunde* 115: 173–233.
- Komárek J, Kastovský J (2003) Coincidences of structural and molecular characters in evolutionary lines of cyanobacteria. *Archiv für Hydrobiologie, Suppl.* 148: 305–325.
- Komárek J, Kováčik L (1985) The genus *Chlorotetraedron* McEntee et al. (Protosiphonales, Chlorophyceae). *Preslia* 57: 289–297.
- Komárek J, Marvan P (1992) Morphological differences in natural populations of the genus *Botryococcus* (Chlorophyceae). *Archiv für Protistenkunde* 141: 65–100.
- Komárek J, Perman J (1978) Review of the genus *Dictyosphaerium* (Chlorococcales). *Archiv für Hydrobiologie, Suppl.* 51 [Algological Studies 20]: 233–297.
- Komárek J, Watanabe M (1990) Morphology and taxonomy of the genus *Coleodesmium* (Cyanophyceae/Cyanobacteria). In Watanabe M, Malla SB (eds) *Cryptogams of the Himalayas Vol. 2 Central and Eastern Nepal*. National Science Museum, Japan: 1–22.
- Komárek J, Zapomelová EA (2007) Planktic morphospecies of the cyanobacterial genus *Anabaena* = subg. *Dolichospermum* – 1. part: coiled types. *Fottea* 7(1): 1–31.

- Komárová-Legnerová J (1969) The systematics and ontogenesis of the genera *Ankistrodesmus* Corda and *Monoraphidium* gen. nov. In Fott B (ed.) Studies in Phycology. Schweizerbart'sche, Stuttgart: 75–144.
- Kornmann P (1972) Ein Beitrag zur Taxonomie der Gattung *Chaetomorpha* (Cladophorales, Chlorophyta). Helgoländer Meeresuntersuchungen 23: 1–31.
- Korshikov OA (1938) Volvocinae. In Visnacnik prisnovod. Vodorostej URSR, 4. Vyd. N.URSR, Kiev.
- Korshikov OA (1939) Contribution to the algal flora of the Gorky District. Phytoplankton of the Oka River in August 1932. Zapiski Gorkovskogo Universiteta 9: 101–128.
- Korshikov OA (1953) Pidklas Protokokovi (Protococcineae Baktyol'ni (Vacuolales) ta Protokokovi (Protococcales). Viznacnik prisnovodnih vodorostey Ukrainskoj RSR. V/Kiev, Vid.kad. Nauk Ukr. RSR, Kiev 5: 1–489. [English translation by Lund JWG, Tylka W: see Korshikov 1987].
- Korshikov OA (1987) The Freshwater Algae of the Ukrainian SSR. V. Sub-Class Protococcineae Vacuolales and Protococcales. Dehra Dun, Bishen Singh Mahendra Pal Singh & Koeltz Scientific Books. 412 pp.
- Kosmala S, Karnkowska A, Milanowski R, Kwiatowski J, Zakryś B (2005) The phylogenetic and taxonomic position of *Lepocinclis fusca* comb. nov. (= *Euglena fusca*) (Euglenaceae): morphological and molecular justification. Journal of Phycology 41: 1258–1267.
- Kosmala S, Karnkowska-Ishikawa A, Milanowski R, Kwiatowski J, Zakryś B. (2009) Phylogeny and systematics of *Euglena* (Euglenaceae) species with axial, stellate chloroplasts based on morphological and molecular data - new taxa, emended diagnoses, and epitypifications. Journal of Phycology 45: 464–481.
- Kosmala S, Milanowski R, Brzózka K, Pękala M, Kwiatowski J, Zakryś B (2007) Phylogeny and systematics of the genus *Monomorphina* (Euglenaceae) based on morphological and molecular data. Journal of Phycology 43:171–185.
- Kossinskaja EK (1948) Opredelitel' morskich sinezelnych vodoroslej. Izd.AN SSSR, Moscow and Leningrad. 278 pp. [in Russian: Determination Key for Marine Blue-green Algae].
- Kouwets FAC, Coesel PFM (1984) Taxonomic revision of the Conjugatophycean family Peniaceae on the basis of cell wall ultrastructure. Journal of Phycology 20: 555–662.
- Kováčik L (1975a) Review of the genus *Polyedriopsis* Schmidle, incl. *Tetraedron bitridens* Beck. Mannagetta 1926 = *P. bitridens* (Beck. Mannag.) comb. nova. Archiv für Protistenkunde 117: 246–252.
- Kováčik L (1975b) Taxonomic review of the genus *Tetraedron* (Chlorococcales). Archiv für Hydrobiologie, Suppl. 46 [Algological Studies 13]: 354–391.
- Kováčik L (1988) Cell division in simple coccal cyanophytes. Archiv für Hydrobiologie, Suppl. 80 [Algological Studies 50–53]: 149–190.
- Kosmala S, Milanowski R, Brzózka K, Pękala M, Kwiatowski J, Zakryś B (2007) Phylogeny and systematics of the genus *Monomorphina* (Euglenaceae) based on morphological and molecular data. Journal of Phycology 43: 171–185.
- Knudson BM (1952-3). The diatom genus *Tabellaria*. Annals of Botany NS 16: 421–440; 17: 131–1155; 17: 598–609. C
- Krammer K (1997a) Die cymbelloiden Diatomeen. Eine Monographie der weltweit bekannten Taxa. Teil 1. Allgemeines und *Encyonema* part. Bibliotheca Diatomologica Band 36. J. Cramer, Stuttgart. 382 pp.
- Krammer K (1997b). Die cymbelloiden Diatomeen. Eine Monographie der weltweit bekannten Taxa. Teil 2. *Encyonema* part, *Encyonopsis* und *Cymbellopsis*. Bibliotheca Diatomologica Band 37. J. Cramer, Stuttgart. 469 pp.
- Krammer K (2000). Diatoms of Europe. Diatoms of the European Inland Waters and Comparable Habitats. Vol. 1. The genus *Pinnularia*. R.G. Gantner Verlag K.G, Ruggell. 703 pp.
- Krammer K (2002). Diatoms of Europe. Diatoms of the European Inland Waters and Comparable Habitats. Vol. 3. *Cymbella*. R.G. Gantner Verlag K.G, Ruggell. 584 pp.
- Krammer K (2003). Diatoms of Europe. Diatoms of the European Inland Waters and Comparable Habitats. Vol. 4. *Cymbopleura*, *Delicata*, *Navicymbula*, *Gomphocymbellopsis*, *Afrocymbella*. R.G. Gantner Verlag K.G, Ruggell. 530 pp.
- Krammer K, Lange-Bertalot H (1986-1991) Die Süßwasserflora von Mitteleuropa 2: Bacillariophyceae. Volumes 1 - 5. Stuttgart: Gustav Fischer-Verlag.
- Krause W (1997) Charales (Charophyceae). In Ettl H et al. (eds) Süßwasserflora von Mitteleuropa 18. Gustav Fischer, Jena. 202 pp.

- Krieger W (1935) Die Desmidiaceen Europas mit Berücksichtigung der aussereuropäischen Arten. In Rabenhorst's Kryptogamen-Flora von Deutschland, Österreich und der Schweiz. Band XIII. Teil 1, Lieferung 2. Akademie Verlag, Leipzig: 225–375.
- Krienitz L, Hegewald E, Hepperle D, Wolf A (2003) The systematics of coccoid green algae: 18S rRNA gene sequence data versus morphology. *Biologia, Bratislava* 58/4: 437–446.
- Krienitz L, Ustinova I, Friedl T, Huss VAR (2001) Traditional generic concepts versus 18s rRNA gene phylogeny in the green algal family Selenastraceae (Chlorophyceae, Chlorophyta). *Journal of Phycology* 27: 852–865.
- Krishnamurthy V (1961) A *Compsopogon* occurring in the Reddish Canal near Manchester. *British Phycological Journal* 2: 87–88.
- Kristiansen J (1979) Observations on some Chrysophyceae from North Wales. *British Phycological Journal* 14: 231–241.
- Kristiansen J, Preisig HR (2001) Encyclopedia of Chrysophyte Genera. *Bibliotheca Phycologica* 110. J. Cramer, Stuttgart, Germany. 260 pp.
- Kristiansen J, Preisig HR (2007) Chrysophyte and Haptophyte Algae, 2nd part: Synurophyceae. In Büdel B, Gärtner G, Krienitz L, Preisig HR, Schagerl M (eds) *Süßwasserflora von Mitteleuropa [Freshwater Flora of Central Europe]* 1/2: 1-252. Spektrum Akademischer Verlag, Springer-Verlag, Berlin.
- Kristiansen J, Preisig HR (2011) Phylum Chrysophyta (Golden Algae). In John DM, Whitton BA, Brook AJ (eds) *Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae*. Second Edition. Cambridge University Press, Cambridge: 281-317.
- Krokowski JT (2007) Changes in the trophic state and phytoplankton composition and abundance in Loch Lomond, Scotland, UK. *Oceanological and Hydrobiological Studies XXXVI*, Supplement 1: 17-34.
- Krokowski JT (2009) *Chrysochromulina* associated with fish mortalities in a Scottish freshwater loch. *The Glasgow Naturalist*, 25: 43-47.
- Krokowski JL, Lang P, Bell A, Broad N, Clayton J, Milne I, Nicolson M, Ross A, Ross N (2012) A review of the incidence of cyanobacteria (blue-green algae) in surface waters in Scotland including potential effects of climate change, with a list of the common species and new records from the Scottish Environment Protection Agency. *The Glasgow Naturalist* 25(4): 99-104
- Kugrens P, Clay BL, Lee RE (1999) Ultrastructure and systematics of two new freshwater red cryptomonads, *Storeatula rhinosa*, sp. nov. and *Pyrenomonas ovalis*, sp. nov. *Journal of Phycology* 35: 1079–1089.
- Kumano S (2002) *Freshwater Red Algae of the World*. Biopress, Bristol, England, 375 pp.
- Kusel-Fetzmann E, Weidinger M (2008) Ultrastructure of five *Euglena* species positioned in the subdivision Serpentes. *Protoplasma* 233: 209-222.
- Kützing FT (1843) *Phycologia Generalis*. Brockhaus, Leipzig. 485 pp.
- Kützing FT (1845) *Phycologia germanica*, d.i. Deutschlands Algen in bündigen Beschreibungen Nordhausen. 240 pp.
- Kylin H (1937) Über die Farbstoffe und die Farbe der Cyanophyceen. *Kungl. Fysiogr. Sällsk. i Lund Förhandlungen* 7(12).
- Lack TJ (1971) Quantitative studies on the phytoplankton of the Rivers Thames and Kennet at Reading. *Freshwater Biology* 1: 213–224.
- Lack TJ, Lund JWG (1974) Observations and experiments on the phytoplankton of Blelham Tarn, English Lake District. I The experimental tubes. *Freshwater Biology* 4: 399–415.
- Lackey JB, Lackey EW (1963) Microscopic algae and protozoa in the waters near Plymouth in August 1962. *Journal of the Marine Biological Association of the United Kingdom* 43: 797–805.
- Landsborough D (1851) *A Popular History of British Sea-Weeds...with Notices of the Fresh-Water Algae*. 2nd edn. Reeve & Benham, London. 400 pp.
- Lang P (2013) Freshwater phytoplankton species new to the British Isles. *The Phycologist* 85: 44.
- Lang P, Krokowski J (2013a) The fusiform green alga *Desmatoctrum spryii* (Chlorophyta, Chlorococcales): a noteworthy discovery made in a peninsula loch, SW Scotland. *The Glasgow Naturalist* 26: 111–112.
- Lang P, Krokowski J (2013b) The solitary planktonic chrysophyte *Dinobryon faculiferum*: an alga species typically restricted to brackish environments found inhabiting a freshwater loch in northern Scotland. *The Glasgow Naturalist* 26: 109-110.

- Lang P, Krokowski J (2013c) *Ollicola vangoorii* (Chrysophyceae, Chromulinales): an unfamiliar loricate protist newly documented in U.K. freshwaters from a southern upland loch, Scotland. *The Glasgow Naturalist* 26: 110-111.
- Lang P, Krokowski J, Goodyer E (2013) Some uncommon desmids (Chlorophyta, Zygnematophyceae) encountered in the phytoplankton of Scottish lochs. *The Glasgow Naturalist* 26(1): 119-122.
- Lang P, Krokowski J, Ross N, Doughty R (2012) The rare green alga *Pediastrum privum* (Chlorophyta, Sphaeropleales) in a Scottish kettle loch: new to British freshwaters. *The Glasgow Naturalist* 25: 139–142.
- Lang P, Procházková L, Krokowski J, Meis S, Spears BM, Milne I, Pottie J (2013) The bizarre Eustigmatacean alga, *Pseudostaurastrum limneticum* (Borge) Chodat, in a shallow, nutrient-enriched Scottish loch: new to the British Isles. *The Glasgow Naturalist* 26: 107–109.
- Lane CE, Archibald JM (2008) New marine members of the genus *Hemiselmis* (Cryptomonadales, Cryptophyceae). *Journal of Phycology* 44: 439-450.
- Langangen A (1972) The Charophytes of Iceland. *Astarte* 5: 27–31.
- Langangen A (1974) Ecology and distribution of Norwegian Charophytes. *Norwegian Journal of Botany* 21: 31–52.
- Langangen A (2007) Charophytes of the Nordic countries. Saeculum ANS. Oslo. 102 pp.
- Lange-Bertalot H (2001) Diatoms of Europe. Diatoms of the European Inland Waters and Comparable Habitats. Vol. 2. *Navicula* sensu stricto. 10 Genera Separated from *Navicula* sensu lato. *Frustulia*. R.G. Gantner Verlag K.G. Ruggell. 526 pp.
- Lange-Bertalot H, Metzeltin D & Witkowski A (1996) *Hippodonta* gen. nov. – Umschreibung und Begründung einer neuen Gattung der Naviculaceae. *Iconographica Diatomologica* 4: 247–275. Königstein.
- Lange-Bertalot H & Moser G (1994) *Brachysira*: Monographie der Gattungen. *Bibliotheca Diatomologica* 29. J. Cramer, Stuttgart. 212 pp.
- Lansdown RV, Stewart NF, Kitchen C, Kitchen MAR (2006) The status and conservation of stoneworts (Characeae) in west Gloucestershire (v.c.34) and north Somerset (v.c.6). *Watsonia* 26: 145-169.
- Lansdown RV (2008) A Field Guide to the Riverine Plants of Britain and Northern Ireland. Including Selected Vascular Plants, Bryophytes, Lichens and Algae. 313 pp. Areola Environmental Services, 43 The Bridle, Stroud, Glos GLS 4SQ.
- Larder J (1922) Lincolnshire freshwater algae. *Nature*, London 1902: 59–61.
- Larsen J, Patterson DJ (1990) Some flagellates (Protista) from tropical marine sediments. *Journal of Natural History* 24: 801–937
- Leach SJ, Pollock K, Lansdown RV (1999) *Tolypella prolifera* discovered in N. Somerset (v.c.6). *Botanical Society of British Isles News* 18: 2–829.
- Leadbeater BSC (1990) Ultrastructure and assembly of the scale case in *Synura* (Synurophyceae Andersen). *British Phycological Journal* 25: 117–132.
- Leander BS, Esson HJ, Breglia SA (2007) Macroevolution of complex cytoskeletal systems in euglenids. *BioEssays* 29: 987-1000.
- Leander BS, Farmer MA (2001) Evolution of *Phacus* (Euglenophyceae) as inferred from pellicle morphology and small subunit rDNA. *Journal of Phycology* 37: 143-159.
- Lee KW, Bold HC (1974) Phycological Studies XII. *Characium* and some *Characium*-like algae. University of Texas Publications 7403: 1–127.
- Lee JJ, Hutner SH, Bovee EC (1985) An Illustrated Guide to the Protozoa. Society of Protozoologists P.O.Box 368, Lawrence, Kansas 66044, USA.
- Leedale GF (1967) Euglenoid Flagellates. Prentice-Hall, Englewood Cliffs, New Jersey. 243 pp.
- Leedale GF (1969) Observations on endonuclear bacteria in euglenoid flagellates. *Österreichische Botanische Zeitschrift* 116: 279-294.
- Leedale GF (1975) Envelope formation and structure in the euglenoid genus *Trachelomonas*. *British Phycological Journal* 10: 17–42.
- Leedale GF (2000) Order Euglenida Bütschli, 1884. In Lee JJ, Leedale GF, Bradbury P (eds) An Illustrated Guide to the Protozoa. 2nd Edition. Society of Protozoologists, Lawrence, Kansas, USA: 1135–1157.
- Leedale GF, Hibberd DJ (1974) Observations on the cytology and fine structure of the euglenoid genera *Menoidium* Perty and *Rhabdomonas* Fresenius. *Archiv für Protistenkunde* 116: 319–345.

- Leedale GF, Vickerman GK (2000) Phylum Euglenozoa. In Lee JJ, Leedale GF, Bradbury P (eds) An Illustrated Guide to the Protozoa. 2nd Edition. Society of Protozoologists, Lawrence, Kansas, USA: 1135–1185.
- Leftwich AW, James HG (1955) Ecology of the River Nene and the Grand Union Canal. Journal of Northampton Natural History Society & Field Club 33: 25–33.
- Leitch AR, John DM, Moore JA (1990) The oosporangium of the Characeae (Chlorophyta, Charales). Progress in Phycological Research 7: 213–268.
- Lehmann E (1903) Über *Hyella Balani* nov. spec. Nyt Magazin for Naturvidenskaberne 41: 77–87.
- Leliaert F, Boedecker C (2007) Cladophorales Haekel. In Brodie J, Maggs CA, John DM (eds) Green Seaweeds of Britain and Ireland. British Phycological Society: 131–183.
- Leliaert F, De Clerck O, Verbruggen H, Boedecker C, Coppejan E (2007) Molecular phylogeny of the Siphonocladales (Chlorophyta: Cladophorophyceae). Molecular Phylogenetics and Evolution 44: 1237–1256.
- Leliaert F, Rousseau F, De Reviers B, Coppejans F (2003) Phylogeny of the Cladophoraceae (Chlorophyta) inferred from partial LSU rRNA gene sequences: is the recognition of a separate order Siphonocladales justified? European Journal of Phycology 38: 233–246.
- Lemmermann E (1898) Beitrag zur Algenflora von Schlesien. Abbildungen Natur. Ver. Bremen 14(1897): 241–263.
- Lemieux C, Otis C, Turmel M (2007) A clade uniting the green algae *Mesostigma viride* and *Chlorokybus atmophyticus* represents the deepest branch of the Streptophyta in chloroplast genome-based phylogenies. BMC Biology 5, article 2.
- Lenzenweger R (1996) Desmidiaceenflora von Österreich 1. Bibliotheca Phycologica 101: 1–162, 17 pls.
- Lenzenweger R (1997) Desmidiaceenflora von Österreich 2. Bibliotheca Phycologica 102: 1–216, 44 pls.
- Lenzenweger R (1999) Desmidiaceenflora von Österreich 3. Bibliotheca Phycologica 104: 1–218, 66 pls.
- Léon-Tejera H, Montejo G (2000) *Dermocarrella* (Cyanoprokaryota/Cyanophyceae/Cyanobacteria) from the Pacific coast of Mexico. Cryptogamie, Algologie 21: 359–372.
- Leonardi PI, Calceres EJ, Velez CG (1998) Fine structure of dwarf males in *Oedogonium pluviale* (Chlorophyceae). Journal of Phycology 34: 250–256.
- Letts EA (1913) On the occurrence of fresh-water alga (*Prasiola crispa*) on contact beds and its resemblances to green seaweeds (*Ulva latissima*). Journal of the Royal Sanitary Institute XXXIV (10): 464–508.
- Levkov Z (2009) Diatoms of Europe. Diatoms of the European Inland Waters and Comparable Habitats. Vol. 5. *Amphora*. R.G. Gantner Verlag K.G. Ruggell. 916 pp.
- Lewin RA (1984) Culture and taxonomic status of *Chlorochytrium lemnae*, a green algal endophyte. British Phycological Journal 19: 107–116.
- Lewis JM, Dodge JD (2011) Phylum Dinophyta. In John DM, Whitton BA, Brook AJ (eds) Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae. Second Edition. Cambridge University, Cambridge: 250–274.
- Li R, Watanabe M, Watanabe MM (2000) Taxonomic studies of planktic species of *Anabaena* based on morphological characteristics in cultured strains. Hydrobiologia 438: 117–138.
- Light JL, Belcher JH (1968) A snow microflora in the Cairngorm Mountains, Scotland. British Phycological Bulletin 3: 471–473.
- Lightfoot J (1777) Flora Scotica or a systematic arrangement in the Linnaean method of the native plants of Scotland. 2 vols; xli + 1151 (+ 24), pls I–XXXV. London: printed for B. White.
- Lind EM (1938) Studies in the periodicity of the algae in Beauchief Ponds, Sheffield. Journal of Ecology 26: 257–274.
- Lind EM (1939a) Note on the genus *Uroglena* with the description of a species new to Britain. Journal of Botany 77: 106–110.
- Lind EM (1939b) A new British algal record: *Gloeotaenium loitlesbergerianum* Hansgirg. Journal of Botany 1939: 315–316.
- Lind EM (1939c) Two new algal records from the Sheffield District. Naturalist, December 1: 305–307.
- Lind EM (1940) Experiments with pond muds. Journal of Ecology XXVIII(2): 484–490.
- Lind EM (1944) The phytoplankton of some Cheshire Meres. Memoirs and Proceedings of the Manchester Literary and Philosophical Society 86: 83–105.
- Lind EM (1951) The plankton of some lakes and pools in the neighbourhood of the Moor of Rannoch. Transactions and Proceedings of the Botanical Society of Edinburgh 35: 362–369.

- Lind EM (1952) The phytoplankton of some lochs in South Uist and Rhum. Transactions and Proceedings of the Botanical Society of Edinburgh 36: 37–47.
- Lind EM (1953) Some desmids from some West Highland lochs. Transactions and Proceedings of the Botanical Society of Edinburgh 37: 1–12.
- Lind EM, Brook AJ (1980) Desmids of the English Lake District. Scientific Publications No. 42. Freshwater Biological Association, Ambleside. 123 pp.
- Lind EM, Galliford AL (1952) Notes on the plankton of Oak Mere, Cheshire. Naturalist, Hull (1954): 99–102.
- Lind EM, Pearsall WH (1945) Plankton algae from North-Western Ireland. Proceedings of the Royal Irish Academy, Dublin 50B: 311–320.
- Lindberg K, Moestrup Ø, Daugbjerg N (2005) Studies on woloszynskiod dinoflagellates I: *Woloszynskia coronata* re-examined using light and electron microscopy and partial LSU rDNA sequences, with description of *Tovellia* gen. nov. and *Jadwigia* gen. nov. (Tovelliaceae fam. nov.). Phycologia 44: 416–440.
- Lindstedt A (1943) Die Flora der marinen Cyanophyceen der Schwedischen Westküste. Håkan Ohlssons Buchdruckerei, Lund. 123 pp. +11 plates.
- Linne von Berg K-H, Hoef-Emden K, Marin B, Melkonian M (2004) Die Kosmos-Algenführer. Franckh-Kosmos Verlags. 366 pp.
- Linnaeus C (1753) Species Plantarum, Exhibentes Plantas Rite Cognitas, Ad Genera Relatas. Secundum Systema Sexuale Digestus. Vols 1, 2. Impenses Laurentii Salvii. Holmii.
- Linton EW, Hittner D, Lewandowski C, Auld T, Triemer RE (1999) A molecular study of euglenoid phylogeny using small subunit rDNA. Journal of Eukaryotic Microbiology 46: 217–223.
- Linton EW, Karnkowsk-Ishikawa A, Kim J-I, Shin M, Bennett M, Kwiatowski J, Zakrys B, Troemer RE (2010) Reconstructing euglenoid evolutionary relationships using three genes. Nuclear SSU and LSU, and chloroplast 16S rDNA sequences and the description of *Euglenaria* gen. nov. (Euglenophyta). Protist 161: 603–619.
- Linton EW, Nudelman MA, Conforti V, Triemer RE (2000) A molecular analysis of the euglenophytes using SSU rDNA. Journal of Phycology 36: 740–746.
- Livingstone D, Jaworski GHM (1980) The viability of akinetes of blue-green algae recovered from the sediments of Rostherne Mere. British Phycological Journal 15: 355–364.
- Livingstone D, Reynolds CS (1981) Algal sedimentation in relation to phytoplankton periodicity in Rostherne Mere. British Phycological Journal 16: 195–206.
- Livingstone D, Whitton BA (1983) Influence of phosphorus on morphology of *Calothrix parietina* (Cyanophyta) in culture. British Phycological Journal 18: 29–38.
- Livingstone D, Whitton BA (1984) Water chemistry and phosphatase activity of the blue-green alga *Rivularia* in Upper Teesdale streams. Journal of Ecology 72: 405–421.
- Lokhorst GM (1991) Synopsis of genera of Klebsormidiales and Ulotrichales. Cryptogamic Botany 2/3: 274–288.
- Lokhorst GM (1992) Taxonomic studies in the genus *Heterococcus* (Tribophyceae, Tribonematales, Heteropediaceae); a combined cultural and electron microscopy study. Cryptogamic Studies 3: 1–246.
- Lokhorst GM (1996) Comparative taxonomic studies on the genus *Klebsormidium* (Charophyceae) in Europe. Cryptogamic Studies 5: 1–132.
- López-Bautista JM, Chapman RL (2003) Phylogenetic affinities of the Trentepohliales inferred from small-subunit rDNA. International Journal of Systematic and Evolutionary Microbiology 53: 2099–2106.
- López-Bautista JM, Rindi F, Guiry MD (2006) Molecular systematics of the subaerial green algal order Trentepohliales: an assessment based on morphological and molecular data. International Journal of Systematic and Evolutionary Microbiology 56: 1709–1715.
- Lubomira, B (ed.) (2014) Key to Identification of Phytoplankton Species in Lakes and Rivers. 188 pp., 202 figs.
- Lund JWG (1937) Contributions to our knowledge of British algae. VI. New British algal records, I. Journal of Botany, London 75: 305–314.
- Lund JWG (1938) Contributions to our knowledge of British algae. VII. Some new British algal records II Euglenineae. Journal of Botany 76: 271–276.
- Lund JWG (1942a) Contributions to the knowledge of British Chrysophyceae. New Phytologist 41: 274–292.
- Lund JWG (1942b) Contribution to our knowledge of British algae. VIII. Journal of Botany 80: 57–73.

- Lund JWG (1942c) The marginal algae of certain ponds, with special reference to the bottom deposits. *Journal of Ecology* 30: 245–283.
- Lund JWG (1945) Observations on soil algae I. The ecology, size and taxonomy of British soil diatoms. Part 1. *New Phytologist* 44: 196–219.
- Lund JWG (1946) Observations on soil algae 1. The ecology, size and taxonomy of British soil diatoms. Part 2. *New Phytologist* 45: 56–110.
- Lund JWG (1947a) Observations on soil algae II. Notes on groups other than diatoms. *New Phytologist* 46: 35–60.
- Lund JWG (1947b) Observations on soil algae III. Species of *Chlamydomonas* Her. in relation to variability within the genus. *New Phytologist* 46: 185–194.
- Lund JWG (1949a) Studies on *Asterionella* 1. The origin and nature of the cells producing seasonal maxima. *Journal of Ecology* 37: 389–418.
- Lund JWG (1949b) New or rare British Chrysophyceae. I. *New Phytologist* 48: 453–460.
- Lund JWG (1949c) The dynamics of diatom outbursts with special reference to *Asterionella*. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* 10: 275–276.
- Lund JWG (1950a) Algological notes I–III. *Naturalist*, Hull (1950): 45–49.
- Lund JWG (1950b) Algological notes IV–VI. *The London Naturalist* 1950: 142–148.
- Lund JWG (1950c) Algological notes IV–VI. IV. Motility in unicellular and colonial Myxophyceae and records of the occurrence of some of the species in Great Britain. V. *Chlamydomonas terricola* Gerloff. VI. The distribution and ecology of *Stephanosphaera pluvialis* Cohn with a note on *Haematococcus lacustris* Flotow em. Wille. *Naturalist*, Hull (1950): 143–148.
- Lund JWG (1950d) Contributions to our knowledge of British algae X1. new *Pinnularia* (*P. cardinaliculus* Cl. emend.). *Hydrobiologia* 2: 281–284.
- Lund JWG (1950d) Studies on *Asterionella formosa* Hass II. Nutrient depletion and the spring maximum. Part 1. Observations on Windermere, Esthwaite Water and Blelham Tarn. *Journal of Ecology* 38: 1–14.
- Lund JWG (1950e) Algological notes I–III. *Pleurocapsa minor* Manag. em Geitler; *Mallomonas reginae* Teil. und *Chlamydomonas proboscigera* Korsch. *Naturalist*, Hull (1950): 45–49.
- Lund JWG (1951) Contributions to our knowledge of British algae XII. new planktonic *Cyclotella* (*C. praetermissa* n. sp.); notes on *C. glomerata* Bachm. and *C. catenata* Brun. and the occurrence of setae in the genus. *Hydrobiologia* 3: 93–100.
- Lund JWG (1952) On *Dinobryon sueicum* Lemm. var. *longispinum* Lemm., *Chlamydomonas gloeophila* Skuja, *C. dinobryon* G.M. Smith and *Planktosphaeria gelatinosa* G.M. Smith, with a note on *Sphaerocystis schroeteri* Chodat. *Naturalist*, Hull (1952): 163–166.
- Lund JWG (1953) New or rare British Chrysophyceae. II. *Hyalobryon polymorphum* n. sp. and *Chrysonebula holmesii* n. gen., n. sp. *New Phytologist* 52: 114–123.
- Lund JWG (1954a) Contributions to our knowledge of British algae XIII. *Hydrobiologia* 6: 136–143.
- Lund JWG (1954b) Three new British algal records and spore-formation in *Micractinium pusillum* Fres. *Naturalist*, Hull (1954): 81–85.
- Lund JWG (1954c) The seasonal cycle of the plankton diatom *Melosira italica* (Her.) Kütz. subsp. *subarctica* O. Müll. *Journal of Ecology* 42: 151–179.
- Lund JWG (1954d) Records from Irish lakes, Part 2. Phytoplankton. *Proceedings of the Royal Irish Academy B* 56: 154–155.
- Lund JWG (1955a) Contributions to our knowledge of British algae XIV. Three new species from the English Lake District. *Hydrobiologia* 7: 219–228.
- Lund JWG (1955b) Further observations on the seasonal cycle of *Melosira italica* (Her.) Kütz. subsp. *subarctica* O. Müll. *Journal of Ecology* 43: 90–102.
- Lund JWG (1956a) On certain planktonic palmelloid green algae. *Journal of the Linnean Society, Botany* 55: 593–613.
- Lund JWG (1956b) Species of *Characiopsis*, *Pseudostaurastrum* and *Scenedesmus* new to Britain. *Naturalist*, Hull (1956): 13–16.
- Lund JWG (1956c) A new blue-green alga epizoic on *Daphnia pulex* L. *Naturalist*, Hull (1956): 88–90.
- Lund JWG (1957) Four new green algae. *Revue Algologique NS* 3: 26–44.
- Lund JWG (1959) Investigations on the algae of Lake Windermere. *Advancement of Science, London* 15: 530–534.
- Lund JWG (1960a) Some new or rare Chrysophyceae from the English Lake District. *Hydrobiologia* 16: 97–108.

- Lund JWG (1960b) Some new British algae. *Naturalist*, Hull (1960): 89–96.
- Lund JWG (1960c) New or rare British Chrysophyceae. III. New records and observations on sexuality and classification. *New Phytologist* 59: 349–360.
- Lund JWG (1961a) The algae of the Malham Tarn district. *Field Studies* 1(3): 85–119.
- Lund JWG (1961b) The taxonomy and nomenclature of certain palmelloid planktonic green algae described previously. *Journal of the Linnean Society, Botany* 56: 459–465.
- Lund JWG (1961c) The periodicity of  $\mu$ -algae in three English lakes. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* 14: 147–154.
- Lund JWG (1961d) *Asterionella formosa* Hass. var. *acaroides* Lemm.: a phycological enigma. *British Phycological Bulletin* 2(2): 63–66.
- Lund JWG (1961e) The Fritsch collection of illustrations of freshwater algae. *Phycologia* 1: 193.
- Lund JWG (1962a) A genus new to Britain: *Amphichrysis* Korsh. *British Phycological Journal* 2: 116–120.
- Lund JWG (1962b) A rarely recorded, but very common British alga, *Rhodomonas minuta* Skuja. *British Phycological Journal* 2: 135–139.
- Lund JWG (1962c) Unsolved problems in the classification of the non-motile Chrysophyceae with references to those in parallel groups. *Preslia* 34: 140–146.
- Lund JWG (1962d) Classical and modern criteria used in algal taxonomy with special reference to genera of microbial size. *Symposia of the Society for General Microbiology* 12: 68–110.
- Lund JWG (1963) Changes in depth and time of certain physical conditions and of the standing crop of *Asterionella formosa* Hass. in the north basin of Windermere in 1947. *Philosophical Transactions of the Royal Society* 246B (731): 255–290.
- Lund JWG (1965) The season periodicity of three planktonic desmids. *Mitteilungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie* 19: 3–25.
- Lund JWG (1972a) Preliminary observations on the use of large experimental tubes in lakes. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* 18: 71–77.
- Lund JWG (1972b) Changes in the biomass of blue-green and other algae in an English lake from 1945–69. In Desikachary TV (ed.) *Taxonomy and Biology of Blue-green Algae*. Madras University Centre for Advanced Study of Botany: 305–323.
- Lund JWG (1978) Changes in the phytoplankton of an English lake, 1945–1977. *Gidrobiologicheskii Zhurnal Kiev* 14 (1): 10–27. [In Russian]
- Lund JWG (1979) Changes in the phytoplankton of an English lake, 1945–1977. *Hydrobiological Journal* 14 (1): 6–21.
- Lund JWG (1998) The tangled taxonomic history of three species of *Scourfieldia* G.S.West. *Archiv für Hydrobiologie, Suppl.* 124 [Algological Studies 89]: 1–14.
- Lund JWG, Reynolds CS (1982) The development and operation of large limnetic enclosures in Blelham Tarn, English Lake District, and their contribution to phytoplankton ecology. *Progress in Phycological Research* 1: 1–65.
- Lund JWG, Scott LI (1952) A new British algal record: *Pyramimonas reticulata* Korsch. *Naturalist, Hull* (1952): 55–58.
- Lütkemüller J (1895) Über die Gattung *Spirotaenia* Bréb. *Österreichische botanische Zeitschrift* 45: 1–6, 51–57, 88–94..
- Lütkemüller J (1903) Über die Gattung *Spirotaenia* Bréb. II. *Österreichische botanische Zeitschrift* 53: 396–405, 483–488.
- Macan TT, Lund JWG (1954) Records from some Irish lakes. *Proceedings of the Royal Irish Academy* 56B: 135–157.
- McCauley LAR, Wehr JD (2007) Taxonomic reappraisal of the freshwater brown algae *Bodanella*, *Ectocarpus*, *Heribaudiella*, and *Pleurocladia* (Phaeophyceae) on the basis of *rbcL* sequences and morphological characters. *Phycologia* 46: 429–439.
- MacFarlane JJ, Raven JA (1990) C, N and P nutrition of *Lemanea mamillosa* Kütz. (Batrachospermales, Rhodophyta) in the Dighty-Burn, Angus, U.K. *Plant Cell and Environment* 13: 1–13.
- Maerz M, Rensing S, Igloi GL, Maier UG (1992) Evolutionary analysis of the plastid-encoded gene for the alpha subunit of the DNA-dependent RNA-polymerase of *Pyrenomonas salina* (Cryptophyceae). *Current Genetics* 22: 479–482.
- Mainx F (1926) Einige neue Vertreter der Gattung *Euglena* Ehrenb. *Archiv für Protistenkunde* 54: 150–160.

- Malin Smith A (1933) *Gonyostomum semen* Diesing. flagellate now first recorded for the British Isles. The London Naturalist 1933: 49–50.
- Malin Smith A (1942) The algae of Miles Rough Bog, Bradford. Journal of Ecology 30: 341–356.
- Mann DG, Droop SJM (1996) Biodiversity, biogeography and conservation of diatoms. Hydrobiologia 336: 19–32.
- Mann DG, Thomas SJ, Evans KM (2008) Revision of the diatom genus *Sellaphora*: a first account of the larger species in the British Isles. Fottea, Olomouc 8: 15–78.
- Manton I, Ettl H (1965) Observations on the fine structure of *Mesostigma viride* Lauterborn. Journal of the Linnean Society, Botany 59: 175–184.
- Manton I, Harris K (1966) Observations on the microanatomy of the brown flagellate *Sphaleromantis tetragrana* Skuja with special reference to the flagellar apparatus and scales. Journal of the Linnean Society, Botany 59: 397–402.
- Manton I, Leedale GF (1961) Observations on the fine structure of *Paraphysomonas vestita*, with special reference to the Golgi apparatus and the origin of scales. Phycologia 1: 37–57.
- Manton I, Rayns DG, Ettl F, Parke M (1965) Further observations on green flagellates with scaly flagella: the genus *Heteromastix* Korschikov. Journal of the Marine Biological Association of the United Kingdom 45: 241–255.
- Marin B, Klingberg M, Melkonian M (1998) Phylogenetic relationships among the Cryptophyta: Analyses of nuclear-encoded SSU rRNA sequences support the monophyly of extant plastid-containing lineages. Protist 149: 265–276.
- Margalef R (1946) Contribución al conocimiento del género *Platymonas* (Volvocales). Collecta Botanica 1(1): 95–105.
- Marin B, Palm A, Klingberg M, Melkonian M (2003) Phylogeny and Taxonomic revision of plastid-containing Euglenophytes based on SSU rDNA sequence comparisons and synapomorphic signatures in the SSU rRNA secondary structure. Protist 154: 99–145.
- Marin B, Palm A, Melkonian M (2002) Phylogeny and taxonomic revision of plastid-containing euglenophytes based on SSU rDNA sequences comparison and synapomorphic signatures in the SSU rDNA secondary structure. Protist 154: 99–145.
- Marker AFH (1976a) The benthic algae of some streams in southern England. Journal of Ecology 64: 343–358.
- Marker AFH (1976b) The benthic algae of some streams in southern England. II. The primary production of the epilithon in a small chalk stream. Journal of Ecology 64: 359–373.
- Marker AFH, Casey H (1982) The population and production dynamics of benthic algae in an artificial recirculating hard-water stream. Philosophical Transactions of the Royal Society, London B 298: 265–308.
- Marquand ED (1884) The fresh water algae of the Land's End District. Transactions of the Penzance Natural History and Antiquarian Society 2: 133–144.
- Marquand ED (1893–98) The desmids and diatoms of West Cornwall. Transactions of Penzance Natural History and Antiquarian Society 1: 272–281.
- Marsden MW, Smith MR, Sargent RJ (1997) Trophic status of rivers in the Forth catchment, Scotland. Aquatic Conservation 7: 211–221.
- Marson JE (1992) Observations on sexual reproduction in species of *Spirogyra* (Zygnemaphyceae: Zygnemaceae). Microscopy. Journal of the Quekett Microscopical Club 36: 712–717, 720.
- Marvan P, Komárek J, Comas A (1984) Weighting and scaling of features in numerical evaluation of coccal green algae (genera of the Selenastraceae). Archiv für Hydrobiologie, Suppl. 67 [Algological Studies 37]: 363–399.
- Mason CF, Bryant RJ (1975) Periphyton production and grazing by chironomids in Alderfen Broad, Norfolk. Freshwater Biology 5: 271–277.
- Mateo P, Whitton BA (2011) Rivulariaceae. In Whitton BA, Potts M (eds) Ecology of Cyanobacteria. Their Diversity in Space and Time. Springer, Dordrecht, The Netherlands.
- Mattox KR, Stewart KD (1984) Classification of the green algae: a concept based on comparative cytology. In Irvine DEG, John DM (eds) Systematics of the Green Algae (Systematics Association Special Volume 27). Academic Press, London: 29–72.
- Matula J (1992) *Dicranochaete* species (Chlorophyceae, Gloeodendrales) in peat bogs of Lower Silesia (South-western Poland). Archiv für Hydrobiologie, Suppl. 93 / Algological Studies 65: 63–72.
- Maulood BK, Boney AD (1980) A seasonal and ecological study of the phytoplankton of Loch Lomond. Hydrobiologia 71: 239–59.

- Maulood BK, Hinton GCF, Boney AD (1978) Diurnal variation of phytoplankton in Loch Lomond. *Hydrobiologia* 58: 99–117.
- McCall D (1933) Diatoms (recent and fossil) of the Tay district. *Journal of the Linnean Society, Botany* 49: 219–308.
- McCourt RM, Karol KG, Bell J, Helm-Bychowski K, Grajewska A, Wojciechowski MF, Hoshaw RW (2000) Phylogeny of the conjugating green algae (Zygnemophyceae: Desmidiales, Zygnematales) based on *rbcL* sequences. *Journal of Phycology* 36: 747–758.
- McFadden GI, Gilson PR, Hill DRA (1994) *Goniomonas*: rRNA sequences indicate that this phagotrophic flagellate is a close relative of the host component of cryptomonads. *European Journal of Phycology* 29: 29–32.
- McGregor GB (2007) Freshwater Cyanoprokaryota of North-Eastern Australia 1: Oscillatoriales. *Flora of Australia Supplementary Series Number 24*. Australian Biological Resources Study, GPO Box 787, Canberra ACT 2601, Australia. 123 pp.
- McGregor GB, Fabbro LD, Lobegeiger LS (2007) Freshwater planktic Chroococcales (Cyanoprokaryota) from North-Eastern Australia: a morphological evaluation. *Nova Hedwigia* 84: 299–331.
- McLean RO, Bensen-Evans K (1974) The distribution of *Stigeoclonium tenue* Kütz. in South Wales in relation to its use as an indicator of organic pollution. *British Phycological Journal* 9: 83–89.
- McManus A, Coy T, Krokowski J (2012) *Hydrodictyon reticulatum* – most northerly documented record in the UK. *The Phycologist* 83: 26.
- Messyasz B, Rybak A (2009) The distribution of green algae species from the *Ulva* genera (syn. *Enteromorpha*; Chlorophyta) in Polish inland waters. *Oceanological and Hydrobiological Studies* 38: 1–18.
- Meyer SR, Pienaar RN (1984) The microanatomy of *Chroomonas africana* n. sp. (Cryptophyceae). *South African Journal of Botany* 3: 306–319.
- Milanowski R, Zakryś B, Kwiatowski J (2001) Phylogenetic analysis of chloroplast small-subunit rRNA genes of the genus *Euglena* Ehrenberg. *International Journal of Systematic and Evolutionary Microbiology* 51: 773–781.
- Misra RD (1938) Edaphic factors in the distribution of aquatic plants in the English Lakes. *Journal of Ecology* 26: 411–451.
- Mix M (1967) Zur Feinstruktur der Zellwände in der Gattung *Penium* (Desmidiaceae). *Bericht der Deutschen Botanischen Gesellschaft* 80: 715–721.
- M'Keever FL (1912) *Phaeothamnion confervicolum* Lagerheim, and its first recorded appearance in Great Britain. *Transactions and Proceedings of the Botanical Society, Edinburgh* 24: 176–181.
- Mikhailyuk T, Sluiman HJ, Massalski A, Mudimu O, Demchenko EM, Kondratyuk SY, Friedl T (2008) New streptophyte green algae from terrestrial habitats and an assessment of the genus *Interfilum* (Klebsormidiophyceae, Streptophyta). *Journal of Phycology* 44: 1586–1603.
- Moestrup Ø (1991) Further studies of presumably primitive green algae, including the description of Pedinophyceae class. nov. and *Resultor* gen. nov. *Journal of Phycology* 27: 119–133.
- Moestrup Ø (2011) Phylum Prasinophyta. In John DM, Whitton BA, Brook AJ (eds) *Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae*. Second Edition. Cambridge University, Cambridge: 358–363.
- Moestrup Ø, Daugbjerg N (2007) On dinoflagellate phylogeny and classification. In Brodie J, Lewis J (eds) *Unravelling the algae the past, present, and future of algal systematics*. Systematics Association Special Volume 75, CRC Press, Taylor & Francis Group, London. 376 pp.
- Moestrup Ø, Hansen G, Daugbjerg N (2008) Studies on woloszynskioid dinoflagellates III: on the ultrastructure and phylogeny of *Borghiella dodgei* gen. et sp. nov., a cold-water species from Lake Tovel, N. Italy, and on *B. tenuissima* comb. nov. (syn. *Woloszynskia tenuissima*). *Phycologia* 47: 54–78.
- Moestrup Ø, Lindberg K, Daugbjerg N (2009) Studies on woloszynskioid dinoflagellates IV: The genus *Biecheleria* gen. nov. *Phycological Research* 57: 203–220.
- Montagne C (1846) Phyceae. In Durieu de Maisonneuve M.C. (ed.) *Exploration scientifique de l'Algérie pendant les années 1840, 1841, 1842. Sciences physiques. Botanique. Cryptogamie*. Paris, Imprimerie Nationale: 1–197.
- Moore JA (1986) Charophytes of Great Britain and Ireland. BSBI Handbook 5. Botanical Society of the British Isles, London. 140 pp.
- Moore JA, Bailey RH (1977) Gloucestershire charophyte records - 1. Botanical notes and records. *Gloucestershire Naturalists Society Journal* 28: 343–344.

- Moore JA, Bailey RH (1986) Charophyta: Characeae. In Holland SC, Caddick HM, Dudley-Smith DS (eds) Supplement to the Flora of Gloucesterhire. Grenfell Publications, Bristol.
- Moore JW (1976) Seasonal succession of algae in rivers. I. Examples from the Avon, a slow-flowing river. *Journal of Phycology* 12: 342–349.
- Morgan NC (1970) Changes in the fauna and flora of a nutrient enriched lake. *Hydrobiologia* 35: 545–553.
- Morton JK (1959) The Flora of Islay and Jura (v.c. 102). Supplement to the Proceedings of the Botanical Society of the British Isles 3(3): 1–59.
- Moss B (1969a) Vertical heterogeneity in the water column of Abbot's Pond. II. The influence of physical and chemical conditions on the spatial and temporal distribution of the phytoplankton and of a community of epipelagic algae. *Journal of Ecology* 57: 397–414.
- Moss B (1969b) Algae of two Somersetshire pools: standing crops of phytoplankton and epipelagic algae as measured by cell numbers and chlorophyll a. *Journal of Phycology* 5: 158–168.
- Moss B (1976) The effects of fertilization and fish on community structure and biomass of aquatic macrophytes and epiphytic algal populations: an ecosystem experiment. *Journal of Ecology* 64: 313–342.
- Moss B (1977) Factors controlling the seasonal incidence of *Pandorina morum* (Mull.) Bory (Chlorophyta, Volvocales) in a small pond. *Hydrobiologia* 47: 298–305.
- Moss B (1979) Diatoms. In Ayers B, Murphy P (eds) A waterfront excavation at Whitefriars Street car park, Norwich. East Anglian Archaeology Report 17: 37–38.
- Moss B (1981) The composition and ecology of periphyton communities in freshwaters. 2, Interrelationships between water chemistry, phytoplankton populations and periphyton populations in a shallow lake and associated experimental reservoirs ('Lund Tubes'). *British Phycological Journal* 16: 59–76.
- Moss B (1983a) The Norfolk Broadland: experiments in the restoration of a complex wetland. *Biological Reviews* 58: 521–561.
- Moss B (1983b) Excavations south of the River Wensum, Whitefriars, Norwich: Diatoms. *Norfolk Archaeologist* 1983: 26–27.
- Moss B, Balls HR, Booker I, Manson K, Timms M (1988) Problems in the construction of a nutrient budget for the R. Bure and the Broads (Norfolk) prior to its restoration from eutrophication. In Round FE (ed.) *Algae and the Aquatic Environment. Contributions in Honour of J.W.G. Lund*. Biopress, Bristol: 326–353.
- Moss B, Balls HR, Irvine K (1985) Management of the consequences of eutrophication in lowland lakes in England – engineering and biological solutions. In Lester JN, Kirk PWW (eds) *Proceedings of the International Phosphorus Conference*. SP Publishers, London: 180–185.
- Moss B, Karim AGA (1969) Phytoplankton associations in two pools and their relationships with associated benthic flora. *Hydrobiologia* 33: 587–600.
- Mrozińska T (1985) Chlorophyta. Oedogoniophyceae: Oedogoniales. In Süßwasserflora von Mitteleuropa 14(6). Gustav Fischer, Stuttgart: 1–624.
- Müller G, Oti M (1981) The occurrence of calcified planktonic algae in freshwater carbonates. *Sedimentology* 28: 897–902.
- Müller G, Oti M (1981) The occurrence of calcified planktonic green algae in freshwater carbonates. *Sedimentology* 28: 897–902.
- Mühling M, Harris N, Belay A, Whitton BA (2003) Reversal of helix orientation in the cyanobacterium *Arthrosira*. *Journal of Phycology* 39: 360–367.
- Müller KM, Sheath RG, Vis ML, Crease TJ, Cole KM (1998) Biogeography and systematics of *Bangia* (Bangiales, Rhodophyta) based on the Rubisco spacer, rbcL gene, 18S rRNA gene sequences and morphometric analyses. I. North America. *Phycologia* 37: 195–207.
- Müller KM, Sherwood AR, Pueschel CM, Gutell RR, Sheath RG (2002) A proposal for a new red algal order, the Thoreales. *Journal of Phycology* 38: 807–820.
- Müller KM, Vis ML, Chiasson WB, Whittick A, Sheath RG (1997) Phenology of a *Batrachospermum* population in a boreal pond and its implications for the systematics of section Turfosa (Batrachospermales, Rhodophyta). *Phycologia* 36: 68–75.
- Mullins RF (2007) A molecular phylogenetic assessment of *Pseudendoclonium*. M.Sc Thesis, University of Massachusetts, Amherst. 40 pp.

- Müllner A.N, Angeler DG, Samuel R, Linton EW, Triemer RE (2001) Phylogenetic analysis of phagotrophic, phototrophic and osmotrophic euglenoids by using the nuclear 18S rDNA sequence. International Journal of Systematic & Evolutionary Microbiology 51: 783–791.
- Murphy KJ, Hudson KD, Mitchell J (1994) Freshwater and wetland plant communities of Loch Lomond. Hydrobiologia 290: 63–74.
- Murray G, Barton ES (1891) On the structure and systematic position of *Chantransia*: with a description of a new species. Journal of the Linnean Society, Botany 28: 209–216.
- Myers A, Delany J (2002) Overview: the extremely exposed shore at Lackakanny and high shore tide poll at Portnakilly. In New Survey of Clare Island, Volume 3 Marine Tidal Ecology. Royal Irish Academy, Dublin: 9–10.
- Nägeli C (1849) Gattungen einzelliger Algen. Neue Denkschriften der Verhandlungen der Allgemeinen Schweizerischen Gesellschaft für die Gesammten Naturwissenschaften 10: 1–139.
- Nakayama TS, Watanabe S, Mitsui K, Uchida H, Inouye I (1996) The phylogenetic relationship between the Chlamydomonadales and Chlorococcales inferred from 18S rDNA data. Phycological Research 44: 151–161.
- Neal C, Jarvie HP, Withers PJA, Whitton BA, Neal M (2010) The strategic significance of wastewater sources to pollutant phosphorus levels in English rivers and to environmental management for rural, agricultural and urban catchments. Science of the Total Environment 408: 485–1500.
- Necchi O, Jr (1993) Distribution and seasonal dynamics of Rhodophyta in the Preto River Basin, southeastern Brazil. Hydrobiologia 250: 81–90.
- Necchi O, Jr, Sheath RG, Cole KM (1993a) Systematics of freshwater *Audouinella* (Acrochaetiaceae, Rhodophyta) in North America 1. The reddish species. Archiv für Hydrobiologie, Suppl. 98 [Algological Studies 70]: 11–28.
- Necchi O, Jr, Sheath RG, Cole KM (1993b) Systematics of freshwater *Audouinella* (Acrochaetiaceae, Rhodophyta) in North America. 2. The bluish species. Archiv für Hydrobiologie, Suppl. 99 [Algological Studies 71]: 13–21.
- Necchi O, Jr, Sheath RG, Cole KM (1993c) Distribution and systematics of the freshwater genus *Sirodotia* (Batrachospermales, Rhodophyta) in North America. Journal of Phycology 29: 236–243.
- Necchi O, Jr, Zucchi MR (1997). *Audouinella macrospora* (Acrochaetiaceae, Rhodophyta) is the ‘*Chantransia*’ stage of *Batrachospermum* (Batrachospermaceae). Phycologia 36: 220–224.
- Nees CG (1820) Horae Physicae Berolinenses. Adolphi Marcus, Bonn. [xii]+123+[4] pp.
- Negoro K (1944) Untersuchungen über die Vegetation der mineralogen-azidotrophen Gewässer Japans. Science Reports of the Tokyo Bunrika Daigaku (Section B) 6: 232–373.
- Nelson WA (2007) *Bangiadulcis* gen. nov.: a new genus of freshwater filamentous Bangiales (Rhodophyta). Taxon 56: 883–886.
- Neustupa J, Šťastný J, Škaloud P (2014) Splitting of *Micrasterias fimbriata* (Desmidiales, Viridiplantae) into two monophyletic species and description of *Micrasterias compereana* sp. nov. Plant Ecology and Evolution 147: 405–411.
- Nevo E, Wasser SP (eds) (2000) Biodiversity of Cyanoprokaryotes, Algae and Fungi of Israel. Cyanoprokaryotes and Algae of Continental Israel. RA Ganter Verlag, Ruggell.
- Nielsen H (2000) Morphometric analysis of cell wall structure in seven infraspecific taxa of *Pediastrum boryanum* (Sphaeopleales, Chlorophyta) and its taxonomic implications. Phycologia 39: 36–49.
- Nordstedt CFO (1896) Index Desmidiacearum Citationibus Locupletissimus atque Bibliographia. Fratres Borntraeger, Berolini.
- Norkett AH (1949) Some preliminary remarks and list of algae found on Eastern Plain, Bookham Common, 1947–8. London Naturalists Journal 28: 56–59.
- Novarino G (1991a) Observations on *Rhinomonas reticulata* comb. nov. and *Rhinomonas reticulata* var. *eleniana* var. nov. (Cryptophyceae), with comments on the genera *Pyrenomonas* and *Rhodomonas*. Nordic Journal of Botany 11: 243–252.
- Novarino G (1991b) Observations on some new and interesting Cryptophyceae. Nordic Journal of Botany 11: 599–611.
- Novarino G (2011) Phylum Cryptophyta. In John DM, Whitton BA, Brook AJ (eds) Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae. Second Edition. Cambridge University, Cambridge: 240–249.
- Novarino G, Lucas IAN (1993a) A comparison of some morphological characters in *Chroomonas ligulata* sp. nov. and *C. placoidea* sp. nov. (Cryptophyceae). Nordic Journal of Botany 13: 583–591.

- Novarino G, Lucas IAN, Morrall S (1994) Observations on the genus *Plagioselmis* (Cryptophyceae). *Cryptogamie, Algologie* 15: 87-107.
- Novarino G, Mills DK, Hannah F (1997) Pelagic flagellate populations in the southern North Sea, 1988-89.1. Qualitative observations. *Journal of Plankton Research* 19: 1081-1109.
- Novarino G, Oliva E (1998) Typification and ultrastructural characterisation of long-described flagellate taxa based on original type material. In *The Flagellates Symposium*, University of Birmingham, 7-11 September 1998 (abstract).
- Nozaki H (1993) Morphology, reproduction and taxonomy of *Characiochloris sasae* sp. nov (Chlorophyta) from Japan. *Phycologia* 32: 129-135.
- Nudelman MA, Leonardi PI, Conforti V, Farmer MA, Triemer RE (2006) Fine structure and taxonomy of *Monomorphina aenigmatica* comb. nov. (Euglenophyta). *Journal of Phycology* 42: 194-202.
- Nudelman M., Rossi M., Conforti V, Triemer RE (2003) Phylogeny of Euglenophyceae based on small subunit rDNA sequences: taxonomic implications. *Journal of Phycology* 39: 226-235.
- Nygaard G (1945) *Danske Plantoplankton*. Gyldendal, Copenhagen. 52 pp.
- Olaveson MM, Nalewajko C (2000) Effects of acidity on growth of two *Euglena* species. *Hydrobiologia* 433: 39-56.
- Olaveson MM, Stokes PM (2008) Responses of the acidophilic alga *Euglena mutabilis* to carbon enrichment at pH 3. *Journal of Phycology* 25: 529-539.
- Oliver J (2008) Algae within living aquatic vascular plant tissues. *The Phycologist* 74: 42-43.
- Oliver RL, Hamilton DP, Brookes JD, Ganf GG (2011) Physiology, blooms and prediction of planktonic cyanobacteria. In Whitton BA (ed.) *Ecology of Cyanobacteria II. Their Diversity in Space and Time*. Springer, Dordrecht, The Netherlands.
- Orange A (2003) A foliicolous community in South Wales. *British Lichen Society Bulletin* 92: 60-62.
- Osborne PL, Moss B (1977) Palaeolimnology and trends in the phosphorus and iron budgets of an old man-made lake, Barton Broad, Norfolk. *Freshwater Biology* 7: 213-234.
- Palisano JR, Walne PL (1976) Light and electron microscopy of two permanently bleached cell lines of *Euglena gracilis* (Euglenophyceae). *Nova Hedwigia* XXVII: 455-481.
- Palmer TC (1925) *Trachelomonas* new or notable species and varieties. *Proceedings of the Academy of Natural Sciences Philadelphia* 77: 15-22.
- Papenfuss GF (1951) Phaeophyta. In Smith GM (ed.) *Manual of Phycology*. Chronica Botanica, Waltham, Massachussets: 119-158.
- Parfitt E (1886) Devon freshwater algae. *Transactions of the Devon Association of Science* 18: 382-423.
- Parke M, Dixon PS (1964) A revised check-list of British marine algae. *Journal of the Marine Biological Association of the United Kingdom* 44: 499-542.
- Parke M, Dixon PS (1976) Check-list of British marine algae – third revision. *Journal of the Marine Biological Association of the United Kingdom* 56: 527-594.
- Parke M, Lund JWG, Manton I (1962) Observations on the biology and fine structure of the type species of *Chrysochromulina* (*C. parva* Lackey) in the English Lake District. *Archiv für Mikrobiologie* 42: 333-352.
- Pascher A (1927) Volvocales-Phytomonadinae. *Flagellatae IV.-Chlorophyceae* 1. In Pascher A (ed.) *Süßwasser-Flora Deutschlands, Österreichs und der Schweiz*. Gustav Fischer, Jena: 1-506.
- Pascher A (1929a) Eine neue farblose Chlorophycee. *Botanisches Centralblatt Beiheft* 45(I): 390-400.
- Pascher A (1929b) Über die Teilungsvorgänge bei einer neuen Blaulalge: *Endonema*. *Jahrbuch für Wissenschaftliche Botanik* 70: (quoted by Geitler, 1932a).
- Pascher A (1939) Heterokontae. In: Rabenhorst's Kryptogamen-Flora von Deutschland, Österreichs und dir Schweiz. XI. Akademie Verlag, Leipzig: 1-1092.
- Pascher A, Lemmermann E (1913) Cryptomonadinae. In Pascher A (ed.) *Die Süßwasser-Flora Deutschlands, Österreichs und der Schweiz* 2. Gustav Fischer, Jena: 96-114.
- Paschma R, Hegewald E (1986) DNA base composition within the genus *Scenedesmus* (Chlorophyta). *Plant Systematics and Evolution* 153: 171-180.
- Patrick R, Reimer CW (1966) The Diatoms of the United States exclusive of Alaska and Hawaii. Volume 1: Fragilariaeae, Eunotiaceae, Achanthaceae, Naviculaceae. Academy of Natural Sciences, Philadelphia. 688 pp.
- Patrick R, Reimer CW (1975) The Diatoms of the United States exclusive of Alaska and Hawaii. Volume 2 Part 1: Entomoneidaceae, Cymbellaceae, Gomphonemaceae, Epithemiaceae. Academy of Natural Sciences, Philadelphia. 213 pp.

- Patterson G, Whitton BA (1981) Chemistry of water, sediments and algal filaments in groundwater draining an old lead-zinc mine. In Say PJ, Whitton BA (eds) Heavy Metals in Northern England. Environmental and Biological Aspects. Department of Botany, University of Durham: 65–72.
- Peabody AJ (1999) Forensic science and diatoms. In Stoermer EF, Smol JP (eds) The Diatoms: Applications for the Environmental and Earth Sciences. Cambridge University Press, Cambridge: 413–418.
- Peabody AJ, Whitton BA (1968) Algae of the River Wear. I. Diatoms. Naturalist, Hull 1968: 89–96.
- Pearsall WH (1923) The phytoplankton of Rostherne Mere. Memoirs and Proceedings of the Manchester Literary and Philosophical Society 67: 47–55.
- Pearsall WH (1924) Phytoplankton and environment in the English Lake District. Revue Algologique NS 1: 53–67.
- Pearsall WH (1925) The phytoplankton of the English Lakes. Journal of the Linnean Society, Botany 47: 55–73.
- Pearsall WH (1929) The plankton algae of the English Lakes. Naturalist, Hull (1929): 137–142.
- Pearsall WH (1930) Phytoplankton of the English Lakes I. The proportions in the water of some dissolved substances of biological importance. Journal of Ecology 18: 306–320.
- Pearsall WH (1932) Phytoplankton of the English Lakes. II. The composition of the phytoplankton in relation to the dissolved substances. Journal of Ecology 20: 241–262.
- Pearsall WH (1933) *Uroglenopsis americana* in Windermere. Naturalist, Hull (1933): 122–123.
- Pearsall WH (1936) Uncommon and interesting algae in the Lake District. Naturalist, Hull (1936): 205–206.
- Pearsall WH, Lind EM (1942) The distribution of phytoplankton in some north-west Irish loughs. Proceedings of the Royal Irish Academy 48B: 1–24.
- Pearsall W Harrison, Pearsall W Harold (1925) Phytoplankton of the English Lakes. Journal of the Linnean Society, Botany XLVII: 55–73.
- Pearsall W Harrison, Pearsall W Harold (1929) The plankton algae of the English Lakes. The Naturalist 1929: 136–142.
- Pennington W, Haworth EY, Lishman JP, Bonny AP (1972) Lake sediments in northern Scotland. Philosophical Transactions of the Royal Society 264B: 191–294.
- Pentecost A (1978) Blue-green algae and freshwater carbonate deposits. Proceedings of the Royal Society of London B 200: 43–61.
- Pentecost A (1981) The tufa deposits of the Malham district, North Yorkshire. Field Studies 5: 365–387.
- Pentecost A (1982a) A quantitative study of calcareous and Tintenstriche algae from the Malham district, Northern England. British Phycological Journal 17: 443–456.
- Pentecost A (1982b) The distribution of *Euglena mutabilis* in sphagna, with reference to the Malham Tarn north fen. Field Studies 5: 591–606.
- Pentecost A (1983) The distribution of daughter colonies in a natural population of *Volvox aureus* Ehrenb. Annals of Botany 52: 769–776.
- Pentecost A (1984a) Introduction to Freshwater Algae. The Richmond Publishing Co, Slough. 247 pp.
- Pentecost A (1984b) Observations on a bloom of the neuston alga *Naufragium pyriforme*, from southern England with an explanation of the floatation mechanism. British Phycological Journal 19: 227–232.
- Pentecost A (1984c) The growth of *Chara globularis* and its relationship to calcium carbonate deposition in Malham Tarn. Field Studies 6: 53–58.
- Pentecost A (1985) Association of cyanobacteria with tufa deposits: identity, enumeration and nature of the sheath material revealed by histochemistry. Geomicrobiology 4: 28–5298.
- Pentecost A (1987) Growth and calcification of the cyanobacterium *Rivularia haematites*. Proceedings Royal Society of London B 232: 125–136.
- Pentecost A (1988a) Growth and calcification of the cyanobacterium *Homoeothrix crustacea*. Journal of General Microbiology 134: 266–52671.
- Pentecost A (1988b) Observations on growth rates and calcium carbonate deposition in the green alga *Gongrosira*. New Phytologist 110: 249–253.
- Pentecost A (1989) Growth and calcification of *Calothrix*-dominated oncolites from Northern England. In Crick RE (ed.) Origin, Evolution and Modern Aspects of Biomimetication in Lower Plants and Animals. Plenum, New York: 443–454.
- Pentecost A (1990) The algal flora of travertine. In Herman JS, Hubbard DA (eds) Travertine-Marl: Stream Deposits of Virginia. Virginia Division of Mineral Resources Publication 101, Charlottesville, Va: 117–128.

- Pentecost A (1991a) Algal and bryophyte flora of a Yorkshire (U.K.) hill stream: a comparative approach using biovolume estimations. *Archiv für Hydrobiologie* 121: 181–208.
- Pentecost A (1991b) A new and interesting site for the calcite-encrusted desmid *Oocardium stratum* Naeg. in the British Isles. *British Phycological Journal* 26: 297–301.
- Pentecost A (1992a) A note on the colonisation of limestone rocks by cyanobacteria. *Archiv für Hydrobiologie* 124: 167–172.
- Pentecost A (1992b) Growth and distribution of endolithic algae in some North Yorkshire streams (UK). *British Phycological Journal* 27: 145–151.
- Pentecost A (1995a) British thermophilic cyanobacteria. *Archiv für Hydrobiologie* 132: 407–414.
- Pentecost A (1995b) Significance of the biomineralizing microniche in a *Lyngbya* (cyanobacterium) travertine. *Geomicrobiology Journal* 13: 213–222.
- Pentecost A (1998) The significance of calcite (travertine) formation by algae in a moss-dominated travertine from Matlock Bath, England. *Archiv für Hydrobiologie* 143: 487–509.
- Pentecost A (2003) Taxonomic identity, ecology and distribution of the calcite-depositing cyanobacterium *Phormidium incrassatum* (Oscillatoriaceae). *Cryptogamie, Algologie* 24: 307–321.
- Pentecost A (2005) Travertine. Springer. 445 pp.
- Pentecost A (2005) The freshwater-algal flora of the Kent and Sussex Weald, UK: 160 years of change. *Archiv für Hydrobiologie* 163: 259–285.
- Pentecost A (2009a) The marl lakes of the British Isles. *Freshwater Reviews* 2: 167–197.
- Pentecost A (2009b) Remarks on the identity of the subaerial green alga *Cephaeuros endophyticus* (F.E. Fritsch) Printz and a new record of the species from northern England. *Naturalist, Hull* 134: 41–44.
- Pentecost A (2011) Phylum Raphidophyta. In John DM, Whitton BA, Brook AJ (eds) *Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae*. Second Edition. Cambridge University Press, Cambridge: 275–276.
- Pentecost A (2011) Some new observations on the snow algae of the Cairngorm Mountains. *Quekett Journal of Microscopy* 41: 543–547.
- Pentecost A (2013) Seasonal changes in the abundance of freshwater algae in a small humic pool in southern England. *The Phycologist* 85: 34–36.
- Pentecost A, Edwards HGM (2003) Raman spectroscopy and light microscopy of a modern and subfossil microstromatolite *Rivularia haematites* (cyanobacteria, Nostocales). *International Journal of Astrobiology* 1: 357–363.
- Pentecost A, Franke U (2010) Photosynthesis and calcification of the stromatolite cyanobacterium *Rivularia*. *European Journal of Phycology* 45: 345–353.
- Pentecost A, Happéy-Wood CM (1978) Primary production studies in two linked but contrasting Welsh lakes. *Freshwater Biology* 8: 9–23.
- Pentecost A, Merritt R, Carter CF (2014) Growth and calcification of *Vaucheria* on a travertine surface in a temperate freshwater setting. *European Journal of Phycology*, in press.
- Pentecost A, Riding R (1986) Calcification in cyanobacteria. In Leadbeater BSC, Riding R (eds) *Biomineralization of Lower Plants and Animals*. Clarendon Press, Oxford: 73–90.
- Pentecost A, Rose F (1985) Changes in the cryptogam flora of the Wealden sandrocks. *Journal of the Linnean Society, Botany* 90: 217–230.
- Pentecost A, Whitton BA (2000) Limestones. In Whitton BA, Potts M (eds) *Ecology of Cyanobacteria. Their Diversity in Time and Space*. Kluwer, Dordrecht: 233–255.
- Pentecost A, Whitton BA (2011) Subaerial Cyanobacteria. In Whitton BA (ed.) *Ecology of Cyanobacteria II. Their Diversity in Space and Time*. Springer, Dordrecht: 291–316.
- Pentecost A, Whitton BA (2012) Ecology of the red alga *Chroothecace* on a wet cliff in upper Swaledale, West Yorkshire. *The Phycologist* 83: 11.
- Pentecost A, Whitton BA, Carter CF (2013) Ecology and morphology of the freshwater red alga *Chroothecace* in the British Isles. *Algological Studies* 143: 51–63.
- Pentelow FTK, Butcher RW, Grindley J (1938) An Investigation of the Effects of Milk Wastes on the Bristol Avon. MAFF Fisheries Investigations Series I, 1(1): 1–80. HMSO, London.
- Peters JC (1972) The ecology of Tarn Dub. *Vasculum* 57: 42–50.
- Philipose MT (1967) Chlorococcales. Indian Council for Agricultural Research Monographs on Algae, New Dehli. 365 pp.
- Philipps FW (1884) On *Chlorodesmus hispida*, a new flagellate animalcule. *Transactions of the Hertfordshire Natural History Society* 2: 92–94.

- Phillips W (1884) The breaking of the Shropshire meres. Transactions of the Shropshire Archaeological and Natural History Society 7: 277-300.
- Phillips SP (1963) A note on the charophytes of Hickling Broad, E. Norfolk. Proceedings of the Botanical Society of the British Isles 5: 23–24.
- Pickett-Heaps J, Picketts-Heaps J (2004) Remarkable plants: The Oedogoniales (Green Algae). Cytographics ([www.cytographics.com](http://www.cytographics.com)). DVD. Sinauer Associates.
- Playfair GJ (1915) The genus *Trachelomonas*. Proceedings of the Linnean Society of New South Wales 40: 1–41.
- Playfair GJ (1916) *Oocystis* and *Eremosphaera*. Proceedings of the Linnean Society of New South Wales 41: 117–147.
- Popova TG (1966) Flora Sporovych Rastenij SSSR [Flora plantarum cryptogamarum URSS]. 8. Evglenovyje vodorosli ['Euglenophyta']. 1. 412 pp. Izdatel'stvo Nauka, Leningrad [in Russian].
- Popova TG, Safonova TA (1976) Flora Sporovych Rastenij SSSR [Flora plantarum cryptogamarum URSS] 9. Evglenovyje vodorosli ['Euglenophyta']. 2. 278 pp. Izdatel'stvo Nauka, Leningrad [in Russian].
- Popovský J, Pfister LA (1990) Dinophyceae (Dinoflagellida). In Süßwasserflora von Mitteleuropa 6. Gustav Fischer, Jena: 1–272.
- Potten AH (1972) Maturation ponds. Experiences in their operation in the United Kingdom as a tertiary Treatment process for high quality sewage effluent. Water Research 6: 781–795.
- Poulton EM (1933) Hartlebury Common records. V. The algae of Hartlebury Common. Proceedings of the Birmingham Natural History Society 16: 81–87.
- Powell HT (1976) In: Parke M, Dixon PS (eds) Check-list of British marine algae – third revision. Journal of the Marine Biological Association of the United Kingdom 56: 529–532.
- Preisfeld A, Busse I, Klingberg M, Talke S, Ruppel HG (2001) Phylogenetic position and inter-relationships of the osmotrophic euglenids based on SSU rDNA data, with emphasis on the Rhabdomonadales (Euglenozoa). International Journal of Systematics, Evolution and Microbiology 51(3): 751–758.
- Preisig HR (2011) Phylum Haptophyta. In John DM, Whitton BA, Brook AJ (eds) Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae. Second Edition. Cambridge University Press, Cambridge: 277–280.
- Preisig HR, Hibberd DJ (1982a) Ultrastructure and taxonomy of *Paraphysomonas* (Chrysophyceae) and related genera. 1. Nordic Journal of Botany 2(4): 397–420.
- Preisig HR, Hibberd DJ (1982b) Ultrastructure and taxonomy of *Paraphysomonas* (Chrysophyceae) and related genera. 2. Nordic Journal of Botany 2(6): 601–638.
- Preisig HR, Hibberd DJ (1983) Ultrastructure and taxonomy of *Paraphysomonas* (Chrysophyceae) and related genera. 3. Nordic Journal of Botany 3: 695–723.
- Prescott GW (1962) Algae of the Western Great Lakes Area with an Illustrated Key to the Genera of Desmids and Freshwater Diatoms. Revised edn. Wm. C. Brown, Iowa. 977 pp. [Reprinted in 1982 by Otto Koeltz Science Publishers]
- Prescott GW (1984) Bibliographia Desmidiaeacarum Universalis (A Contribution to a Bibliography of Desmid Systematics, Biology and Ecology from 1774–1982). Koeltz Scientific Books, Koenigstein.
- Prescott GW, Bicudo CEM, Vinyard WC (1982) A Synopsis of North American Desmids. Part II. Desmidiaceae: Placodermae. Section 4. University of Nebraska Press, Lincoln & London. 700 pp.
- Prescott GW, Croasdale HT, Vinyard WC, Bicudo CEM (1981) A Synopsis of North American Desmids. Part 2. Desmidiaceae: Placodermae, Section 3. University of Nebraska Press, Lincoln. 720 pp.
- Price R (1914) Notes on *Batrachospermum*. New Phytologist 13: 276–279.
- Price S, Price JH (1983) Aquatic plants of the Wandle. The London Naturalist 62: 26–57.
- Pringsheim EG (1936) Zur Kenntnis saprotropher Algen und Flagellaten. Archiv Protistenkunde 87: 43–96.
- Pringsheim EG (1942) Contributions to our knowledge of saprophytic algae and flagellate. III. *Astasia*, *Distigma*, *Menoidium* and *Rhabdomonas*. New Phytologist 41: 171–204.
- Pringsheim EG (1944) Some aspects of taxonomy in the Cryptophyceae. New Phytologist 43: 143–150.
- Pringsheim EG (1953) Observations on some species of *Trachelomonas* grown in culture. New Phytologist 52(3): 238–266.
- Pringsheim EG (1956) Contributions towards a monograph of the genus *Euglena*. Nova Acta Leopoldiana 18(125): 3–168.

- Pringsheim EG (1969) Die Gattungen *Chlorogonium* und *Hyalogonium* (Volvocales). Nova Hedwigia 18: 831–867.
- Printz H (1913) Eine systematische Übersicht der Gattung *Oocystis* Nägeli. Nyt Magasin for Naturvidenskapene. Oslo 51: 165–184.
- Printz H (1939) Vorarbeiten zu einer Monographie der Trentepohliaceen. Nytt Magasin for Naturvidenskapene 80: 13–7210.
- Printz H (1964) Die Chaetophoraleen der Binnengewässer (eine systematische Übersicht). Hydrobiologia 24: 1–376.
- Pröschold T, Bock C, Luo W, Krienitz L (2010) Polyphyletic distribution of bristle formation in Chlorellaceae: *Micractinium*, *Diacanthos*, *Didymogenes* and *Hegewaldia* gen. nov. (Trebouxiophyceae, Chlorophyta). Phycological Research 58: 1–8.
- Pröschold T, Marin B, Schlösser UW, Melkonian M (2001) Molecular phylogeny and taxonomic revision of *Chlamydomonas* (Chlorophyta). I. Emendation of *Chlamydomonas* Ehrenberg and *Chloromonas* Gobi, and description of *Oogamochamys* gen. nov. and *Lobochlamys* gen. nov. Protist 152: 265–300.
- Prygiel J, Coste M (2000) Guide méthodologique pour la mise en oeuvre de l'Indice Biologique Diatomées. NF T 90–354. Agences de l'Eau – Cemagref Bordeaux. Agence de l'Eau Artois-Picardie, Douai, mars 2000. 134 pp, 89 pls 90–354. [bilingual French-English CDROM]
- Pueschel CM, Saunders GW, West JA (2000) Affinities of the freshwater red alga *Audouinella macrospore* (Florideophyceae, Rhodophyta) and related forms based on SSU rRNA gene sequence analysis and pit plug ultrastructure. Journal of Phycology 36: 433–439.
- Puncochárová M (1992) A taxonomic study of four *Kentrosphaera* strains. Archiv Protistenkunde 141: 225–241.
- Purvis BJ (1982) The Algal Communities of Colliery Spoil Heaps. M.Sc. Thesis, University of Durham, 241 pp.
- Pybus C, Pybus M, Ragnebourn-Tough L (2003) Phytoplankton and charophytes of Lough Bunny, Co. Clare. Biology and Environment: Proceedings of the Royal Irish Academy 103B: 177–185.
- Rabenhorst L (1863) Kryptogamen-Flora von Sachsen, der Ober-Lausitz, Thüringen und Nordböhmen. Leipzig, Kummer. 653 pp.
- Rabenhorst L (1864–68) Flora Europaea Algarum Aquae Dulcis et Submarinae. 3 Volumes. Leipzig.
- Rajeniemi P, Hrouizek P, Kaštovská K, Willame R, Rantala L, Hoffmann L, Komárek J, Sivonen K (2005a) Phylogenetic and morphological evaluation of the genera *Anabaena*, *Anabaenopsis*, *Trichormus* and *Nostoc* (Nostocales, Cyanobacteria). International Journal of Systematic and Evolutionary Microbiology 55: 11–26.
- Rajeniemi P, Komárek J, Hrouizek P, Willame R, Kaštovská K, Hoffmann L, Sivonen K (2005b) Taxonomic consequences from the combined molecular and phenotype evaluation of selected *Anabaena* and *Aphanizomenon* strains. Algological Studies 117: 371–376.
- Ralfs J (1848) The British Desmidiae. Reeve, London. 226 pp. (Nomenclatural rules give Ralfs 1848 as the starting point for the taxonomy of the desmids) (The starting point for desmid taxonomy).
- Ramanathan KR (1964) Ulotrichales. Indian Council for Agricultural Research Monographs on Algae, New Delhi. 188 pp.
- Randhawa MS (1959) Zygnemaceae. Indian Council for Agricultural Research Monographs on Algae, New Delhi. 478 pp.
- Rao CB (1953) On the distribution of algae in a group of six small ponds. Journal of Ecology 41: 62–71
- Raven JA (1993) The roles of the Chantransia phase of *Lemanea* (Lemaneaceae, Batrachospermales, Rhodophyta) and the ‘mushroom’ phase of *Himanthalia* (Himanthaceae, Fucales, Phaeophyta). Botanical Journal of Scotland 46: 477–485.
- Raven JA, Beardall J, Griffiths H (1982) Inorganic C-sources for *Lemanea*, *Cladophora* and *Ranunculus* in a fast-flowing stream: measurements of gas exchange and of carbon isotope ratio and their ecological implications. Oecologia 53: 68–78.
- Raven JA, Johnston AM, Newman JR, Scrimgeour CM (1994) Inorganic carbon acquisition by aquatic photolithotrophs of the Dighty Burn, Angus, U.K.: uses and limitations of natural abundance measurements of carbon isotopes. New Phytologist 127: 271–286.
- Reed RH (1980) On the conspecificity of marine and freshwater *Bangia* in Britain. British Phycological Journal 15: 411–416.
- Rees AJ, Cmiec HA, Leedale GF (1984) Periodicity of phytoplankton over two seasons in a shallow eutrophic lake. Naturalist, Hull 109: 81–95.

- Reese MJ (1937) The microflora of the non-calcareous streams Rheidol and Melindwr with special reference to water pollution from lead mines in Cardiganshire. *Journal of Ecology* 25: 385–407.
- Reháková H (1969) Die Variabilität der Arten der Gattung *Oocystis* A. Braun. In Fott B (ed.) *Studies in Phycology*. Academia, Praha: 145–196.
- Reichardt E (1997). Taxonomische Revision des Artenkomplexes um *Gomphonema pumilum* (Bacillariophyceae). *Nova Hedwigia* 65(1-4): 99–129.
- Reichardt E (1999) Zur Revision der Gattung *Gomphonema*. Die Arten um *G. affine/insigne*, *G. angustatum/micropus*, *G. acuminatum* sowie gomphonemoide Diatomeen aus dem Oberoligozän. In Böhmen. H. Lange-Bertalot (ed.) *Iconographia Diatomologica* Vol. 8..R.G. Gantner Verlag K.G. 203 pp.
- Reichardt E,Lange-Bertalot H (1991) Taxonomische Revision des Artenkomplexes um *Gomphonema angustum* – *G. dichotomum* – *G. intricatum* – *G. vibrio* und ähnliche Taxa (Bacillariophyceae). *Nova Hedwigia* 53(3-4): 519–544.
- Rendle AB, West W, Jr (1899) A new British freshwater alga. *Journal of Botany* 37: 289–290.
- Reynolds CS (1967) The breaking of the Shropshire meres: some recent investigations. *Shropshire Conservation Trust Bulletin* 10: 9–16.
- Reynolds CS (1971) The ecology of the planktonic blue-green algae in the North Shropshire meres. *Field Studies* 3: 409–432.
- Reynolds CS (1973a) The phytoplankton of Crose Mere, Shropshire. *British Phycological Journal* 8: 151–162.
- Reynolds CS (1973b) The seasonal periodicity of planktonic diatoms in a shallow eutrophic lake. *Freshwater Biology* 3: 89–110.
- Reynolds CS (1973c) Phytoplankton periodicity of some North Shropshire meres. *British Phycological Journal* 8: 301–320.
- Reynolds CS (1975) Interrelations of photosynthetic behaviour and buoyancy regulation in a natural population of a blue-green alga. *Freshwater Biology* 5: 323–338.
- Reynolds CS (1976a) The ecology of phytoplankton in Shropshire and Cheshire meres. *Annual Reports Freshwater Biological Association, U.K.* 44: 364–365.
- Reynolds CS (1976b) Succession and vertical distribution of phytoplankton in response to thermal stratification in a lowland lake, with special reference to nutrient availability. *Journal of Ecology* 64: 529–550.
- Reynolds CS (1978) The plankton of the North-West Midland meres. *Caradoc & Severn Valley Field Club Occasional Paper* 2. 41 pp.
- Reynolds CS (1979) The limnology of the eutrophic meres of the Shropshire-Cheshire plain. *Field Studies* 5: 93–173.
- Reynolds CS (1986) *The Ecology of Freshwater Phytoplankton*. Cambridge University Press, Cambridge. 384 pp.
- Reynolds CS (1994) The long, the short and the stalled – on the attributes of phytoplankton selected by physical mixing in lakes and rivers. *Hydrobiologia* 289: 9–21.
- Reynolds CS (1998) What facts influence the species composition of phytoplankton in lakes of different trophic status? *Hydrobiologia* 369/370: 11–26.
- Reynolds CS, Allen SE (1968) Changes in the phytoplankton of Oak Mere, following the introduction of base-rich water. *British Phycological Bulletin* 3: 451–462.
- Reynolds CS, Irish AE (2000) The Phytoplankton of Windermere (English Lake District). FBA Special Publication 10. Freshwater Biological Association, Ambleside, Cumbria: 73 pp.
- Reynolds CS, Lund JWG (1988) The phytoplankton of an enriched, soft-water lake subject to intermittent hydraulic flushing (Grasmere, English Lake District). *Freshwater Biology* 19: 479–404.
- Reynolds CS, Rogers DA (1976) Seasonal variations in the vertical distribution and buoyancy of *Microcystis aeruginosa* Kütz. emend. Elenkin in Rosthene Mere, England. *Hydrobiologia* 48: 17–23.
- Reynolds CS, Walsby AE (1975) Water-blooms. *Biological Reviews* 50: 437–481.
- Reynolds CS, Wiseman SW, Clarke MJO (1984) Growth and loss-rate responses of phytoplankton to intermittent artificial mixing and their potential application to the control of planktonic algal biomass. *Journal of Applied Ecology* 21: 11–39.
- Řezáčová M, Škaloud P (2005) Silica-scaled chrysophytes of Ireland. With an appendix: Geographic variation of scale shape of *Mallomonas caudata*. *Nova Hedwigia* 128: 101–124.
- Rice CH (1938) Studies in the phytoplankton of the River Thames (1928–1932) 1 and 2. *Annals of Botany NS* 2: 539–557, 559–581.

- Rich F (1918) Notes on the algae of Leicestershire. *Journal of Botany* 56: 264–268.
- Rich F (1921) A new species of *Coelastrum*. *New Phytologist* 20(5): 234–238.
- Rich F (1925) Further notes on the algae of Leicestershire. *Journal of Botany* 63: 71–78, 229–238, 262–273, 322–330, 359–362.
- Rich F (1933) The algal flora of a Leicestershire pond. *Transactions of the Leicester Literary and Philosophical Society* 34: 6–36.
- Riddelsdell HJ, Hedley GW, Price WR (1948) Flora of Gloucesterhire Phanerograms, Vascular Cryptogams, Charophyta. Cotswold Naturalists Field Club, Cheltenham. 667 pp.
- Riddelsdell HJ, Hedley GW, Price WR, Holland SC, Caddick HM, Dudley-Smith DS (1986) Flora of Gloucestershire - Phanerograms, Vascular Cryptogams, Charophyta with Supplement to the Flora of Gloucestershire. (2 Volumes). Chatsford House Press & Grenfell Publications for Cotswold Naturalists Field Club, Bristol. 666 pp. + 182 introductory pages.
- Rieth A (1954) Beobachtungen zur Entwicklungsgeschichte einer *Vaucheria* der Sektion *Woroninia*. *Flora* 142: 156–182.
- Rieth A (1980) Xanthophyceae. In Süßwasserflora von Mitteleuropa 4(1). Gustav Fischer, Stuttgart: 1–147.
- Rijn V (2013) Lake balls (*Aegagropila linnaei*) discovered in Windermere, UK. *FBA News* No. 6: 6.
- Rindi F, Guiry MD (2002a) Diversity, life history and ecology of *Trentepohlia* and *Printzina* (Trentepohliales, Chlorophyta) in urban habitats in western Ireland. *Journal of Phycology* 38: 39–54.
- Rindi F, Guiry MD (2002b) The genus *Phycopeltis* (Trentepohliaceae, Chlorophyta) in Ireland: a taxonomic and distributional reassessment. *Phycologia* 41: 421–431.
- Rindi F, Guiry MD (2003) Composition and distribution of subaerial algal assemblages in Galway City, western Ireland. *Cryptogamie, Algologie* 24: 245–267.
- Rindi F, Guiry MD (2004) Compositon and spatial variability of terrestrial algal assemblages occurring at the bases of urban walls in Europe. *Phycologia* 43: 225–235.
- Rindi F, Guiry M(D) (2007) The subaerial algae. In Guiry MD, John DM, Rindi F, McCarthy K (eds) New Survey of Clare Island. Volume 6: The Freshwater and Terrestrial Algae. Royal Irish Academy, Dublin: 254, 179–192.
- Rindi F, Guiry MD, Barbiero RP, Cinelli F (1999) The marine and terrestrial Prasiolales (Chlorophyta) of Galway City, Ireland: a morphological and ecological study. *Journal of Phycology* 35: 469–482.
- Rindi F, Guiry MD, López-Bautista JM (2008) Distribution, morphology and phylogeny of *Klebsormidium* (Klebsormidiales, Charophyceae) in urban environments in Europe. *Journal of Phycology* 44: 1529–1540.
- Rindi F, Lam DW, López-Bautista JM (2009) Phylogenetic relationships and species circumscription in *Trentepohlia* and *Printzina* (Trentepohliales, Chlorophyta). *Molecular Phylogenetics and Evolution* 52: 329–339.
- Rindi F, McIvor L, Guiry MD (2004) The Prasiolales (Chlorophyta) of Atlantic Europe: an assessment based on morphological, molecular and ecological data, including the characterization of *Rosenvingiella radicans* (Kützing) comb. nov. *Journal of Phycology* 40: 977–997.
- Rindi F, McIvor L, Sherwood AR, Friedl T, Guiry MD, Sheath RG (2007) Molecular phylogeny of the green algal order Prasiolales (Trebouxiophyceae, Chlorophyta). *Journal of Phycology* 43: 811–822.
- Rindi F, Menéndez JL, Guiry MD, Rico JM (2004) The taxonomy and distribution of *Phycopeltis* (Trentepohliaceae, Chlorophyta) in Europe. *Cryptogamie, Algologie* 25: 3–17.
- Rintoul TC, Sheath RG, Vis ML (1999) Systematics and biogeography of the Compsopogonales with emphasis on the freshwater families in North America. *Phycologia* 38: 517–527.
- Rippka R, Castenholz RW, Herdman M (2001) In Bergey's Manual of Systematic Bacteriology Second Edition, Volume 1 The Archaea and the Deeply Branching and Phototrophic Bacteria. Springer, New York etc. 721 pp. Form-genus I. *Calothrix* Agardh 1824, pp.582–585; Form-genus II. *Rivularia* Agardh 1824, pp. 586–587.
- Rippka R, Cohen-Bazire G (1983) The Cyanobacterales: a legitimate order based on the type strain *Cyanobacterium stanieri*? *Annales Microbiologie (Institut Pasteur)* 13B: 21–36.
- Robinson DG, Preston RD (1971) Studies on the fine structure of *Glaucozystis nostochinearum* Itzigs. II. Membrane morphology and taxonomy. *British Phycological Journal* 6: 113–128.
- Rosenberg M (1935) On the germination of *Lemanea torulosa* in culture. *Annals of Botany* 56: 621–622.
- Rosenberg M (1941) *Chrysochaete*, a new genus of the Chrysophyceae, allied to *Naegeliella*. *New Phytologist* 11: 304–315.

- Rosenberg M (1944) On the variability of the desmid *Xanthidium subhastiferum* West. New Phytologist 43: 15–22.
- Ross R, Sims P (1978) Notes on some diatoms from the Isle of Mull, and other Scottish localities. Bacillaria 1: 151–168.
- Roth AW (1797) Catalecta Botanica quibus Plantae novae et minus cognitae describuntur atque illustrantur. 3 Fascicles [in 2 volumes]. Lipsiae.
- Rott P, Pfister P, van Dam H, Pipp E, Pall K, Binder N, Ortler K (1999) Indikationslisten für Aufwuchsalgen in österreichischen Fließgewässern. Teil 2. Trophieindikation sowie geochemische Präferenz, taxonomische und toxicologische Anmerkungen. Bundesministerium für Land- und Forstwirtschaft, Wien, Austria. 248 pp.
- Round FE (1953) An investigation of two benthic algal communities in Malham Tarn, Yorkshire. Journal of Ecology 41: 174–197.
- Round FE (1955) Some observations on the benthic algal flora of four small ponds. Archiv für Hydrobiologie 50: 111–135.
- Round FE (1956a) A note on some communities of the littoral zone of lakes. Archiv für Hydrobiologie 52: 398–405.
- Round FE (1956b) The phytoplankton of three central water supply reservoirs in central Wales. Archiv für Hydrobiologie 52: 457–469.
- Round FE (1957a) The benthic algal flora of three City of Birmingham waterworks reservoirs in Central Wales. Archiv für Hydrobiologie 53: 562–573.
- Round FE (1957b) Studies on bottom-living algae in some lakes of the English Lake District Part II. The distribution of Bacillariophyceae on the sediments. Journal of Ecology 45: 343–360.
- Round FE (1957c) Studies on bottom-living algae in some lakes of the English Lake District Part III. The distribution on the sediment of algal groups other than the Bacillariophyceae. Journal of Ecology 45: 649–664.
- Round FE (1957d) The distribution of Bacillariophyceae on some littoral sediments of the English Lake District. Oikos 8(1): 16–37.
- Round FE (1957e) The late-glacial and post-glacial diatom succession in the Kentmere Valley deposit. New Phytologist 56: 98–126.
- Round FE (1957f) The diatom community of some Bryophyta growing on sandstone. Journal of the Linnean Society, Botany 55: 657–661.
- Round FE (1957g) A note on some diatom communities in calcareous springs and streams. Journal of the Linnean Society, Botany 55: 662–668.
- Round FE (1957h) Studies on the bottom-living algae in some lakes of the English Lake District. Part I. Some chemical features of the sediments related to algal productivities. Journal of Ecology 45: 133–148.
- Round FE (1958) Observations on the diatom flora of Braunton Burrows, N. Devon. Hydrobiologia 11: 119–127.
- Round FE (1959) A comparative survey of the epipelagic diatom flora of some Irish loughs. Proceedings of the Royal Irish Academy 60B: 193–215.
- Round FE (1960a) The diatom flora of a stream around Malham Tarn, Yorkshire. Archiv für Protistenkunde 104: 527–540.
- Round FE (1960b) The algal flora of a salt spring region at Manesty, Grange in Borrowdale. Naturalist, Hull (1960): 117–121.
- Round FE (1960c) Studies on bottom-living algae in some lakes of the English Lake District. Part IV. The seasonal cycles of Bacillariophyceae. Journal of Ecology 48: 529–547.
- Round FE (1960d) A note on the diatom flora of some springs in the Malham Tarn area of Yorkshire. Archiv für Protistenkunde 104: 515–526.
- Round FE (1961a) Studies on bottom-living algae in some lakes of the English Lake District. Part VI. The effects of depth on the epipelagic algal community. Journal of Ecology 49: 245–254.
- Round FE (1961b) The diatoms of a core from Esthwaite Water. New Phytologist 60: 43–59.
- Round FE (1966) Studies on bottom-living algae in some lakes of the English Lake District. VI. The effect of depth on the epipelagic diatom community. Journal of Ecology 49: 245–254.
- Round FE, Brook AJ (1959) The phytoplankton of some Irish lochs and an assessment of their trophic status. Proceedings of the Royal Irish Academy B 60: 167–191.
- Round FE, Crawford RM, Mann DG (1990) The Diatoms: Biology and Morphology of the Genera. Cambridge University Press, Cambridge. 747 pp.

- Round FE, Eaton JW (1966) Persistent, vertical-migration rhythms in benthic microflora. 111. The rhythm of epipelagic algae in a freshwater pond. *Journal of Ecology* 54: 609–615.
- Round FE, Happey CM (1965) Persistent, vertical-migration rhythms in benthic microflora. Part IV A diurnal rhythm of the epipelagic diatom association in non-tidal flowing water. *British Phycological Journal* 2: 453–471.
- Roy J (1877) Contributions to the desmid flora of Perthshire. *Scottish Naturalist* 1877: 68–74.
- Roy J (1883) List of desmids hitherto found on Mull. *Scottish Naturalist* 1833: 37–40.
- Roy J (1885) The fauna and flora of snow and ice. *Scottish Naturalist* 1885: 122–127.
- Roy J (1890a) Freshwater algae of the Enbridge Lakes and vicinity, Hampshire. *Journal of Botany* 28: 334–338.
- Roy J (1890b) The desmids of the Alford district. *Scottish Naturalist* 10: 199–210.
- Roy J (1891–1895) The Desmidieae of the Stoirmont district. *Proceedings of the East Scottish Union of Natural Science* 1891–1895: 19–25.
- Roy J (1892) The Desmidieae of East Fife. *Annals of Scottish Natural History* 1892: 192–197.
- Roy J (1893) On Scottish Desmidieae. *Annals of Scottish Natural History* 1893(6): 106–111; 1893(7): 170–180; 1893(8): 237–245.
- Roy J (1894) On Scottish Desmidieae. *Annals of Scottish Natural History* 1894(9): 40–46.
- Roy J (1897) Historical sketch of the freshwater algae of the east of Scotland. *Scottish Naturalist* 18: 148–159.
- Roy J, Bisset JP (1894) On Scottish Desmidieae. *Annals of Scottish Natural History* 1894(9): 40–46; (10): 100–105; (11): 167–178; (12): 241–256.
- Russell G (2009) The marine and maritime algae of Merseyside and adjoining coasts. *Naturalist, Hull* 134: 135–147.
- Růžička J (1977) Die Desmidiaceen Mitteleuropas 1(1). Schweizerbart'sche, Stuttgart. 292 pp.
- Růžička J (1981) Die Desmidiaceen Mitteleuropas 1(2). x + 293–736. Schweizerbart'sche, Stuttgart.
- Salah MM (1955) Some new diatoms from Blakeney Point (Norfolk). *Hydrobiologia* 7: 88–102.
- Sandon H (1927) The Composition and Distribution of the Protozoan Fauna of the Soil. Oliver & Boyd, Edinburgh & London. 224 pp.
- Sarma P (1986) The freshwater Chaetophorales on New Zealand. *Beihefte Nova Hedwigia* 58: 1–169, 142 pls.
- Say PJ, Diaz BM, Whitton BA (1977) Influence of zinc on lotic plants. I. Tolerance of *Hormidium* species to zinc. *Freshwater Biology* 7: 357–376.
- Say PJ, Whitton BA (1977) Influence of zinc on lotic plants. II Environmental effects on toxicity of zinc to *Hormidium rivulare*. *Freshwater Biology* 7: 377–384.
- Say PJ, Whitton BA (1980) Changes in flora down a stream showing a zinc gradient. *Hydrobiologia* 76: 255–262.
- Scanlan C (2009) *Aegagropila linnaei* Kützing at Loch Watten, Caithness, Scotland. *The Phycologist* 77: 10.
- Scanlan C (2012) *Hydrodictyon reticulatum* – where next? *The Phycologist* 83: 38.
- Scanlan C (2013) An *Aegagropila linnaei* wreck at the Loch of Harray, Orkney. *The Phycologist* 83: 45.
- Scannell MJP (1965) *Phycopeltis*, a genus of alga not previously recorded from the British Isles. *The Irish Naturalist* 15(3): 75.
- Scannell MJP (1972a) Algal paper of *Oedogonium* sp., its occurrence in the Burren, Co. Clare. *Irish Naturalists' Journal* 17: 147–152.
- Scannell MJP (1972b) *Bangia atropurpurea* (Roth) Ag. in Lough Derg, River Shannon. *The Irish Naturalists' Journal* 17: 206–207.
- Scannell MJP (1978) *Phycopeltis arundinacea* Mont. in Europe. *Revue Algologique NS* 13: 21–42.
- Schlichting HE, Jr (1975) Some subaerial algae from Ireland. *British Phycological Society* 10: 257–261.
- Schroeder WL (1930) Biological survey of the River Wharfe. III. Algae present in the Wharfe plankton. *Journal of Ecology* 18: 302–305.
- Scourfield DJ (1930) The nannoplankton and its collection by means of the centrifuge. *Watson's Microscope Record* 21: 2–6.
- Scourfield DJ (1944) The nannoplankton of bomb-crater pools in Epping Forest. *Essex Naturalist* 27(9): 231–241.
- Scott LI (1948) Yorkshire Naturalists' Union's excursions in 1948 - Thirsk. *Algae. Naturalist, Hull* (1948): 159–161.

- Sejnohova L, Maršálek B (2011) *Microcystis*. In Whitton BA (ed.) Ecology of Cyanobacteria II. Their Diversity in Space and Time. Springer, Dordrecht, The Netherlands.
- Senousy HH, Beakes GW, Hack E (2004) Phylogenetic placement of *Botryococcus braunii* (Trebouxiophyceae) and *Botryococcus sudeticus* isolate UTEX 1629 (Chlorophyceae). *Journal of Phycology* 40: 412–423.
- Shaw S (1948) Notes and records. *The North Western Naturalist* 23: 166–167.
- Sheath RG (2003) Red Algae. In Wehr JD, Sheath RG (eds) Freshwater Algae of North America. Ecology and Classification. Academic Press, San Diego: 197–224.
- Sheath RG, Sherwood AR (2002) Phylum Rhodophyta (red algae). In John DM, Whitton BA, Brook AJ (eds) The Freshwater Algal Flora of the British Isles An Identification Guide to Freshwater and Terrestrial Algae. Cambridge University Press, Cambridge: 123–143.
- Sheath RG, Sherwood AR (2011) Phylum Rhodophyta (Red Algae). In John DM, Whitton BA, Brook AJ (eds) Freshwater Algal Flora of the British Isles An Identification Guide to Freshwater and Terrestrial Algae. Second Edition. Cambridge University Press, Cambridge: 59–180.
- Sherwood AR (2004) Stream macroalgae of Hawaii: an identification guide to the common genera. DAR Technical Report 04-02. Hawaii Division of Aquatic Resources, Department of Land and Natural Resources. Honolulu, Hawaii.
- Sherwood AR, Sheath RG (2000a) Biogeography and systematics of *Hildenbrandia* (Rhodophyta, Hildenbrandiales) in Europe: inferences from morphometrics and rbcL and 18S rRNA gene sequence analyses. *European Journal of Phycology* 34: 523–532.
- Sherwood AR, Sheath RG (2000b) Seasonality and microscopy of gemma production in the freshwater red alga *Hildenbrandia angolensis* (Hildenbrandiales, Rhodophyta). *Phycological Research* 48: 241–249.
- Sibthorp J (1794) *Flora Oxoniensis, Exhibens Plantas in Agro Oxoniensi Sponte Crescentes Secundum Systema Sexuale Distributas*. Oxonii, Christchurch Meadow. 422 pp.
- Simons J, van Beem AP, de Vries PJR (1986) Morphology of the prostrate thallus of *Stigeoclonium* (Chlorophyceae, Chaetophorales) and its taxonomic implications. *Phycologia* 25: 210–220.
- Sinclair C, Whitton BA (1977a) Influence of nutrient deficiency on hair formation in the Rivulariaceae. *British Phycological Journal* 3: 297–313.
- Sinclair C, Whitton BA (1977b) Influence of nitrogen deficiency on morphology of Rivulariaceae (Cyanophyta). *Journal of Phycology* 13: 335–340.
- Sinker CA (1962) The North Shropshire meres and mosses: a background for ecologists. *Field Studies* 1: 101–138.
- Škaloud P (2006) Variation and taxonomic significance of some morphological features in European strains of *Klebsormidium* (Klebsormidiophyceae, Streptophyta). *Nova Hedwigia* 83: 533–550.
- Škaloud P, Kalina T, Nemcová K, De Clerk O, Leliaert F (2013) Morphology and phylogenetic position of the freshwater green microalgae *Chlorochytrium* (Chlorophyceae) and *Scotinosphaera* (Scotinosphaerales, ord. nov, Ulvophyceae). *Journal of Phycology* 49: 115–129.
- Skidmore RE, Maberly S, Whitton BA (1998) Patterns of spatial and temporal variation in phytoplankton biomass in the River Trent and its tributaries. *Science of the Total Environment* 210/211: 357–366.
- Skuja H (1928) Vorarbeiten zu einer Algenflora von Lettland IV. *Acta Horti Botanici Universitatis Latviensis* 3: 103–218.
- Skuja H (1939) Beitrag zur Algenflora Lettlands II. *Acta Horti Botanici Universitatis Latviensis* 11/12: 41–169.
- Skuja H (1948) Taxonomie des Phytoplanktons einiger Seen in Uppland, Schweden. *Symbolae Botanicae Upsalienses* 9(3): 1–399.
- Skuja H (1956) Taxonomische und biologische Studien über das Phytoplankton schwedischer Binnengewässer. *Nova Acta Regiae Societatis Scientiarum Upsaliensis Ser. IV*, 16(3): 1–404.
- Skulberg OM (2008) Species of *Prochlorothrix*: a retrospective view with attention on taxonomy. *Algological Studies* 126: 87–101.
- Skulberg OM, Skulberg R (1985) Planktic species of *Oscillatoria* (Cyanophyceae) from Norway. Characterization and classification. *Archiv für Hydrobiologie, Suppl.* 71 [Algological Studies 38/39]: 157–174.
- Sluiman HJ, Gärtner G (1990) Taxonomic studies on the genus *Pleurastrum* (Pleurostriales, Chlorophyta). I. The type species, *P. insigne*, rediscovered and isolated from soil. *Phycologia* 29: 133–138.

- Sluiman HJ, Guihal C, Mudimu O (2008) Assessing phylogenetic affinities and species delimitations in Klebsormidiales (Streptophyta): nuclear-encoded rDNA phylogeny and ITS secondary structure models in *Klebsormidium*, *Hormidiella* and *Entransia*. *Journal of Phycology* 44: 183–195.
- Smith AM (1933) *Gonyostomum semen* Diesing. A flagellate now first recorded for the British Isles. *Naturalist*, London 1933: 49–50.
- Smith AM (1942) The algae of Miles Rough Bog, Bradford. *Journal of Ecology* 30: 341–356.
- Smith CW, Aptroot A, Coppins BJ, Fletcher A, Gilbert OL, James PW, Wolseley PA 2009. The Lichens of Great Britain and Ireland. The British Lichen Society, London. 1046 pp.
- Smith GM (1933) The Fresh-Water Algae of the United States, 1st Edn. McGraw-Hill, New York. 716 pp.
- Smith GM (1950) The Fresh-Water Algae of the United States, 2nd edn. McGraw-Hill, New York. 719 pp.
- Smith I, Lyle A (1979) Distribution of Freshwaters in Great Britain. Institute of Terrestrial Ecology, Edinburgh. 44 pp.
- Smith W (1853) A Synopsis of the British Diatomaceae; with Remarks on their Structure, Function and Distribution; and Instructions for Collecting and Preserving Specimens. Volume 1. John van Voorstn, London. 89 pp.
- Soderström J (1963) Studies in *Cladophora*. *Botanica Gothoburgensis* 1: 1–147.
- Speller FM (1990) A contribution to our knowledge of the taxonomy of discoidal centric diatoms based upon observations of populations from the River Thames, England. *Hydrobiologia* 190: 15–32.
- Spencer LB (1971) A study of *Vacuolaria virescens* Ceinkowski. *Journal of Phycology* 7: 274–278.
- Starmach K (1966) Flora Słodkowodna Polski [Freshwater Flora of Poland] 2. Cyanophyta-Sinice. Glaucophyta-Glaukofity. Polska Akademia Nauk, Warszawa. 807 pp.
- Starmach K (1977) Flora Słodkowodna Polski [Freshwater Flora of Poland] 14. Phaeophyta-Brunatnice, Rhodophyta-Krasnorosty. Polska Akademia Nauk, Warszawa & Kraków. 445 pp.
- Starmach K (1985) Chrysophyceae und Haptophyceae. In Ettl H, Gerloff J, Heyning H, Mollenhauer D (eds) Süßwasserflora von Mitteleuropa 5. Gustav Fischer, Stuttgart: 1–515.
- Starr RC (1955) A comparative study of *Chlorococcum meneghini* and other spherical, zoospore-producing genera of the Chlorococcales. Indiana University Publications Science Series 20: 1–111.
- Starr RC (1980) Colonial chlorophytes. In Cox ER (ed.) Phytoflagellates. Elsevier, Amsterdam: 147–164.
- Steinberg C (1981) Mass occurrence of the rare dino flagellate *Woloszynska tenuissima* (Lauterborn) Thompson, in a small lake after restoration treatment. *Archiv für Hydrobiologie* 60: 289–297.
- Stewart N(F) (2003) Important Stonewort Areas. An Assessment of the Best areas for Stoneworts in the United Kingdom. Plantlife International, Salisbury, UK.
- Stewart NF, Church JM (1992) Red Data Book of Britain and Ireland: Stoneworts. JNCC, Peterborough. 144 pp
- Stockner JG, Callieri C, Cronberg G (2000) Picoplankton and other non-bloom-forming cyanobacteria in lakes. In Whitton BA, Potts M (eds) Ecology of Cyanobacteria. Their Diversity in Time and Space. Kluwer Academic Publishers, Dordrecht: 195–231.
- Stockner JG, Lund JWG (1970) Live algae in post-glacial lake deposits. *Limnology and Oceanography* 15: 41–58.
- Stoermer EF, Smol JP (1999) The Diatoms: Applications for the Environmental and Earth Sciences. Cambridge University Press, Cambridge. 469 pp.
- Svedelius N (1930) Über die sogenannten Süsswasser-Lithodermen. *Zeitschrift für Botanik* 23: 892–918.
- Swale EMF (1959) Some uncommon Chlorophyceae from the River Lee. *British Phycological Journal* 1: 71–72.
- Swale EMF (1962a) Notes on some algae from the Reddish Canal. *British Phycological Journal* 2: 174–175.
- Swale EMF (1962b) The development and growth of *Thorea ramosissima* Bory. *Annals of Botany NS* 26: 105–116.
- Swale EMF (1963a). Note on the taxonomy of *Pteromonas angulosa* (Carter) Lemmermann. *British Phycological Bulletin* 2: 259.
- Swale EMF (1963b) Notes on the morphology and anatomy of *Thorea ramosissima* Bory. *Journal of the Linnean Society, Botany* 58: 429–434.
- Swale EMF (1964) A study of the phytoplankton of a calcareous river. *Journal of Ecology* 52: 433–446.
- Swale EMF (1965) Observations on a population of *Lagerheimia genevensis* Chodat in Oakmere, Cheshire. *British Phycological Journal* 2: 422–428.

- Swale EMF (1968) The phytoplankton of Oak Mere, Cheshire, 1963–1966. British Phycological Bulletin 3: 441–449.
- Swale EMF (1969) A study of the nannoplankton flagellate *Pedinella hexacostata* Vyssotskii by light and electron microscopes. British Phycological Journal 4: 65–86.
- Swale EMF, Belcher JH (1963) Morphological observations on wild and cultured material of *Rhodochorton investiens* (Lenormand) nov. comb. (*Balbiania investiens* (Lenorm.) Sirodot). Annals of Botany 27: 281–290.
- Swale EMF, Belcher JH (1964) The algal flora of the River Lee. 3. Volvocales and Chlorococcales. Naturalist, Hull 1964: 193–199.
- Swale EMF, Belcher JH (1966) *Ochromonas ostreaeformis* nov. sp., a large compressed chrysomonad. New Phytologist 65: 267–272.
- Swale EMF, Belcher JH (1968) The external morphology of the type species of *Pyramimonas* (*P. tetrarhynchus* Schmarda) by electron microscopy. Proceedings of the Linnean Society, London: 179: 77–81.
- Symoens JJ, van der Werff H (1951) Note sur des formations de tuf calcaire des environs de Consdorf (Grand-Duché de Luxembourg). Bulletin de la Société Royale de Botanique de Belgique 83: 213–217.
- Szymańska H, Spalik K (1993) Typification of names enumerated in Pringsheim monograph of *Coleochaete* (Charophyceae). Archiv für Hydrobiologie, Suppl. 98 [Algological Studies 70]: 29–37.
- Takano Y, Horiguchi T (2004) Surface ultrastructure and molecular phylogenetics of four unarmored heterotrophic dinoflagellates, including the type species of the genus *Gyrodinium* (Dinophyceae). Phycological Research 52: 107–116.
- Talling JF, Heaney SI (1988) Long term changes in some English (Cumbrian) lakes subjected to increased nutrient inputs. In Round FE (ed.) Algae and the Aquatic Environment. Contributions in Honour of J.W.G. Lund. Biopress, Bristol: 1–29.
- Tavernini S, Nizzoli D, Rossetti G, Viaroli P (2009) Trophic state and seasonal dynamics of phytoplankton communities in two sand-pit lakes at different successional stages. Journal of Limnology 68: 217–228.
- Taylor FJ (1954) A new Chrysophycean flagellate *Sphaerobryon fimbriata* gen. et spec. nov. Hydrobiologia 6: 369–371.
- Taylor FJ (1964) Notes on the phytoplankton of Saddington Reservoir, Leicestershire. Naturalist, Hull 1954: 141–148.
- Tell G, Conforti V (1984) Ultraestructura de la lórica de cuatro especies de *Strombomonas* Defl. (Euglenophyta) em M.E.B. Nova Hedwigia 40: 123–131.
- Teiling E (1916) En kaledonisk fytoplanktonformation. Svensk Botanisk Tidskrift 10: 506–519.
- Teiling E (1946) Zur Phytoplanktonflora Schwedens. Botaniska Notiser Lund 1946: 61–88.
- Teiling E (1967) The desmid genus *Staurodesmus*. A taxonomic study. Archiv für Botanik 6: 467–629.
- Tenaud M, Ohmori M, Miyachi S (1989) Inorganic carbon and acetate assimilation in *Botryococcus braunii* (Chlorophyta). Journal of Phycology 25: 662–667.
- Thirb HH, Benson-Evans K (1982a) The effect of different current velocities on the red alga *Lemanea* in a laboratory stream. Archiv für Hydrobiologie 96: 65–72.
- Thirb HH, Benson-Evans K (1982b) Cytological studies on *Lemanea fluviatilis* L. in the River Usk. British Phycological Journal 17: 401–409.
- Thirb HH, Benson-Evans K (1985) The effect of water temperature, current velocity and suspended solids on the distribution, growth and seasonality of *Lemanea fluviatilis* (C.Ag.), Rhodophyta, in the River Usk and other South Wales rivers. Hydrobiologia 127: 63–78.
- Thompson RH, Wujek DE (1992) *Printzina* gen. nov. (Trentepohliaceae), including a description of a new species. Journal of Phycology 28: 232–237.
- Thompson RH, Wujek SE (1997) Trentepohliales: *Cephaleuros*, *Phycopeltis*, and *Stomatochroon*. Science Publishers, New Hampshire. 149 pp.
- Thwaites GHK (1851) On the early stages of development of *Lemanea fluviatilis* Agardh. Transactions of the Linnean Society 20: 399–402.
- Tiffany LH (1929) A key to the species, varieties, and forms of the algal genus *Oedogonium*. Ohio Journal of Science 29: 62–80.
- Tiffany LH (1930) The Oedogoniaceae. Columbus, Ohio. 253 pp.
- Tiffany LH (1934) The Oedogoniaceae. Supplementary Paper No. 1. Ohio Journal of Science 34: 323–326.
- Tiffany LH (1937a) Oedogoniales. North American Flora 11: 1–102.

- Tiffany LH (1937b) The filamentous algae of the west end of Lake Erie. American Midland Naturalist 18: 911–951.
- Tittley I, John DM (1998) The algae of the Thames estuary: a reappraisal. In Attrill MJ (ed.) Rehabilitated Estuarine Ecosystem. The Environment and Ecology of the Thames Estuary. Kluwer Academic Publishers, Dordrecht, Boston, London: 49–65.
- Toepel J, McDermott JE, Summerfield TC, Sherman LA (2009) Transcriptional analysis of the unicellular diazotrophic cyanobacterium *Cyanothece* sp.TCC 511142 grown under short day/night cycles. Journal of Phycology 45: 610–620.
- Tompkins J, De Ville MM, Day JG, Turner MF (1995) Culture Collection of Algae and Protozoa. Catalogue of Strains 1995. Natural Environment Research Council. 203 pp.
- Trainor FR (1963) Zoospores in *Scenedesmus obliquus*. Science 142: 1673–1674.
- Trainor FR (1992) Cyclomorphosis in *Scenedesmus communis* Hegewald. Ecomorph expression at low temperature. British Phycological Bulletin 27: 75–81.
- Trainor FR (1998) Biological aspects of *Scenedesmus* (Chlorophyceae) – phenotypic plasticity. Behefte Nova Hedwigia 117: 1–367.
- Trainor FR, Egan PF (1991) Discovering the various ecomorphs of *Scenedesmus*: the end of a taxonomic era. Archiv für Protistenkunde 139: 125–132.
- Transeau EN (1951) The Zygnemataceae. Ohio State University Press, Columbus. 327 pp.
- Triemer RE, Linton E, Shin W, Nudelman A, Monfils A, Bennett M, Brosnan S (2006) Phylogeny of the Euglenales based upon combined SSU and LSU rDNA sequence comparisons and description of *Discoplastis* gen. nov. (Euglenophyta). Journal of Phycology 42: 731–740.
- Triemer RE, Farmer MA (2007) A decade of euglenoid molecular phylogenetics. In Brodie J, Lewis J (eds) Unravelling the Algae: The Past Present and Future of Algal Systematics. CRC Press Boca Raton: 315–330.
- Trobajo R, Clavero E, Chepurnov VA, Sabbe K, Mann DG, Ishihara S, Cox EJ (2009) Morphological, genetic and mating diversity within the widespread bioindicator *Nitzschia palea* (Bacillariophyceae). Phycologia 48: 443–459.
- Tsarenko PM (1990) Kratig opredelitel chlorokokkovich vodoroslej Ukrainskoj SSR. Nauk. Dumkai, Kiev 208 pp. [in Russian]
- Tsarenko PM (2000) Chlorococcales. In Wasser SP, Tsarenko PM (eds) Diversity of algae of Ukraine. Algologia 10(4): 1–309 [in Ukrainian]
- Tsarenko PM (2005) Nomenclature and taxonomic changes in the system of "green" algae. Algologia 15: 459–467 [In Ukrainian].
- Tsarenko PM, Petlevaniy OA (2001) Addition to the 'Diversity of algae of Ukraine' Algologia (Supplement). Institute of Botany, Kiev 130 pp. [in Russian]
- Tsarenko PM, Wasser SP, Nevo E (eds) (2011) Algae of Ukraine: Diversity, Nomenclature, Taxonomy, Ecology and Geography. Volume 3. Chlorophyta. Gantner Verlag, Ruggell. 513 pp.
- Tschermak-Woess E (1989) The algal partner. In Galun N (ed.) CRC Handbook of Lichenology I. CRC-Press, Boca Raton, Florida: 39–92.
- Tupa DD (1974) An investigation of certain Chaetophoralean algae. Beihefte Nova Hedwigia 46: 1–155.
- Turner WB (1883) The algae of Stensall Common. Naturalist, Hull 8: 77–83.
- Turner WB (1885) On some new and rare desmids. Journal of the Royal Microscopic Society II 5: 933–940.
- Turner WB (1886) Notes on freshwater algae with descriptions of new species. Naturalist, Hull 12: 33–35.
- Turner WB (1887) Notes on algae collected at Gormire and Thirkle Bay, with descriptions of a new form. Naturalist, Hull 13: 275–276.
- Turner WB (1893) Desmid (biological) notes. Naturalist, Hull 18: 342–347.
- UKNCC (2001) Catalogue of the UK National Culture Collection (UKNCC). List of Algae and Protozoa. First Edition. 231 pp.
- Umezaki I (1961) The marine blue-green algae of Japan. Memoirs of the College of Agriculture, Kyoto University 83, Fisheries Series 8: 1–149.
- Underwood G.JC, Yallop ML (1994).*Navicula pargemina* sp. nov - a small epipelagic species from the Severn Estuary, U.K. Diatom Research, 9(2): 473–478.

- Van de Vijver B, Kelly M(G), Blanco S, Jarlman A, Ector L (2008) The unmasking of a sub-Antarctic endemic: *Psammothidium abundans* (Manguin) Bukhtiyarova et Round in European rivers. *Diatom Research* 23: 233-242.
- Van den Hoek C, Mann DG, Jahns HM (1995). Algae. An Introduction to Phycology. U.K., Cambridge University Press, Cambridge. 632 pp.
- van der Berg MS (1998) Charophyte colonization in shallow lakes. Thesis, Vrije Universiteit Amsterdam, Den Haag. 135 pp.
- van Goor ACJ (1918) Zur Kenntnis der Oscillatoriaceen. *Recueil des Travaux Botaniques Néerlandais* 15: 255-262.
- van Raam JC (1998) Handboek Kranswieren. *Chara* boek, Hilversum. 200 pp.
- Vanormelingen M, Chepurnov VA, Mann DG, Sabbe K & Vyverman W (2007) Genetic divergence and reproductive barriers among morphologically heterogeneous sympatric clones of *Eunotia bilunaris* sensu lato (Bacillariophyte). *Protist* 159: 73-90.
- Vaucher J-P (1803) Histoires des Conferves d'Eaux Douce. Geneva. 304 pp.
- Vaughan L, McElarney Y, Cromie H, Allan M, Dawson S, Gallagher K, Macintosh K, Rippey B, O'Kane E (2013). Long-term phytoplankton trends in Lough Neagh, Northern Ireland. *The Phycologist* 85: 12.
- Venkataraman GS (1961) Vaucheriaceae. Indian Council for Research Research Monograph on Algae, New Delhi. 112 pp.
- Vis ML, Sheath RG (1992) Systematics of the freshwater red algal family Lemaneaceae in North America. *Phycologia* 31: 164-179.
- Vis ML, Sheath RG (1993) Distribution and systematics of *Chroodactylon* and *Kyliniella* (Porphyridiales, Rhodophyta) from North American streams. *Japanese Journal of Phycology* 41: 237-241.
- Vis ML, Sheath RG (1998) A molecular and morphological investigation of the relationship between *Batrachospermum spermatoinvolutrum* and *B. gelatinosum* (Batrachospermales, Rhodophyta). *European Journal of Phycology* 33: 231-239.
- Vis ML, Sheath RG (1999) A molecular investigation of the systematic relationships of *Sirodotia* species (Batrachospermales, Rhodophyta) in North America. *Phycologia* 38: 261-266.
- Vis ML, Sheath RG, Cole KM (1992) Systematics of the freshwater red algal family Compsopogonaceae in North America. *Phycologia* 31: 564-575.
- Vis ML, Sheath RG, Entwistle TJ (1995) Morphometric analysis of *Batrachospermum* section *Batrachospermum* (Batrachospermales, Rhodophyta) type specimens. *European Journal of Phycology* 30: 35-55.
- Vodeničarov DG (1989) Die Gattung *Neglectella* Vodenič. et Benderl. und zwei neue Gattungen: *Neglectellopsis* gen. nov. und *Skujaster* gen. nov (Chlorophyta, Chlorococcales). *Archiv für Hydrobiologie* 82 [Algological Studies 57]: 409-424.
- Volker AR, Frank C, Hartmann EC, Hirmer M, Kloboucek A, Seidel BM, Wenzeler P, Kessler E (1999) Biochemical taxonomy and molecular phylogeny of the genus *Chlorella* sensu lato (Chlorophyta). *Journal of Phycology* 35: 587-598.
- von Stosch HA (1973) Observations on vegetative reproduction and sexual life cycle of two freshwater dinoflagellates, *Gymnodinium pseudopalustre* Schiller and *Woloszynskia apiculata* sp. nov. *British Phycological Journal* 8: 105-134.
- Waern M (1938) Om *Cladophora aegagropila*, *Nostoc pruniforme*, och andra lager i Lilla Ullevifjärden, Mälaren. *Botanischer Notiser* 1938: 129-142.
- Waern M (1952) Rocky-shore algae in the Öregund Archipelago. *Acta Phytogeographica Suecica* 30: 1-298.
- Wailes GH (1939) The plankton of Lake Windermere, England. Af'n. Magazine of Natural History Ser. 2: 1-414.
- Walne PL, Kivic PA (1990) Phylum Euglenida. In Margulis L, Corliss JO, Melkonian MM, Chapman DJ. (eds) *Handbook of Protocista*. Jones & Bartley, Boston: 270-287.
- Wang SL, Liu XQ, Douglas SE (1997) The large ribosomal protein gene cluster of a cryptomonad plastid: Gene organization, sequence and evolutionary implications. *Biochemistry and Molecular Biology International* 4: 1035-1044.
- Watt F, Brook AJ, Crime GW (1990) Nuclear microscopy of the alga *Pandorina morum* (Müll.) Bory. *Nuclear Instruments and Methods in Physics Research* B49: 465-471.
- Wee JL, Peter A. Siver PA, Lott A-M (eds) (2010) Chrysophytes: from fossil perspectives to molecular characterizations. *Proceedings of the Seventh International Chrysophyte Symposium*, Connecticut College, New London, Connecticut, USA, June 22 -27, 2008. *Nova Hedwigia* 136: 1-331.

- Wehr JD (2003) Brown Algae. In Wehr JD, Sheath RG (eds) Freshwater Algae of North America. Academic Press, Amsterdam; Elsevier Science (USA), San Diego: 757–773.
- Wehr JD (2011) Phylum Phaeophyta. In John DM, Whitton BA, Brook AJ (eds) Freshwater Algal Flora of the British Isles An Identification Guide to Freshwater and Terrestrial Algae. Second Edition. Cambridge University Press, Cambridge: 354–357.
- Wehr JD, Perrone AA (2003) A new record of *Heribaudiella fluviatilis*, a freshwater brown alga (Phaeophyceae) from Oregon. *Western North American Naturalist* 63: 517–523.
- Wehr JD, Sheath RG (eds) (2003) Freshwater Algae of North America Ecology and Classification. Academic Press, Amsterdam; Elsevier Science (USA), San Diego. 918 pp.
- Wehr JD, Stein JR (1985) Studies on the biogeography and ecology of the freshwater phaeophycean alga *Heribaudiella fluviatilis*. *Journal of Phycology* 21: 81–93.
- Weiss FE, Murray H (1909) On the occurrence and distribution of some alien aquatic plants in the Reddish Canal. *Memoirs and Proceedings of the Manchester Literary and Philosophical Society* 53: 1–8.
- Wen Jianzhong, Xu Hengsheng (2010) Atlas of Common Freshwater Algae in China. 120 pp. [In Chinese, with names in Latin]
- West GS (1899a) On variation in the Desmidieae and its bearing on their classification. *Journal of the Linnean Society, Botany* 34: 366–416.
- West GS (1899b) The alga-flora of Cambridgeshire. *Journal of Botany* 37: 6, 49–58, 106–116, 216–225, 262–268, 291–294.
- West GS (1904) A Treatise on the British Freshwater Algae. Cambridge University Press, Cambridge. 372 pp.
- West GS (1907) Report on the freshwater algae, including phytoplankton of the Third Tanganyika Expedition, conducted by Dr. W.A. Cunningham 1904–1905. *Journal of the Linnean Society, Botany* 38: 81–197.
- West GS (1908) Some critical green algae. *Journal of the Linnean Society, Botany* 38: 279–289.
- West GS (1909) A biological investigation of Peridinieae of Sutton Park, Warwickshire. *New Phytologist* 8(5–6): 181–196.
- West GS (1910a) An epitome of a comparative study of the dominant phanerogamic and higher cryptogamic flora of aquatic habit, in seven lake areas in Scotland. *Bathymetrical survey of the Scottish freshwater lochs. Report on the Scientific Results* 6: 56–260.
- West GS (1910b) VI. – A further contribution to a comparative study of the dominant phanerogamic and higher cryptogamic flora of aquatic habitats in Scottish Lakes. *Proceedings of the Royal Society of Edinburgh* 30, 2(6): 66–181.
- West GS (1911) Algological notes II–IV. *Journal of Botany, British and Foreign* 49: 83–89.
- West GS (1912) Algological notes, X–XIII. *Journal of Botany* 50: 328–331.
- West GS (1915) Algological notes XIV–XVII. *Journal of Botany* 53: 73–84.
- West GS (1916a) Algological notes XVIII–XXIII. *Journal of Botany* 54: 1–10.
- West GS (1916b) *Algae I*. Cambridge University Press, Cambridge. 475 pp.
- West GS (1918) A new species of *Gongrosira*. *Journal of the Royal Microscopical Society* 1918: 30–31.
- West GS (1920) *Roya anglica*. *Journal of Botany* 58: 65.
- West GS, Fritsch FE (1927) A Treatise on the British Freshwater Algae. Cambridge University Press, Cambridge. 534 pp. [Facsimile edition printed in 1968 as Vol. 3 of *Bibliotheca Phycologica*. J. Cramer, Lehre].
- West GS, Hodgetts WJ (1920) *Roya anglica*: a new desmid. *Journal of Botany, British and Foreign* 58: 65–69.
- West GS, Starkey CB (1915) A contribution to the cytology and life-history of *Zygnema ericetorum* (Kütz.) Hansg., with some remarks on the genus *Zygomonium*. *New Phytologist* 14: 194–205.
- West GS, West W (1906). comparative study of the plankton of some Irish Loughs. *Proceedings of the Royal Irish Academy* 32: 77–116.
- West T (1860) Remarks on some Diatomaceae new or imperfectly described and a new desmid. *Transactions of the Royal Microscopical Society* II, 8: 147–153.
- West W (1880) Further additions to Mr W.B. Turner's List of Algae. *Naturalist, Hull NS* 5(58): 116.
- West W (1882a) Additions to the West Riding Algae. *Naturalist, Hull* 8(86): 27.
- West W (1882b) Algae near Mirfield. *Naturalist, Hull* 9(97): 20.
- West W (1883) The principal plants of Malham. *Naturalist, Hull* 9(98): 25–27.
- West W (1885) Habitats of freshwater algae. *Naturalist, Hull* 10(118): 232.

- West W (1889a) Additions to the algae of West Yorkshire. *Naturalist* 164: 87–96.
- West W (1889b) Additions to the algae of West Yorkshire. *Naturalist* 165: 97–100.
- West W (1889c) Algae in Upper Swaledale. *Naturalist* 169: 246.
- West W (1889d) The freshwater algae of North Yorkshire. *Journal of Botany* 27: 289–298.
- West W (1890) Contribution to the freshwater algae of North Wales. *Journal of the Royal Microscopical Society* 6: 277–306.
- West W (1891a) *Journal of the Linnean Society* p.195. (cited by Geitler 1932a)
- West W (1891b) Additions to the freshwater algae of North Yorkshire. *Naturalist* 193: 243–252.
- West W (1892a) A contribution to the freshwater algae of West Ireland. *Journal of the Linnean Society, Botany* 29: 103–216.
- West W (1892b) Algae of the English Lake District. *Journal of the Royal Microscopical Society* 1892: 713–748.
- West W (1893) Notes on Scotch freshwater algae. *Journal of Botany, British and Foreign* 31: 97–104.
- West W (1912) The freshwater algae of Clare Island. *Clare Island Survey; Part 16. Proceedings of the Royal Irish Academy* 31: 1–62.
- West W, West GS (1893) Notes on the freshwater algae of the East Riding of Yorkshire. *Naturalist, Hull* 216: 211–221.
- West W, West GS (1894) New British freshwater algae. *Journal of the Royal Microscopical Society* 1894: 1–17.
- West W, West GS (1896) III. On some new and interesting freshwater algae. *Journal of the Royal Microscopical Society* 1896: 149–165.
- West W, West GS (1897) VIII. A contribution to the freshwater algae of the south of England. *Journal of the Royal Microscopical Society* 17: 467–511.
- West W, West GS (1898) Notes on freshwater algae. I. *Journal of Botany* 36: 330–338.
- West W, West GS (1899) A further contribution to the freshwater Algae of the West Indies. *Journal of the Linnean Society of London, Botany* 34: 279–295.
- West W, West GS (1900) Notes on freshwater algae. II. *Journal of Botany* 38: 289–299.
- West W, West GS (1901) The alga-flora of Yorkshire. *Botanical Transactions of the Yorkshire Naturalists Union* 5: 1–239.
- West W, West GS (1902) A contribution to the freshwater algae of North of Ireland. *Transactions of the Royal Irish Academy* 32B: 1–101.
- West W, West GS (1903a) Scottish freshwater plankton. 1. *Journal of the Linnean Society, Botany* 35: 519–556.
- West W, West GS (1903b) Notes on freshwater algae III. *Journal of Botany* 41: 33–41, 74–82.
- West W, West GS (1904a, 1905, 1911, 1912, 1923) A Monograph of the British Desmidiaceae Vols. I–IV. [Vol. V by Carter N]. The Ray Society, London.
- West W, West GS (1904b) Algae from the Orkneys and Shetlands. *Transactions and Proceedings of the Botanical Society of Edinburgh* 23: 3–41.
- West W, West GS (1905a) Freshwater algae from the Orkneys and Shetlands. *Transactions and Proceedings of the Botanical Society of Edinburgh* 69: 3–41.
- West W, West GS (1905b) Further contribution to freshwater plankton of the Scottish Lochs. *Transactions of the Royal Society of Edinburgh* 41: 477–518.
- West W, West GS (1906) A comparative study of the plankton of some Irish Lakes. *Transactions of the Royal Irish Academy* 33B: 77–116.
- West W, West GS (1908) Algae from Austwick Moss, North Yorkshire. *Naturalist, Hull* 1908(614): 101–103. C
- West W, West GS (1909a) The British freshwater phytoplankton, with special reference to desmid-plankton and the distribution of British desmids. *Proceedings of the Royal Society, London B* 81: 165–206.
- West W, West GS (1909b) The phytoplankton of the English Lake District. *Naturalist, Hull* 1909: [in six parts] 626: 115–122; 627: 134–141; 628: 186–193; 629: 260–267; 631: 287–292; 632: 323–331.
- West W, West GS (1912) On the periodicity of the phytoplankton of some British Lakes. *Journal of the Linnean Society, Botany* 40: 395–432.
- West W, West GS (1920) Freshwater Algae. In Malden HE (ed.) *A History of the County of Surrey. Victoria History of the Counties of England. Surrey. Part 2, Botany*. Constable & Company, London: 57–60.
- Wettstein FV (1924) *Handbuch der Systematischen Botanik. Band I*, 3rd edn. Leipzig.

- Wetzel RG, Likens GE (1990) Limnological Analysis. 3rd edn. Springer-Verlag, New York.
- Wheeler BD, Whitton BA (1971) Ecology of Hell Kettles. 1. Terrestrial and sub-aquatic vegetation. *Vasculum* 56: 25–37.
- Whitford LA (1960) *Heterodictyon planctonicum* L. Whitford and *Chlorosaccus fluidus* Luther: further notes and corrections. *Transactions of the American Microscopical Society* 79: 227–229.
- Whitford LA, Schumacher GJ (1969) A Manual of the Fresh-Water Algae in North Carolina. Technical Bulletin of the North Carolina Agricultural Experiment Station 188. 313 pp.
- Whitton BA (1966) Algae in St. James's Park Lake. *The London Naturalist* 45: 26–28.
- Whitton BA (1967) Phosphate accumulation by colonies of *Nostoc*. *Plant Cell Physiology*, Tokyo 8: 293–296.
- Whitton BA (1969) Seasonal changes in the phytoplankton of St. James's Park Lake, London. *The London Naturalist* 48: 14–39.
- Whitton BA (1970) Biology of *Cladophora* in freshwater. *Water Research* 4: 457–476.
- Whitton BA (1974) Changes in the British freshwater algae. In Hawksworth DL (ed.) *The Changing Flora and Fauna of Britain [Systematics Association Special Volume 6]*. Academic Press, London: 115–141.
- Whitton BA (1988) Hairs in eukaryotic algae. In: Round FE (ed.) *Algae and the Aquatic Environment*. Biopress, Bristol: 226–460.
- Whitton BA (2000) Increases in nuisance macro-algae in rivers: a review. *Verhandlungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie* 27: 1257–1259. B
- Whitton BA (2007) The blue-green algae of Clare Island, Co. Mayo, Ireland. In *New Survey of Clare Island. Volume 6: The Freshwater and Terrestrial Algae*. Royal Irish Academy, Dublin, 254 pp., pp. 141–178.
- Whitton BA (2008) Cyanobacterial diversity in relation to the environment. In Evangelista V, Barsanti L, Frassanito AM, Gualtieri P, Passarelli V (eds) *Algal Toxins, Nature, Occurrence, Effect and Detection*. Springer, Dordrecht, The Netherlands: 17–35.
- Whitton BA (2009) Phosphorus status and the naming of freshwater algae. *Algas* 41: 20–22.
- Whitton BA (2011) Phylum Cyanobacteria (Cyanophyta). In John DM, Whitton BA, Brook AJ (eds) *Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae*. Second Edition. Cambridge University Press, Cambridge: 31–158
- Whitton BA (2011) Phylum Glauco phyta. In John DM, Whitton BA, Brook AJ (eds) *Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae*. Second Edition: 766–767.
- Whitton BA, Al-Shehri AH, Ellwood NTW, Turner BL (2005) Ecological aspects of phosphatase activity in cyanobacteria, eukaryotic algae and bryophytes. In Turner BL, Frossard E, Baldwin DS (eds) *Organic Phosphorus in the Environment*. Commonwealth Agricultural Bureau, Wallingford, UK: 205–241.
- Whitton BA, Balbi DM, Gemmell JJ, Robinson PJ (2002) Blue-Green Algae of the British Isles Interactive Key to the Species. (CD-ROM) Department of Biological Sciences, University of Durham, Durham DH1 3LE ISBN 0-9538842-0-1.
- Whitton BA, Balbi DM, John DM, Ellwood NTW, York PV, Donaldson A (2002) Green Algae of the British Isles. Interactive Key to the Commoner Genera and Species (CD-ROM). The Natural History Museum, London, Environment Agency, University of Durham. ISBN-0-9538842-3-6.
- Whitton BA, Boulton PNG, Clegg EM, Gemmell JJ, Graham GG, Gustar R, Moorhouse TP (1998a) Long-term changes in macrophytes of British rivers: I. River Wear. *Science of the Total Environment* 210–211: 411–426.
- Whitton BA, Brierley SJ (2001) Cyanobacteria (blue-green algae) In Hawksworth DL (ed.) *The Changing Wildlife of Great Britain and Ireland [Systematics Association Special Volume 62]*. Taylor & Francis, London: 150–151.
- Whitton BA, Buckmaster RC (1970) Macrophytes of the River Wear. *Naturalist*, Hull 1914: 97–116.
- Whitton BA, Clegg E, Christmas M, Gemmell JJ, Robinson PJ (2002) Development of Phosphatase Assay for Monitoring Nutrients in Rivers – Methodology Manual for Measurement of Phosphatase Activity in Mosses and Green Algae. Environment Agency of England and Wales STRE106-E-P. 53 pp. (Distributed by WRc, Frankland Road, Swindon, Wilts SN5 8YF).
- Whitton BA, Crisp DT (1984) Tees. In Whitton BA (ed.) *Ecology of European Rivers*. Blackwell Scientific, Oxford: 145–178.
- Whitton BA, Dalpra M (1968) Floristic changes in the River Tees. *Hydrobiologia* 32: 545–550.

- Whitton BA, Diaz BM (1981) Influence of environmental factors on photosynthetic species composition in highly acidic waters. Verhandlung der Internationalen Vereinigung für Theoretische und Angewandte Limnologie 21: 1459–1465.
- Whitton BA, Harding JPC (1978) Influence of nutrient deficiency on hair formation in *Stigeoclonium*. British Phycological Journal 13: 65–68.
- Whitton BA, Holmes NTH, Sinclair C (1978) A Coded List of 1000 Freshwater Algae of the British Isles. Water Data Unit, Department of the Environment, Reading Bridge House, Reading. 335 pp.
- Whitton BA, John DM, Johnson LR, Boulton PNG, Kelly MG, Haworth EY (1998a) A Coded List of Freshwater Algae of the British Isles. NERC, LOIS Publication Number 222. Institute of Hydrology, Wallingford. 274 pp.
- Whitton BA, John DM, Johnson LR, Boulton PNG, Kelly MG, Haworth EY (1998b) Perspective on the "Coded List of the Freshwater Algae of the British Isles". Science of Total Environment 210/211: 283–288.
- Whitton BA, John DM, Kelly MG, Haworth EY (2003) A Coded List of Freshwater Algae of the British Isles. Second Edition. Centre for Ecology & Hydrology website.
- Whitton BA, Lucas MC (1997) Biology of the Humber rivers. Sci. tot. Environ. 194/195: 247–362.
- Whitton BA, Mateo P (2012) Rivulariaceae. In Whitton BA (ed.) Ecology of Cyanobacteria II Their Diversity in Space and Time. Springer, Dordrecht: 561–591.
- Whitton BA, Neal C (2010) Organic phosphate in UK rivers and its relevance to algal and bryophyte surveys. International Journal of Limnology 47: 1–8.
- Whitton BA, Peat A (1969) On *Oscillatoria redekei* van Goor. Archiv für Mikrobiologie 68: 372–376.
- Whitton BA, Pentecost A (2013) Freshwater *Rivularia* in the British Isles. The Phycologist 85: 32–33.
- Whitton BA, Potts M (eds) (2000) The Ecology of Cyanobacteria. Kluwer, Dordrecht. 669 pp.
- Whitton BA, Yelloly JM, Christmas M, Hernández I (1998b) Surface phosphatase activity of benthic algal communities in a stream with highly variable ambient phosphate concentrations. Verhandlung Internationalen Vereinigung für Theoretische und Angewandte Limnologie 26: 967–972.
- Wichmann L (1937) Studien über die durch H-Stücken der Membran ausgesiechneten Gattungen *Microspora*, *Binuclearia*, *Ulotrichopsis* und *Tribonema*. Pflanzenforschung 20: 11–110.
- Wilce RT, Webber EE, Sears JR (1970) *Petroderma* and *Porterinema* in the New World. Marine Biology 5: 119–135
- Wilcock J, Perry C, Williams RPJ, Brook AJ (1989) Biological minerals formed from strontium and barium sulphates. II. Crystallography and control of mineral morphology in desmids. Proceedings of the Royal Society of London 238B: 481–484.
- Wilkinson M (2007) *Monostroma* Thuret. In Brodie J, Maggs CA, John DM (eds) Green Seaweeds of Britain and Ireland. British Phycological Society: 42–45.
- Wille N (1898) Beschreibung einiger Planktonalgen aus norwegischen Süßwasserseen. Biologisches Centralblatt 18: 302.
- Willén E (2001) Cyanobakterier i Sverige. Checklist of Cyanobacteria in Sweden. ArtDatabanken, SLU, Uppsala. 71 pp.
- Williams DM, Hartley B, Ross R, Munro MAR, Juggins S, Battarbee RW (1988). Coded Checklist of British Diatoms. Ensis, London. 74 pp.
- Williams DM, Round FE (1986) Revision of the genus *Synedra* Ehrenb. Diatom Research 1: 313–339.
- Williams DM, Round FE (1987) Revision of the genus *Fragilaria*. Diatom Research 2: 267–288.
- Williams EG (1933) Notes on the plankton of small pieces of water. The North Western Naturalist 1933: 293–301.
- Williams EG (1934) The nannoplankton of ponds. Watsons Microscope Record 33: 14–17.
- Williams EG (1941) Two planktonic algae of the Chester District. The North Western Naturalist 1941: 162–164.
- Williams EG (1950) Observations on the micro-organisms of Bala Lake, Merioneth. Proceedings of the Chester Society of Natural Sciences, Literature and Arts 1949: 182–186.
- Williams EG (1951) Plankton organisms of the River Dee, near Chester. Proceedings of the Cheshire and North Wales Natural History Society 4: 143–152.
- Williams EG (1965) Plankton algae from the Serpentine in Eaton Park, Cheshire. British Phycological Journal 2: 429–450.
- Williams EG (1966) Phytoplankton of small bodies of water. British Phycological Bulletin 3: 75–79.
- Williams EG (1967) British Phycological Bulletin 3: 337–342.

- Williams EG (1968) Notes on two algae of small bodies of water and a note on *Quadricoccus laevis* Fott. British Phycological Journal 3: 515–518.
- Williams EG, Lund JWG (1972) The structure and development of form of *Dinococcus oedogonii* (Geitler) Fott. Nova Hedwigia 23: 493–513.
- Williams PF, Benson-Evans K, Jones AK (1974) Further analysis of data from biological surveys of the River Taff. Water Pollution Control 73: 576–583.
- Williams R, Williams PF, Benson-Evans K, Hunter MD, Harcup MF (1976) Chemical and biological studies associated with the recovery of the River Ebbw Fawr (1970–74). Water Pollution Control 75: 428–444.
- Williamson DB (1984) The clumping of benthic desmids and their light-orientation. Microscopy. Journal of the Quekett Microscopical Club 35: 120–123.
- Williamson DB (1990) *Mesotaenium caldariorum* (Lagerh.) Hansgirg: a new find of a very rare British desmid. Microscopy. Journal of the Quekett Microscopical Club 36: 409–411.
- Williamson DB (1991a) The desmid floras of small temporary pools. Microscopy. Journal of the Quekett Microscopical Club 36: 539–544.
- Williamson DB (1991b) Two interesting *Actinotaenium* (Desmidiaceae) species from Leicestershire. Microscopy. Journal of the Quekett Microscopical Club 36: 545–548.
- Williamson DB (1992a) On new or interesting desmids from the British Isles. Botanical Journal of Scotland 46: 97–106.
- Williamson DB (1992b) A contribution to our knowledge of the desmid flora of the Shetland Islands. Botanical Journal of Scotland 46: 233–285.
- Williamson DB (1993) *Cosmarium corbula* Bréb. var. *hians* var. nov. (Zygnemaphyceae, Desmidiaceae) a new variety of an uncommon desmid. Quekett Journal of Microscopy 37: 42–44.
- Williamson DB (1994) Observations on desmids from Scotland, Shetland, Cumbria and the English Midlands. Botanical Journal of Scotland 47: 113–122.
- Williamson DB (1995a) Two desmid taxa newly recorded for the British Isles. Botanical Journal of Scotland 47: 279–282.
- Williamson DB (1995b) On four rare *Cosmarium* Chlorophyta: (Desmidiaceae) species from Sutherland, Scotland. Journal of the Quekett Journal of Microscopy 37: 485–488.
- Williamson DB (1996a) A survey of the desmid flora of Assynt, West Sutherland. Botanical Journal of Scotland 48: 235–279.
- Williamson DB (1996b) *Closterium anguineum* spec. nov. (Zygnemaphyceae), a new desmid from Sutherland. Botanical Journal of Scotland 48: 281–285.
- Williamson DB (1997a) Rare desmids from Scotland. Archiv für Hydrobiologie, Suppl. 118 [Algological Studies 84]: 53–81.
- Williamson DB (1997b) A further contribution to our knowledge of rare desmids from Scotland. Botanical Journal of Scotland 50: 99–114.
- Williamson DB (2000) Some desmid floras of wet rock surfaces. Archiv für Hydrobiologie, Suppl. 132 [Algological Studies 97]: 11–27.
- Williamson DB (2001) Some rarely found desmids collected in the west of Ireland. Algological Studies 102: 49–60.
- Williamson DB (2012) *Cosmarium raciborskii* (Racib.) Lagerheim. A new desmid record for the British Isles. The Phycologist 82: 35.
- Wills AW (1880) List of Desmidieae found in Sutton Park, Warwickshire. The Midland Naturalist 3: 265–266.
- Wills AW (1881) On the Desmidieae of North Wales. The Midland Naturalist 4: 40–43.
- Wills AW (1886) Handbook of Birmingham prepared for the members of the British Association, Algae. pp. 335–338.
- Wilmette A (1988) Growth and morphological variability of six strains of *Phormidium* cf. *ectocarpi* Gomont (Cyanophyceae) cultivated under different temperatures and light intensities. Archiv für Hydrobiologie, Suppl. 80 [Algological Studies 50–53]: 35–46.
- Wilson BW, Danforth WF (1958). The extent of acetate and ethanol oxidation by *Euglena gracilis*. Journal of General Microbiology 18: 535–542.
- Withering W (1812) A Systematic Arrangement of British Plants Vol. IV, 5th edn. Swinney & Walker, Birmingham.
- Wittrock VB (1870) Dispositio Oedogoniacearum suecicarum. Öfversigt af Kongl. Vetenskaps-Akademiens Förhandlingar, Stockholm 27: 119–144.

- Woelkerling WJ (1990). An introduction. In Cole KM, Sheath RG (eds) *Biology of the Red Algae*. Cambridge University Press, Cambridge: 1–6.
- Wolf M, Hegewald E, Hepperle D, Krienitz L (2003) Phylogenetic position of the Golenkiniaceae (Chlorophyta) as inferred from 18S rDNA sequence data. *Biologia, Bratislava* 58: 433–436.
- Wolle F (1887) Fresh-water Algae of the United States (exclusive of the Diatomaceae). 364 pp, Atlas, 157 pls. Bethlehem, Pa.
- Wołoszyńska J (1916) Polnische Süßwasser-Peridineen. *Bulletin de l'Académie Polonaise des Sciences et des Lettres. Cracovie B* 1915: 260–285.
- Wołoszyńska J (1917) Neue Peridineen-Arten, nebst Bemerkungen über den Bau der Hulle bei *Gymno-* und *Glenodinium*. *Bulletin de l'Académie Polonaise des Sciences et des Lettres. Cracovie B* 1917: 114–122.
- Wołowski K (1998) Euglenophyta. In Whitton BA, John DM, Johnson LR, Boulton PNG, Kelly MG, Haworth EY (eds) *A Coded List of Freshwater Algae of the British Isles*. NERC, LOIS Publication Number 222. Institute of Hydrology, Wallingford: 27–32.
- Wołowski K (2011) Phylum Euglenophyta. In John DM, Whitton BA, Brook AJ (eds) *Freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae*. An Identification Guide to Freshwater and Terrestrial Algae. Second Edition. Cambridge University Press, Cambridge: 181–239.
- Wołowski K, Hindák F (2005) *An Atlas of Euglenophytes*. VEDA, Slovak Academy of Sciences, Bratislava, 136 pp.
- Wood RD, Imahori K (1965) A Revision of the Characeae. Part/Volume 1. Monograph of the Characeae. Cramer, Weinheim. 904 pp.
- Woodhead N (1935) The horned pondweed and associated algae at Llanfairfechan. *The North Western Naturalist* 1935: 324–326.
- Woodhead N (1937) Studies in the flora of Anglesey and Caernarvonshire Lakes. I. The algal flora of Llyn Maeleg, Anglesey. *The North Western Naturalist* 12: 160–171.
- Woodhead N (1938) Algal cultures from Llyn Maeleg, Anglesey. *Proceedings of the Linnean Society of London* 150(3): 139–144.
- Woodhead N (1939) Studies in the flora of Anglesey and Caernarvonshire Lakes. III The water blooms of Llyn Maeleg Anglesey. *Anglesey Antiquarian Society and Field Club* 1939: 94–104.
- Woodhead N, Tweed RD (1938) Some freshwater algae in Southern Hampshire. *Proceedings of the Bournemouth Natural Science Society* 37: 50–67.
- Woodhead N, Tweed RD (1947a) Some algal floras of high altitudes in Snowdonia. *The North Western Naturalist* 1947: 34–42.
- Woodhead N, Tweed RD (1947b) Some freshwater algae of Southern Hampshire. *Proceedings of the Bournemouth Natural Science Society* 38: 50–67.
- Woodhead N, Tweed RD (1948) Some new or little known algae from Anglesey and Caernarvonshire. *Transactions of the Anglesey Antiquaries Society and Field Club* 1945.
- Woodhead N, Tweed RD (1953) Notes on freshwater algae in Yorkshire (v.c. 63). Cheshire and Salop. *The North Western Naturalist* 1953: 266–271.
- Woodhead N, Tweed RD (1954) The freshwater algae of Anglesey and Caernarvonshire. *The North Western Naturalist* 1954: 25, 85–122, 255–296, 392–435, 564–601.
- Woodhead N, Tweed RD (1955) The freshwater algae of Anglesey and Caernarvonshire. *The North Western Naturalist* 1955: 76–101, 210–228.
- Wright TL (1977) *Gloeodendron*, a rare alga in Oklahoma. *Proceedings of the Oklahoma Academy of Science* 57: 169–170.
- Wulfen FX (1803) *Cryptogamia aquatica*. *Archives de Botanique* 3: 1–64.
- Yamada TK, Kazuguki M, Nozaki H (2008) Taxonomic study of *Eudorina unicocca* (Volvocaceae, Chlorophyceae) and related species based on morphology and molecular phylogeny. *European Journal of Phycology* 43: 317–326.
- Yamagishi T (2007). *Encyclopedia Genera of Freshwater Algae*. Uchida Raokakuho. 1420 pp. [in Japanese]
- Yang Z(hen), Kong F(anxiang), Yang Z(hou), Zhang M(in), Yu Y(ang), Qian S(hanqin) (2009) Benefits and cost of the grazer-induced colony formation in *Microcystis aeruginosa*. *Annales de Limnologie - International Journal of Limnology* 45: 203–208.
- Yoon HS, Müller KM, Sheath RG, Ott FD, Bhattacharya D (2006) Defining the major lineages of red algae (Rhodophyta). *Journal of Phycology* 42: 482–492.

- Youngman RE, Johnson D, Farley MR (1976) Factors influencing phytoplankton growth and succession in Farmoor Reservoir. *Freshwater Biology* 6: 253–263.
- Zakryś B, Cambra-Sánchez J, Walne PL (2001) Chloroplast ultrastructure of *Euglena cuneata* Pringsheim, *E. deses* Ehrenberg and *E. mutabilis* (Euglenophyceae): taxonomic significance. *Acta Protozoologica* 40: 161-167.
- Zakryś B, Walne PL (1994) A floristic, taxonomic and phytogeographic studies of green Euglenophyta from the Southern United-States, with emphasis on new and rare species. *Archiv für Hydrobiologie, Suppl. 102 [Algological Studies 72]*: 71-114.
- Zapomělová E, Jezberová J, Hrouzek P, Hisem D, Řeháková K, Komárková J (2009) Polyphasic characterization of three strains of *Anabaena reniformis* and *Aphanizomenon aphanizomenoides* to *Sphaerospermum* gen. nov. (incl *Anabaena kisseleviana*). *Journal of Phycology* 45: 1363–1373.

## Website References

AlgaeVision: <http://www.nhm.ac.uk/research-curation/research/projects/algaevision/index.html>

Environment Agency (2009) Water for Life and Livelihoods: River Basin Management Plans.

<http://www.environment-agency.gov.uk/research/planning/33106.aspx>

Guiry MD, Guiry GM (2010) *AlgaeBase*. World-wide electronic publication, National University of Ireland, Galway. <http://www.algaebase.org>.

Protist Information Server: <http://protist.i.hosei.jp/index.html>

UKTAG (2007 - 2009) UK Technical Advisory Group on the water Framework Directive.

Recommendations on surface water classification schemes for the purposes of the Water Framework directive. June 2009 update. [http://www.wfd.uk.org/LibraryPublicDocs/sw\\_status\\_classification](http://www.wfd.uk.org/LibraryPublicDocs/sw_status_classification)

West W, West GS (1934) A Monograph of the British Desmidiaceae. Vols 1-5. Ray Society: available at <http://rbg-web2.rbge.org.uk/DIADIST/>