

Can Citizen Science data improve Eutrophication Assessments in rivers?

Ribble Case study

Bill Brierley, freshwater consultant

Will Wright and Paul Hulme, The Rivers Trust

Ellie Brown and Luke Sherwood, Ribble Rivers Trust

Kelly Haynes, Environment Agency

Eutrophication – a legal definition

Eutrophication is a significant global problem with substantial environmental and financial costs.

International and national legislation and actions have been taken to reduce or minimise the impacts of eutrophication. The legal definition of Eutrophication is defined in European and UK legislation (Urban WasteWater Treatment Directive and Nitrates Directive) as:

“...the **enrichment of water by nutrients**, especially compounds of nitrogen and/or phosphorus, causing an **accelerated growth of algae and higher forms of plant life** to produce an **undesirable disturbance to the balance of organisms** present in the water **and to the quality of the water concerned...**”



Cost (£) of eutrophication

The cost of eutrophication in England & Wales was estimated in 2003 to be:

- **£75-115 million per year due to:**
 - reduced value of waterfront dwellings
 - reduced recreational and amenity value of water bodies
 - drinking water treatment costs for removal of algal toxins and nitrates
 - negative ecological effects on biota
 - net economic losses from the tourist industry
- Plus **£55 million per year** in policy response costs

Environmental Costs of Freshwater Eutrophication in England and Wales (2003) Jules N. Pretty, Christopher F. Mason, David B. Nedwell, [‡] Rachel E. Hine, Simon Leaf and Rachael Dils

*"By 2020 the P load from sewage treatment works was estimated to have been cut by 66% (to 7.2kt/year), at a cost to Water Companies of **£2.1bn**" (mainly a result of the implementation of the UWWTD and WFD)*


"Agriculture and rural land management has now overtaken water industry STWs as the most common cause of water bodies not achieving good status for P. This is a significant change from second cycle of the river basin management plans when water industry sewage works were the most common cause"

Phosphorus: challenges for the water environment EA (2022) <https://www.gov.uk/government/publications/phosphorus-challenges-for-the-water-environment0>

Assessment of Eutrophication (by EA)

In assessing eutrophication, normally collect 3 strands of evidence :

- 1) **Pressure** evidence - increased concentrations of nutrients (phosphorus and nitrogen) or nutrient loading.
- 2) **Primary impact** evidence – direct impact and response of algal or macrophyte growth in response to the nutrient pressure such as increases in filamentous algae or macrophytes and /or changes in species to more nutrient tolerant taxa
- 3) **Secondary impact** evidence - indirect impacts and other possible effects of nutrient enrichment:
 - a) significant diurnal variations in dissolved oxygen (DO) or pH,
 - b) subsequent impacts of DO and pH on fish or invertebrates
 - c) impacts on recreational activities, such as cancellation of regattas, swimming events and fishing matches



Background to the Weight of Evidence (WoE) approach and introduction to the EA Eutrophication Assessment tool

Weight of Evidence

- The Weight of Evidence approach (also referred to as Evidence Based Decision Making) is used in many areas of daily life - UK legal system, health care, catchment and conservation management and eutrophication.....
- Evidence can both support or refute an assumption
- Evidence is 'relevant information used to assess one or more assumptions related to a question of interest' (modified from Salafsky et al., 2019)





Figure 2.3 A means of visualising the evidence behind an assumption. The pieces of evidence are placed on either side of the scale, with evidence supporting the assumption falling on the right-hand side (green cuboids), and evidence refuting the assumption and the improbability (red cuboid) falling on the left-hand side. The volume of each cuboid represents its weight. The greater the tilt the higher the confidence in accepting (or rejecting) an assumption. (Source: adapted from Christie et al., 2022, following an idea of Salafsky et al., 2019, CC-BY-4.0)



Bill Sutherland's cube William J. Sutherland, Transforming Conservation: A Practical Guide to Evidence and Decision Making. Cambridge, UK: Open Book Publishers, 2022, <https://doi.org/10.11647/OBP.0321> @Bill_Sutherland 14/10/2022

Defining and using evidence in conservation practice. Conservation Science and Practice 2019. Salafsky, N., Boshoven, J., Burivalova, Z., et al.

Transforming Conservation A Practical Guide to Evidence and Decision Making 2022 Edited by William J. Sutherland, Open Book Publishers

Why do we need “Weight of Evidence”?

Many environmental systems and processes are highly complex with multiple impacts and pressures interacting with each other via a wide range of inter-related feedback loops and pathways that often make the observed results difficult to predict.

Any particular piece of evidence usually shows only part of the overall picture. This is why we need multiple stands of evidence to build an adequate understanding.

A Weight of Evidence approach is often used for the assessment, management and conservation of rivers because:

- rivers are **complex (eco) systems**
- rivers normally exhibit **natural inherent variability**

so

- they respond and behave in different and varied ways to multiple pressures (and not always in the way we may predict or understand)



R. Irt, Cumbria. V low nutrients and 75% bed cover by algae
Photo – Martyn Kelly (August 2024)

European (CIS) Guidance on Eutrophication Assessment advocates harmonised approach across Directives and to use Weight of Evidence approach.

EA Eutrophication Assessment Weight of Evidence Tool

The Environment Agency developed a decision support tool for assessing eutrophication across all rivers (and lakes) in England. This was released and first used in 2013

- Developed using expert judgement.
- Provides a **consistent and nationally standardised approach** with consistent approach for collecting evidence.
- Is based on the following data:
 - Phosphorus concentrations (pressure),
 - Response of macrophytes and/or algae - primary impacts,
 - Subsequent effects on water quality (dissolved oxygen, pH), ecology (fish, invertebrates) or human recreation (fishing, water sports) – secondary impacts.
- Tool gives clarity for stakeholders such as water companies, local government and agriculture
- Determines the **certainty** or **uncertainty** of eutrophication problem, or not, using 4 categories.

These assessments allow:

- **Prioritisation of actions and measures nationally and locally.**
- **Helps decide where further monitoring and evidence is needed.**
- **Helps identify third party data and involve partners in understanding complex catchment issues.**

Very Certain of a eutrophication problem	Combined weight-of-evidence from nutrients, relevant plant/algal indicators and wider evidence indicates eutrophication impacts.
Quite certain of a eutrophication problem	Combined weight-of-evidence from nutrients, relevant plant/algal indicators and wider evidence indicates possible eutrophication impacts.
Uncertain of a eutrophication problem	Combined evidence from nutrient, relevant plant/algal indicators and wider evidence indicates that eutrophication impacts are unlikely, or there are insufficient data to assess the position with confidence.
Certain no eutrophication problem	Combined evidence from nutrients, relevant plant/algal indicators and wider evidence indicates no eutrophication impacts or imminent likelihood of them.
Not assessed	There are no or very limited recent classification data and it is not possible to assess water body scale eutrophication and categorise the impacts.

Case study of Eutrophication assessment in the Ribble catchment

Eutrophication assessment at the Catchment scale in the Ribble

Step 1. Initial assessment (WoE assessment spreadsheet 2021) across the catchment


Step 2. Further evidence, including CS evidence identified and input into the WoE tool. This included:

- i) updated 2022 EA Phosphate classifications for all waterbodies in the Ribble catchment
- ii) input citizen science and staff data (Ribble Rivers Trust) into WoE tool.


Step 3. Revised assessments and changes at catchment level:

Eutrophication assessment changes

Step 1: Original EA (2021) Assessment





Step 3: Changes in waterbodies eutrophication assessments after updating P classifications(2022) and including CS Data



Waterbodies in which the use of Citizen Science and Ribble Rivers Trust data has changed the evaluation

- Out of the **71 water bodies** in the Ribble, **53 water bodies** had CS/RRT data,
- Eutrophication assessments for **6 waterbodies** changed:
 - 3 were **more certain** of a eutrophication problem
 - 3 were **less certain** of a eutrophication problem
- **This is an 11% change in the risk assessments for the waterbodies that have CS evidence**
- There was no change in 10 waterbodies with the input of CS/RRT data



Case studies illustrating the value of CS data in assessments at a waterbody level

In the following slides we illustrate the value of including CS evidence in 2 waterbodies – **Swanside Beck** and the **Upper Loud**

Again the steps are :

- **Step 1. Initial EA assessment** (WoE assessments spreadsheet 2021) for the waterbody
- **Step 2. Further evidence**, identifying and including CS and RRT staff evidence to input into the WoE tool.
- **Step 3. Revised assessments**

Swanside Beck – Step 1

Original EA assessment (2021)


Core Quality elements Face value classification (High=6, good=4, moderate=3, poor=2, bad=1)							Core Quality elements Confidence of Moderate or Worse						Combine Diatoms with Macrophytes		Combine biology (Diatom/ Macrophyte) with Phosphorus	
p 2019 classification	Rolled fwd from year	Diatom 2016 classification	Rolled fwd from year	Macrophyte 2019 classification	Rolled fwd from year	Combined Macrophyte- phytobenthos element (worst of either)	Phosphorus 2019 classification	Diatom 2016 classification	Macrophyte 2019 classification	Phosphorus 2019 classification	Diatom 2016 classification	Macrophyte 2019 classification	Code Diat/Mac	Combined macrophyte & phytobenthos WoE	Code (Diat/macro)/P	Weight of Evidence Core Tools (Phosphorus & Biology)
4	2019			3	2016	3	0		0.78	Good	ND	Q	ND/Q	Q	Q/Good	Uncertain

2019 P classification is **GOOD**

2019 Macrophyte classification is **MODERATE**

Original EA assessment (2021) is that Swanside Beck is "**Uncertain eutrophication problem**"

Spreadsheet advises: '**Evidence of ecological impact but no pressure, is this a different pressure, how strong is the evidence of impact?**'



Swanside Beck – Step 2

Adding CS and RRT staff data and evidence


WoE tool recommends need to look for further evidence - "if there is a different pressure" or

"further evidence of the pressure" - so looking for **high levels of phosphorus or phosphate**.

Citizen science and Ribble RT staff monitoring from River Blitzes between 2023 and 2025 show low levels of phosphate across much of catchment measured using the Hanna method.

2 sites have elevated levels of phosphate (0.2 and 0.18 mg/l as Phosphate) in the upper catchment.

Data from Ribble Rivers Trust
Citizen Science monitoring -
<https://ribbletrust.org.uk/volunteer/citizen-scientists/>



Step 3 - Swanside Beck

Updated assessment using Citizen Science data and other evidence

So have evidence of elevated levels of P in the waterbody, we can add a "Y" into the "Evidence from third parties or historical data that indicates eutrophication problem"

Other supporting evidence of eutrophication impact (Y if evidence, No data if not assessed and N if no evidence)				
Evidence of excessive plant or algal growth (photographs)	Evidence of impacts on recreational use	Aesthetic effects, e.g. odour nuisance, algal scum or foam	Anecdotal evidence of impacts to invertebrates or fish	Evidence from third parties or historical data that indicates eutrophication problem
No Data	No Data			Y

Confidence of Eutrophication Impact considering Wider Weight of Evidence	
Change (no change or consider increase/decrease to)	Final confidence
Consider increase to	Quite certain eutrophication problem

The addition of the Citizen Science P data leads to a change in the assessment and suggests **“consider increase to quite certain eutrophication problem”**

Upper Loud – Step 1

Original EA assessment (2021)


Original EA assessment (2021) is that Upper Loud is "Quite certain eutrophication problem"

NATIONAL CLASSIFICATION DATA (last updated July 2020)																
Core Quality elements Face value classification (High=6, good=4, moderate=3, poor=2, bad=1)							Core Quality elements Confidence of Moderate or Worse						Combine Diatoms with Macrophytes		Combine biology (Diatom/ Macrophyte) with Phosphorus	
P 2019 classification	Rollled fwd from year	Diatom 2016 classification	Rollled fwd from year	Macrophyte 2019 classification	Rollled fwd from year	Combined Macrophyte- phytobenthos element (worst of either)	Phosphorus 2019 classification	Diatom 2016 classification	Macrophyte 2019 classification	Phosphorus 2019 classification	Diatom 2016 classification	Macrophyte 2019 classification	Code DiatMac	Combined macrophyte & phytobenthos WoE	Code (Diatmacro)/P	Weight of Evidence Core Tools (Phosphorus & Biology)
2	2019			4	2016	4	0.9915		0.05	V	ND	GorB	ND/GorB	UGorB	UGorB/V	Quite certain

2019 P classification is **POOR**

2019 Macrophyte classification is **GOOD**

Spreadsheet suggests : 'Evidence of pressure but ecological impact does not occur, is there any wider evidence of impact ? '




Upper Loud – Step 2

Adding CS and RRT staff data and evidence

EA tool recommends need to look for
*"further evidence of impact on algae,
macrophytes or other biology and"*

Algal surveys (RAPPER-CS) carried out
by CS and RRT staff in the Upper Loud
during 2025 at 4 sites within the
waterbody indicate 3 sites at **HIGH** risk
and the other site **MAYBE** at risk – this
provides *"evidence of an impact on
algae"*


Data from Ribble Rivers Trust
RAPPER Results -
<https://ribbletrust.org.uk/volunteer/citizen-scientists/>



Upper Loud – Step 2

Adding CS and RRT other data and evidence

EA tool also suggests that we might look for
"further evidence of and other information"



Citizen science and Ribble RT staff monitoring from River Blitzes between 2023 and 2025 show low levels of phosphate across much of catchment

2 sites have elevated levels of phosphate (0.52 and 0.55 mg/l as P) in the middle/lower catchment when monitored as part of a River Blitz

These levels are well above the EA Moderate to Poor thresholds (0.149, 0.154 and 0.156 mg/l as P) for this waterbody. These values are derived from long term averages

This indicates recent localised problems.

Data from Ribble Rivers Trust
Citizen Science monitoring -
<https://ribbletrust.org.uk/volunteer/citizen-scientists/>

Step 3 – Upper Loud

Updated assessment using Citizen Science data and other evidence

As we have evidence of an **impact on algae** (high risk category) and 2 high P results in the waterbody we can add a "Y" into the “Evidence from third parties or historical data that indicates eutrophication problem” column.

Other supporting evidence of eutrophication impact (Y if evidence, No data if not assessed and N if no evidence)					
Evidence of excessive plant or algal growth (photographs)	Evidence of impacts on recreational use	Aesthetic effects, e.g. odour nuisance, algal scum or foam	Anecdotal evidence of impacts to invertebrates or fish	Evidence from third parties or historical data that indicates eutrophication problem	UWWT Sensitive Area (eutrophication)
No Data	No Data			Y	

Confidence of Eutrophication Impact considering Wider Weight of Evidence	
Change (no change or consider increase/decrease to)	Final confidence
Consider increase to	Very certain eutrophication problem (if adequate impact data ?)

The addition of the Citizen Science data leads to a change in the assessment and suggests “consider increase to Very certain eutrophication problem”

Conclusions

- **We have demonstrated that including citizen science data can change the eutrophication assessments in the Ribble at both the catchment scale and waterbody scale**
- The changes can **increase or decrease the levels of certainty of there being a eutrophication problem or not.**
- These improved assessments will help:
 - **target future monitoring efforts (both spatially and using different methods) for citizen scientists and Rivers Trust staff, EA/NRW and Water Companies**
 - **inform and target further investigations and advisory visits**
 - **inform water industry spend - WINEP and AMP investments**
 - **inform where other actions such as Nature-based Solutions or agricultural advice may be appropriate**
 - **inform further catchment and management actions**

Recommendations

- **Add new columns into tool so that Citizen Science and third party evidence can be included in revised eutrophication tool - examples of evidence to include are:**
 - Phosphate data – time series or spot samples
 - Evidence of sewage spills and CSOs
 - Algal or plant surveys eg filamentous algae (RAPPER) or photos
 - Impacts on recreation or aesthetics – photos or reports
- **Work with EA national team to develop guidance for EA Area staff and Rivers Trusts:**
- **Promote use of CS data and evidence in tool with Rivers and Wildlife Trusts, Catchment and CaBA partnerships and inclusion with Collaborative Monitoring Plans (CMPs)**
- **Publish Eutrophication maps for the whole country so that CaBA partnerships and citizen science groups can see where to focus collaborative monitoring and what to monitor.**

POSTSCRIPT

EA have just informed us that they have **updated the WoE assessment tool (2026)** with the new classifications and

They have included **9 new columns** in the tool to allow **CS and third-party data to be input in the assessments** - including chemical and biological quality parameters and observations

The 2026 version of assessments is currently being populated by EA area teams

Thank you

Case study - <https://castco.org/case-study/eutrophication-assessments/>

Learn more at castco.org

4. Summary of Eutrophication Assessment Cycle that includes Citizen Science evidence

Step 4. Revise Collaborative Monitoring Plan

Add to-collaborative
monitoring plan

Step 1. Initial Assessment


Conduct initial
assessment using EA tool

Step 2 Integrate Citizen Science

Incorporate citizen science data

Step 3. Revise Assessment


Revise assessment based
on new data




What is eutrophication?

Eutrophication is the enrichment of a water body with nutrients, primarily phosphorus and nitrogen, leading to excessive plant and algal growth. While nutrient enrichment can occur naturally, human activities have significantly accelerated the process, leading to widespread ecological problems in rivers worldwide. This accelerated, human-induced eutrophication is a major concern for river health and water resource management.

The primary causes of eutrophication in rivers are anthropogenic nutrient inputs and come from a number of different sources.



Step 1: Initial Assessment



- Conduct initial assessment using EA tool.
- This tool provides a structured framework for evaluating various lines of evidence related to eutrophication,
- It combines these different lines of evidence to provide an overall assessment.
- Crucially, **the tool also identifies areas of uncertainty in the assessment and suggests what type of further evidence** (pressure or impact) would be most beneficial to collect to reduce this uncertainty and improve the assessment.

Step 2:


Integrate Citizen Science

Step 4.
Revise
Collaborative
Monitoring
Plan

Step 1.
Initial
Assessment

Step 3.
Revise
Assessment

Step 2
Integrate Citizen
Science




This focuses on identifying citizen science data to supplement the existing evidence and improve the assessment. Particularly important for water bodies where the initial assessment is uncertain and CS evidence can help reduce the uncertainty.

Local evidence or knowledge indicates the **initial** assessment may not be correct. Citizen scientists often have valuable local knowledge that can challenge or refine the initial assessment.

The process involves:

1. **Identifying available citizen science data.**
2. **Reviewing the data.** The quality and relevance of the citizen science data must be carefully reviewed before it is included in the assessment.
3. **Deciding whether to include the data.** Based on the review, a decision is made whether to include the citizen science data into the tool. Factors to consider include the reliability of the data, its relevance to the eutrophication assessment, and its potential to reduce uncertainty or improve the accuracy of the assessment.
4. **Adding the evidence into the tool as an additional line of evidence.**

Step 3: Revise Assessment




Once the citizen science data has been incorporated into the WoE tool, the tool then produces a new revised assessment.

The revision may result in:

1. **A change in the eutrophication status of the water body.**
2. **Identification of data gaps.** The citizen science data may highlight areas where further data collection is needed to improve the assessment.

Step 4:

Revise Collaborative Monitoring Plan



The revised assessment from Step 3 is reviewed by the relevant partners (e.g. EA, Water Utilities, Rivers Trusts, CaBA partnership) and next steps agreed, which may include:

- Further data collection aiming to reduce the uncertainty of the eutrophication assessment.
- Further data collection to identify the sources of the high nutrients that are causing eutrophication in areas where the assessment indicates high risk.
- Action to reduce eutrophication.

If further data collection is agreed, it is important to identify which partners (including citizen scientists) will collect which data and incorporate this into the collaborative monitoring plan.

Steps 2-4 may then be repeated using the new data in an iterative cycle to produce a revised eutrophication assessment. This ensures that the eutrophication assessment is regularly updated, which then informs effective and appropriate management strategies.

The involvement of citizen scientists is crucial to this process, providing valuable evidence and local knowledge that can significantly enhance the assessment.

5. Eutrophication assessment at the Catchment scale in the Ribble

Step 1. Initial assessment (WoE assessment spreadsheet 2021) across the catchment - [see here](#)

Step 2. Further evidence, including CS evidence identified and input into the WoE tool. This included:

- i) updating the EA Phosphate classifications to 2022 for all waterbodies in the Ribble catchment
- ii) inputting citizen science and staff data (Ribble Rivers Trust) into WoE tool.

Step 3. Revised assessments - [see here](#)

The changes this makes at a catchment level are illustrated [here](#)

Annex 1.

Suggestions for Citizen Science data input to WoE tool

Citizen science data		
Pressure Evidence (Y if evidence, No data if not assessed and N if no evidence)	Measured supporting evidence eutrophication impact (Y if evidence, No data if not assessed and N if no evidence)	Other supporting evidence of eutrophication impact (Y if evidence, No data if not assessed and N if no evidence)
Long term and averaged CS P data using standardised P method	Simplified RAPPER score "at risk"	Anecdotal evidence of impacts to inverts or fish - verified photos or reports
Samples or blitz data from CS P (using standardised Hanna protocols - showing consistently high levels of P (variable by catchment)	Dissolved Oxygen or pH problem linked to eutrophication (extreme diurnal fluctuations) - from sonde data or diurnal sampling	Evidence from third parties or historical data that indicates eutrophication problem eg letters from fishing clubs, local councils
Storm overflow data (from RT or Water Co)	Excessive plant or filamentous algal growth - plant or algae surveys	Aesthetic effects, e.g. odour nuisance, algal scum or foam - verified photos or reports
Package plants or septic tanks in WBs	Impacts on invertebrates - Riverfly RMI or Extended scores, SmartRivers scores	Evidence of impacts on recreational use - verified sources of information or photos
Private or other STWs (not included in EA data)		

Scoring/Weightings?