

# Flower-Insect Timed Count: insect groups identification guide



This guide has been developed to support the Flower-Insect Timed Count survey (FIT Count) that forms part of the [UK Pollinator Monitoring Scheme](https://www.ceh.ac.uk/pollinator-monitoring) (PoMS).

## Who is organising this project?

The FIT Count is part of the Pollinator Monitoring Scheme (PoMS) within the UK Pollinator Monitoring and Research Partnership, co-ordinated by the Centre for Ecology & Hydrology (CEH). It is jointly funded by Defra, the Welsh and Scottish Governments, JNCC and project partners, including CEH, the Bumblebee Conservation Trust, Butterfly Conservation, British Trust for Ornithology, Hymettus, the University of Reading and University of Leeds.

PoMS aims to provide much-needed data on the state of the UK's insect pollinators, especially wild bees and hoverflies, and the role they fulfil in supporting farming and wildlife.


For further information about PoMS go to: [www.ceh.ac.uk/pollinator-monitoring](https://www.ceh.ac.uk/pollinator-monitoring)



# Bee or wasp (Hymenoptera)? – 1

Honey Bee (family Apidae, species *Apis mellifera*)  
Photo © Bob Peterson/Wikimedia Commons

most bees are  
more hairy than  
wasps



wings held  
flat

female bees have a pollen  
basket, usually on the hind  
legs or under the abdomen

FIT count category: Honey bee

A social wasp (family Vespidae, genus *Vespula*)  
Photo © Trounce/Wikimedia Commons



at rest,  
wings are  
rolled up for  
some wasps  
(not all)

less obviously hairy, and often  
with very contrasting colours


FIT count category: Wasp



# Bee or wasp (Hymenoptera)? – 2

There are a number of small and dark species in both groups

A small solitary bee (family Apidae, genus *Lasioglossum*)  
Photo © Dick Belgers/Wikimedia Commons




female bees have a pollen  
basket, usually on the hind  
legs or under the abdomen

FIT count category: Solitary bee



A solitary wasp (family Crabronidae, genus *Crossocerus*)  
Photo © gailhampshire/Flickr CC




FIT count category: Wasp

# Recognising Honey bees (Hymenoptera)


Honey Bee (family Apidae, species *Apis mellifera*)

Photo © Bob Peterson/Wikimedia Commons



Honey Bee (family Apidae, species *Apis mellifera*)


Photo © Martin Harvey





# Bumblebee or solitary bee (Hymenoptera)?

A bumblebee (family Apidae, genus *Bombus*)  
Photo © Martin Harvey



antennae often  
angled or 'elbowed'

## Bumblebees:


- Very hairy / fluffy
- Rounded, almost globular in shape, often have tail 'tucked under' when visiting flowers
- Many have simple, contrasting colour bands
- Queens are larger than nearly all solitary species, but workers can be smaller than the larger solitaires

FIT count category: Bumblebee



A solitary bee (family Andrenidae, genus *Andrena*)  
Photo © Martin Harvey

antennae more likely  
to point straight out



## Solitary bees:

- Usually hairy, but usually less densely covered in hairs than bumblebees
- Usually more elongate in shape (but lots of variety, see next sheet)
- Colours usually more subdued and less contrasting than bumblebees
- Smaller than queen bumblebees, but the largest solitaires are bigger than small worker bumblebees

FIT count category: Solitary bee

# Solitary bee examples (Hymenoptera)

There are many species of solitary bee in a range of families

Genus *Andrena* (family Andrenidae) contains many species of mining bee. Many are a mix of brown and black, but there are other patterns such as black and ashy grey.



*Andrena haemorrhoa* Photo © Martin Harvey

Genus *Lasioglossum* (family Halictidae) also contains many species of mining bee. Most are smaller, darker and less hairy than *Andrena*.



Photos © Mike Edwards

Some are very small!! (but larger than 3mm long)



*Andrena cineraria* Photo © Aiwok/Wikimedia Commons

Family Megachilidae contains mason bees (genus *Osmia*) and leaf-cutter bees (genus *Megachile*). Females in this family have pollen collecting hairs underneath the abdomen.



A leaf-cutter bee (genus *Megachile*)

Photo © Derrick Ditchburn/Wikimedia Commons

# Hairy-footed Flower-bee (Hymenoptera)

A solitary bee that is active in early spring and summer. It is often confused with bumblebees but has a much faster flight, and hovers in front of flowers.

females are all-black  
with orange hairs on  
hind legs



Hairy-footed Flower-bee (family Anthophoridae, species *Anthophora plumipes*)  
– female. Photo © Charlesjsharp/Wikimedia



males are brown or ginger,  
with pale markings and  
pale hairs on the face, and  
very long hairs on the legs

Hairy-footed Flower-bee (family Anthophoridae, species *Anthophora plumipes*)  
– male. Photo © Orangeaurochs/Flickr CC



# Ichneumon wasps (Hymenoptera)

Sometimes called ichneumon 'flies' but these are wasps and should be counted as wasps

An ichneumon wasp (family Ichneumonidae)

Photo © Katya/Wikimedia Commons



antennae are long with many small segments

females may have an obvious ovipositor at the tip of the abdomen

overall shape usually long and narrow in proportions

An ichneumon wasp (family Ichneumonidae)

Photo © Hectonichus/Wikimedia Commons




antennae are long with many small segments



# Sawfly or wasp (Hymenoptera)?

There are many different sawflies of differing sizes and colours – they are not true flies, and are related to bees and wasps in the Hymenoptera, but note that we are counting sawflies in the “Other” category

Sawfly (family Tenthredinidae, species *Tenthredo temula*)  
Photo © gailhamshire/Flickr CC



FIT count category: Other



A social wasp (family Vespidae, genus *Vespula*)  
Photo © Trounce/Wikimedia Commons



FIT count category: Wasp

# Hoverfly (Diptera: Syrphidae) or bee/wasp (Hymenoptera)?

Drone Fly (species *Eristalis tenax*)

Photo © Martin Harvey



large eyes covering most of the head; shorter antennae with 3 segments

Honey Bee (family Apidae, species *Apis mellifera*)

Photo © Ken Thomas/Wikimedia Commons



eyes on sides of head, not covering it all; longer antennae with 12 or 13 segments

Hoverflies have:

- just one pair of wings
- fast hovering flight (most species)
- no pollen basket



**FIT count category: Hoverfly**

Bees and wasps have:

- two pairs of wings (but this can be very hard to see on live insects)
- slower flight, not hovering (except in a few species)
- female bees have a pollen basket

**FIT count categories:  
Honey bee / Bumblebee  
/ Solitary bee / Wasp**



A social wasp (family Vespidae, genus *Vespula*)

Photo © Trounce/Wikimedia Commons

A hoverfly (species *Sericomyia silentis*)  
Photo © Martin Harvey



# Recognising hoverflies (Diptera: Syrphidae)

A hoverfly (species *Platycheirus angustatus*)

Photo © Janet Graham

Hoverflies are:

- usually shiny or reflective (not always)
- usually black with yellow or other pale markings on the body and/or legs (not always)
- have veins parallel to the trailing edge of the wing, forming a 'false margin'
- have a "vena spuria" in the middle of the wing (hard to see in the field)
- are not obviously bristly



'vena spuria'

'false margin'  
veins

antennae usually short - some  
have longer antennae but still  
shorter than most bees, and with  
fewer segments



A hoverfly (species *Chrysotoxum festivum*)

Photo © Martin Harvey

FIT count category: Hoverfly

# Hoverfly examples (Diptera: Syrphidae)

There are many species of hoverfly with a range of shapes and patterns

Typical black and yellow striped hoverfly  
(left: *Epistrophe grossulariae*; right: *Episyrphus balteatus*).



Photos © Martin Harvey

*Rhingia campestris* is a non-typical hoverfly and a common flower visitor – note the long snout (CC photo via Pexels)



Tribe Bacchini (*Melanostoma* and *Platycheirus*) contains small species that are longer/thinner than typical hoverflies. Most have spots but can seem very dark in the field.



Left: *Melanostoma scalare* Photo © Martin Cooper/Flickr CC;  
right: *Platycheirus albimanus* Photo © Martin Harvey

*Syrirta pipiens* is a small, common species that does not look like a typical hoverfly, but readily hovers and has characteristic leg markings, and grey sides to the thorax.




Photo © Martin Cooper/Flickr CC




# Hoverflies (Diptera: Syrphidae) mimicking bees (Hymenoptera)

Some hoverflies are very good bee mimics

Drone Fly *Eristalis tenax* Photos © Martin Harvey




Honey Bee *Apis mellifera* Photo © Ken Thomas/Wikimedia Commons



# Other flies (Diptera)

There are many other families of fly that you may see – all you need to do is separate hoverflies from the rest!

A dance fly *Empis tessellata* Photo © James K. Lindsey/Wikimedia Commons



long  
proboscis

**Calypterate flies – rounded body, very bristly on body and legs:**



Yellow Dung-fly *Scathophaga stercoraria* Photo © Olaf Leillinger/Wikimedia Commons

Greenbottle *Lucilia* sp. Photo © Juan Emilio/Wikimedia Commons



**broad body, wing  
venation different from  
hoverflies, moves  
slowly, doesn't hover**

Broad Centurion soldierfly  
*Chloromyia formosa* Photo  
© Martin Harvey




*Tachina fera* Photo © Luc Viatour/Wikimedia Commons

**FIT count category: Other fly**



# Small insects

There are a number of very small (3mm or less) insects that may occur on flowers, including pollen beetles, which can be very abundant. Please provide an estimate of how many small insects you see in total on the target flower, but there is no need to identify the group (so DO NOT count pollen beetles in the “Beetles” category)



**FIT count category: Small insects**


This is a small solitary bee, but all bees are bigger than 3mm and should be counted as bees! (This one has collected pollen on its hind legs, which is a good clue that it is a bee.)



**FIT count category: Solitary bee**

# Beetle (Coleoptera) or true bug (Hemiptera: Heteroptera)?

A leaf beetle (family Chrysomelidae, species *Gastrophysa polygoni*)




beetles have chewing mouthparts with jaws (mandibles), not a rostrum

hard wing cases (elytra), often shiny

wing cases join with a straight line down middle of insect

FIT count category: Beetle

Juniper Shieldbug (family Acanthosomatidae, species *Cyphostethus tristriatus*)



scutellum

wings are part hard or leathery, and part clear membrane

wings and scutellum form an X shape on back

FIT count category: Other

Photos © Martin Harvey



bugs have a long, narrow rostrum, usually held pointing back under the head