

2017

- Song,L., Kuang,F., Liu,X., **Skiba**,U., Zhu,B., Levy,P., Fowler, D. 2017 Bulk deposition of organic and inorganic nitrogen in southwest China from 2008 to 2013 *Environmental Pollution*, 227, 157-166
- Cowan, N.J., Levy, P.E., Famulari, D., Anderson, M., Reay, D.S., **Skiba**, U.M. 2017 Nitrous oxide emission sources from a mixed livestock farm. *Agriculture, Ecosystems & Environment* 243, 92–102
- Drewer, J., Yamulki,,S., Leeson, S.R., Anderson, M., Perks, M.P., **Skiba**, U. M., McNamara, N.P. 2017 Difference in Soil Methane (CH₄) and Nitrous Oxide (N₂O) Fluxes from Bioenergy Crops SRC Willow and SRF Scots Pine Compared with Adjacent Arable and Fallow in a Temperate Climate. *Bioenergy Research* DOI 10.1007/s12155-017-9824-9
- Drewer,J., Anderson,M., Levy,P.E., Scholtes,B., Helfter,C., Parker,J., Rees,R.M. & **Skiba**, U.M. 2017 The impact of ploughing intensively managed temperate grasslands on N₂O, CH₄ and CO₂ fluxes. *Plant and Soil*, 411, 193-208
- Jones,S.K., Helfter,C., Anderson,M., Coyle,M., Campbell,C., Famulari,D., Di Marco,C., van Dijk,N., Topp,C.F.E., Kiese,R., Kindler,R., Siemens,J., Schrupf,M., Kaiser,K.,Nemitz, E., Levy,P., Rees,R.M., Sutton,M.A. & **Skiba**, U.M. 2017. The nitrogen, carbon and greenhouse gas budget of a grazed, cut and fertilised temperate grassland. *Biogeosciences* 14, 2069-2088
- Medinets, S., Gasche,R., **Skiba**, U., Schindlbacher,A., Kiese,R., Butterbach-Bahl,K. 2016 Cold season soil NO fluxes from a temperate forest: Drivers and contribution to annual budgets. *Environmental Research Letters* 11, 114021
- Drewer,J., Anderson,M., Levy,P.E., Scholtes,B., Helfter,C., Parker,J., Rees,R.M. & **Skiba**, U.M. 2017 The impact of ploughing intensively managed temperate grasslands on N₂O, CH₄ and CO₂ fluxes. *Plant and Soil*, 411, 193-208
- Dinsmore,K.J., Drewer,J., Levy,P.E., George,C., Lohila,A., Aurela,M. & **Skiba**,U.M. 2017 Growing season CH₄ and N₂O fluxes from a sub-arctic landscape in northern Finland. *Biogeosciences* 14, 799 – 815

2016

- Cowan,N.J., Levy,P.E., Famulari,D., Anderson, M.,Drewer,J., Carozzi,M., Reay,D. S. & **Skiba**,U.M. 2016 The influence of tillage on N₂O fluxes from an intensively managed grazed grassland in Scotland. *Biogeosciences* 13, 4811 - 4821
- Medinets,S., Gasche,R., **Skiba**,U., Medinets,V. & Butterbach-Bahl,K. 2016. The impact of management and climate on soil nitric oxide fluxes from arable land in the Southern Ukraine. *Atmospheric Environment*, 137, 113-126
- Molina-Herrera,S., Haas,E., Klatt,S., Kraus,D., Augustin,J., Magliulo,V., Tallec,T., Ceschia,E., Ammann,C., Loubet,B., **Skiba**,U., Jones,S., Bruemmer,C., Butterbach-Bahl,K. & Kiese,R. 2016. A modeling study on mitigation of N₂O emissions and NO₃ leaching at different agricultural sites across Europe using LandscapeDNDC. *Science of the Total Environment*, 553, 128-140
- McKenzie,R.M., Oezel,M.Z., Cape,J., Drewer,J., Dinsmore,K.J., Nemitz,E., Tang,Y., van Dijk,N., Anderson,M., Hamilton,J.F., Sutton,M.A., Gallagher,M.W. & **Skiba**,U. 2016. The import and export of organic nitrogen species at a Scottish ombrotrophic peatland. *Biogeosciences*, 13, 2353-2365

Drewer, J., Dufosse, K., **Skiba**, U.M. & Gabrielle, B. 2016. Changes in isotopic signatures of soil carbon and CO₂ respiration immediately and one year after *Miscanthus* removal. *Global Change Biology Bioenergy*, 8, 59-65

2015

Drewer, J., Braban, C.F., Tang, Y., Anderson, M., **Skiba**, U.M., Dragosits, U. & Trathan, P. 2015. Surface greenhouse gas fluxes downwind of a penguin colony in the maritime sub-Antarctic. *Atmospheric Environment*, 123, 9-17

Helfter, C., Campbell, C., Dinsmore, K., Drewer, J., Coyle, M., Anderson, M., **Skiba**, U., Nemitz, E., Billett, M. & Sutton, M. 2015. Drivers of long-term variability in CO₂ net ecosystem exchange in a temperate peatland. *Biogeosciences*, 12, 1799-1811

Petrescu, A.M.R., Lohila, A., Tuovinen, J.P., Baldocchi, D.D., Desai, A.R., Roulet, N.T., Vesala, T., Dolman, A.J., Oechel, W.C., Marcolla, B., Friborg, T., Rinne, J., Matthes, J.H., Merbold, L., Meijide, A., Kiely, G., Sottocornola, M., Sachs, T., Zona, D., Varlagin, A., Lai, D.Y., Veenendaal, E., Parmentier, F.J., **Skiba**, U., Lund, M., Hensen, A., Van Huissteden, J., Flanagan, L.B., Shurpali, N.J., Grunwald, T., Humphreys, E.R., Jackowicz-Korczynski, M., Aurela, M.A., Laurila, T., Gruning, C., Corradi, C.A., Schrier-Uijl, A.P., Christensen, T.R., Tamstorf, M.P., Mastepanov, M., Martikainen, P.J., Verma, S.B., Bernhofer, C. & Cescatti, A. 2015. The uncertain climate footprint of wetlands under human pressure. *Proceedings of the National Academy of Sciences of the United States of America*, 112, 4594-4599

Harley, J., Carvalho, L., Dudley, B., Heal, K., V, Rees, R. & **Skiba**, U. 2015. Spatial and seasonal fluxes of the greenhouse gases N₂O, CO₂ and CH₄ in a UK macrotidal estuary. *Estuarine Coastal and Shelf Science*, 153, 62-73

Fowler, D., Steadman, C., Stevenson, D., Coyle, M., Rees, R., **Skiba**, U., Sutton, M., Cape, J., Dore, A., Vieno, M., Simpson, D., Zaehle, S., Stocker, B., Rinaldi, M., Facchini, M., Flechard, C., Nemitz, E., Twigg, M., Erisman, J., Butterbach-Bahl, K. & Galloway, J. 2015. Effects of global change during the 21st century on the nitrogen cycle. *Atmospheric Chemistry and Physics*, 15, 13849-13893

Cowan, N., Norman, P., Famulari, D., Levy, P., Reay, D. & **Skiba**, U. 2015. Spatial variability and hotspots of soil N₂O fluxes from intensively grazed grassland. *Biogeosciences*, 12, 1585-1596

Medinets, S., **Skiba**, U., Rennenberg, H. & Butterbach-Bahl, K. 2015. A review of soil NO transformation: Associated processes and possible physiological significance on organisms. *Soil Biology & Biochemistry*, 80, 92-117

2014

Cowan, N., Famulari, D., Levy, P., Anderson, M., Bell, M., Rees, R., Reay, D. & **Skiba**, U. 2014. An improved method for measuring soil N₂O fluxes using a quantum cascade laser with a dynamic chamber. *European Journal of Soil Science*, 65, 643-652

Cowan, N., Famulari, D., Levy, P., Anderson, M., Reay, D. & **Skiba**, U. 2014. Investigating uptake of N₂O in agricultural soils using a high-precision dynamic chamber method. *Atmospheric Measurement Techniques*, 7, 4455-4462

O'Shea, S., Allen, G., Gallagher, M., Bower, K., Illingworth, S., Muller, J., Jones, B., Percival, C., Bauguitte, S., Cain, M., Warwick, N., Quiquet, A., **Skiba**, U., Drewer, J., Dinsmore, K., Nisbet, E., Lowry, D., Fisher, R., France, J., Aurela, M., Lohila, A., Hayman, G., George, C., Clark, D., Manning, A., Friend, A. & Pyle, J. 2014. Methane and carbon dioxide fluxes and their regional scalability for the European Arctic wetlands during the MAMM project in summer 2012. *Atmospheric Chemistry and Physics*, 14, 13159-13174

Shvaleva, A., Costa e Silva, F., Costa, J.M., Correia, A., Anderson, M., Lobo-do-Vale, R., Figueiro, D., Bicho, C., Pereira, J.S., Chaves, M.M., **Skiba**, U. & Cruz, C. 2014. Comparison of

methane, nitrous oxide fluxes and CO₂ respiration rates from a Mediterranean cork oak ecosystem and improved pasture. *Plant and Soil*, 374, 883-898

2013

Fowler,D., Coyle,M., **Skiba,U.**, Sutton,M.A., Cape,J., Reis,S., Sheppard,L.J., Jenkins,A., Grizzetti,B., Galloway,J.N., Vitousek,P., Leach,A., Bouwman,A.F., Butterbach-Bahl,K., Dentener,F., Stevenson,D., Amann,M. & Voss,M. 2013. The global nitrogen cycle in the twenty-first century. *Philosophical Transactions of the Royal Society B-Biological Sciences*, 368

Frost,G.J., Middleton,P., Tarrason,L., Granier,C., Guenther,A., Cardenas,B., van der Gon,H.D., Janssens-Maenhout,G., Kaiser,J.W., Keating,T., Klimont,Z., Lamarque,J.F., Liousse,C., Nickovici,S., Ohara,T., Schultz,M.G., **Skiba,U.**, van Aardenne,J. & Wang,Y. 2013. New Directions: GEIA's 2020 vision for better air emissions information. *Atmospheric Environment*, 81, 710-712

Hensen,A., **Skiba,U.** & Famulari,D. 2013. Low cost and state of the art methods to measure nitrous oxide emissions. *Environmental Research Letters*, 8

Skiba,U., Jones,S., Drewer,J., Helfter,C., Anderson,M., Dinsmore,K., McKenzie,R., Nemitz,E. & Sutton,M. 2013. Comparison of soil greenhouse gas fluxes from extensive and intensive grazing in a temperate maritime climate. *Biogeosciences*, 10, 1231-1241

Vogt,E., Braban,C., Dragosits,U., Theobald,M., Billett,M., Dore,A., Tang,Y., van Dijk,N., Rees,R., McDonald,C., Murray,S., **Skiba,U.** & Sutton,M. 2013. Estimation of nitrogen budgets for contrasting catchments at the landscape scale. *Biogeosciences*, 10, 119-133

2012

Don,A., Osborne,B., Hastings,A., **Skiba,U.**, Carter,M.S., Drewer,J., Flessa,H., Freibauer,A., Hyvonen,N., Jones,M.B., Lanigan,G.J., Mander,U., Monti,A., Djomo,S.N., Valentine,J., Walter,K., Zegada-Lizarazu,W. & Zenone,T. 2012. Land-use change to bioenergy production in Europe: implications for the greenhouse gas balance and soil carbon. *Global Change Biology Bioenergy*, 4, 372-391. [76], 12%

Drewer,J., Finch,J.W., Lloyd,C.R., Baggs,E.M. & **Skiba,U.** 2012. How do soil emissions of N₂O, CH₄ and CO₂ from perennial bioenergy crops differ from arable annual crops? *Global Change Biology Bioenergy*, 4, 408-419

Skiba,U., Jones,S., Dragosits,U., Drewer,J., Fowler,D., Rees,R., Pappa,V., Cardenas,L., Chadwick,D., Yamulki,S. & Manning,A. 2012. UK emissions of the greenhouse gas nitrous oxide. *Philosophical Transactions of the Royal Society B-Biological Sciences*, 367, 1175-1185

Levy,P.E., Burden,A., Cooper,M.D., Dinsmore,K.J., Drewer,J., Evans,C., Fowler,D., Gaiawyn,J., Gray,A., Jones,S.K., Jones,T., Mcnamara,N.P., Mills,R., Ostle,N., Sheppard,L.J., **Skiba,U.**, Sowerby,A., Ward,S.E. & Zielinski,P. 2012. Methane emissions from soils: synthesis and analysis of a large UK data set. *Global Change Biology*, 18, 1657-1669

Hergoualc'h,K., Blanchart,E., **Skiba,U.**, Henault,C. & Harmand,J.M. 2012. Changes in carbon stock and greenhouse gas balance in a coffee (*Coffea arabica*) monoculture versus an agroforestry system with *Inga densiflora*, in Costa Rica. *Agriculture Ecosystems & Environment*, 148, 102-110

Hertel,O., Skjoth,C., Reis,S., Bleeker,A., Harrison,R., Cape,J., Fowler,D., **Skiba,U.**, Simpson,D., Jickells,T., Kulmala,M., Gyldenkaerne,S., Sorensen,L.L., Erisman,J.W. & Sutton,M.A. 2012. Governing processes for reactive nitrogen compounds in the European atmosphere. *Biogeosciences*, 9, 4921-4954

Sutton,M., Reis,S., Billen,G., Cellier,P., Erisman,J., Mosier,A., Nemitz,E., Sprent,J., van Grinsven,H., Voss,M., Beier,C. & **Skiba,U.** 2012. "Nitrogen & Global Change" Preface. *Biogeosciences*, 9, 1691-1693

2011

Dengel,S., Levy,P.E., Grace,J., Jones,S.K. & **Skiba,U.M.** 2011. Methane emissions from sheep pasture, measured with an open-path eddy covariance system. *Global Change Biology*, 17, 3524-3533

Fowler,D., Nemitz,E., Misztal,P., Di Marco,C., **Skiba,U.**, Ryder,J., Helfter,C., Cape,J., Owen,S., Dorsey,J., Gallagher,M.W., Coyle,M., Phillips,G., Davison,B., Langford,B., MacKenzie,R., Muller,J., Siong,J., Dari-Salisburgo,C., Di Carlo,P., Aruffo,E., Giammaria,F., Pyle,J.A. & Hewitt,C. 2011. Effects of land use on surface-atmosphere exchanges of trace gases and energy in Borneo: comparing fluxes over oil palm plantations and a rainforest. *Philosophical Transactions of the Royal Society B-Biological Sciences*, 366, 3196-3209

Pyle,J., Warwick,N., Harris,N., Abas,M.R., Archibald,A., Ashfold,M., Ashworth,K., Barkley,M.P., Carver,G., Chance,K., Dorsey,J., Fowler,D., Gonzi,S., Gostlow,B., Hewitt,C., Kurosu,T., Lee,J., Langford,S., Mills,G., Moller,S., MacKenzie,A., Manning,A., Misztal,P., Nadzir,M.S.M., Nemitz,E., Newton,H., O'Brien,L., Ong,S., Oram,D., Palmer,P., I, Peng,L.K., Phang,S.M., Pike,R., Pugh,T., Rahman,N.A., Robinson,A., Sentian,J., Abu Samah,A., **Skiba,U.**, Ung,H.E., Yong,S.E. & Young,P. 2011. The impact of local surface changes in Borneo on atmospheric composition at wider spatial scales: coastal processes, land-use change and air quality. *Philosophical Transactions of the Royal Society B-Biological Sciences*, 366, 3210-3224

Ambus,P., **Skiba,U.**, Butterbach-Bahl,K. & Sutton,M.A. 2011. Reactive nitrogen and greenhouse gas flux interactions in terrestrial ecosystems. *Plant and Soil*, 343, 1-3

Polson,D., Fowler,D., Nemitz,E., **Skiba,U.**, McDonald,A., Famulari,D., Di Marco,C., Simmons,I., Weston,K., Purvis,R., Coe,H., Manning,A., Webster,H., Harrison,M., O'Sullivan,D., Reeves,C. & Oram,D. 2011. Estimation of spatial apportionment of greenhouse gas emissions for the UK using boundary layer measurements and inverse modelling technique. *Atmospheric Environment*, 45, 1042-1049

Misselbrook,T., Cape,J., Cardenas,L., Chadwick,D., Dragosits,U., Hobbs,P., Nemitz,E., Reis,S., **Skiba,U.** & Sutton,M. 2011. Key unknowns in estimating atmospheric emissions from UK land management. *Atmospheric Environment*, 45, 1067-1074

Kindler,R., Siemens,J., Kaiser,K., Walmsley,D.C., Bernhofer,C., Buchmann,N., Cellier,P., Eugster,W., Gleixner,G., Grunwald,T., Heim,A., Ibrom,A., Jones,S.K., Jones,M., Klumpp,K., Kutsch,W., Larsen,K.S., Lehuger,S., Loubet,B., McKenzie,R., Moors,E., Osborne,B., Pilegaard,K., Reibmann,C., Saunders,M., Schmidt,M.W., I, Schrumpf,M., Seyfferth,J., **Skiba,U.**, Soussana,J.F., Sutton,M.A., Tefs,C., Vowinckel,B., Zeeman,M.J. & Kaupenjohann,M. 2011. Dissolved carbon leaching from soil is a crucial component of the net ecosystem carbon balance. *Global Change Biology*, 17, 1167-1185

Jones,S., Famulari,D., Di Marco,C., Nemitz,E., **Skiba,U.**, Rees,R. & Sutton,M. 2011. Nitrous oxide emissions from managed grassland: a comparison of eddy covariance and static chamber measurements. *Atmospheric Measurement Techniques*, 4, 2179-2194

2010

Beier,C., **Skiba,U.** & Sutton,M. 2010. Greenhouse gas exchange in European ecosystems and their interactions with nitrogen - results from NitroEurope IP. *European Journal of Soil Science*, 61, 627-630

Drewer,J., Lohila,A., Aurela,M., Laurila,T., Minkkinen,K., Penttila,T., Dinsmore,K., McKenzie,R., Helfter,C., Flechard,C., Sutton,M. & **Skiba,U.** 2010. Comparison of greenhouse gas fluxes

and nitrogen budgets from an ombrotrophic bog in Scotland and a minerotrophic sedge fen in Finland. *European Journal of Soil Science*, 61, 640-650

Schaufler,G., Kitzler,B., Schindlbacher,A., **Skiba**,U., Sutton,M. & Zechmeister-Boltenstern,S. 2010. Greenhouse gas emissions from European soils under different land use: effects of soil moisture and temperature. *European Journal of Soil Science*, 61, 683-696

Ambus,P., **Skiba**,U., Drewer,J., Jones,S., Carter,M., Albert,K. & Sutton,M. 2010. Development of an accumulation-based system for cost-effective chamber measurements of inert trace gas fluxes. *European Journal of Soil Science*, 61, 785-792

Dinsmore,K.J., Billett,M.F., **Skiba**,U.M., Rees,R.M., Drewer,J. & Helfter,C. 2010. Role of the aquatic pathway in the carbon and greenhouse gas budgets of a peatland catchment. *Global Change Biology*, 16, 2750-2762

Castaldi,S., de Grandcourt,A., Rasile,A., **Skiba**,U. & Valentini,R. 2010. CO₂, CH₄ and N₂O fluxes from soil of a burned grassland in Central Africa. *Biogeosciences*, 7, 3459-3471

Sanchez-Martin,L., Dick,J., Bocary,K., Vallejo,A. & **Skiba**,U.M. 2010. Residual effect of organic carbon as a tool for mitigating nitrogen oxides emissions in semi-arid climate. *Plant and Soil*, 326, 137-145

2009

Fowler,D., Pilegaard,K., Sutton,M., Ambus,P., Raivonen,M., Duyzer,J., Simpson,D., Fagerli,H., Fuzzi,S., Schjoerring,J., Granier,C., Neftel,A., Isaksen,I., Laj,P., Maione,M., Monks,P., Burkhardt,J., Daemmgen,U., Neiryneck,J., Personne,E., Wichink-Kruit,R., Butterbach-Bahl,K., Flechard,C., Tuovinen,J., Coyle,M., Gerosa,G., Loubet,B., Altimir,N., Gruenhage,L., Ammann,C., Cieslik,S., Paoletti,E., Mikkelsen,T., Ro-Poulsen,H., Cellier,P., Cape,J., Horvath,L., Loreto,F., Niinemets,U., Palmer,P., I, Rinne,J., Misztal,P., Nemitz,E., Nilsson,D., Pryor,S., Gallagher,M., Vesala,T., **Skiba**,U., Brueggemann,N., Zechmeister-Boltenstern,S., Williams,J., O'Dowd,C., Facchini,M., de Leeuw,G., Flossman,A., Chaumerliac,N. & Erisman,J. 2009. Atmospheric composition change: Ecosystems-Atmosphere interactions. *Atmospheric Environment*, 43, 5193-5267. [201], 5% **paper 4**

Skiba,U., Drewer,J., Tang,Y., van Dijk,N., Helfter,C., Nemitz,E., Famulari,D., Cape,J., Jones,S., Twigg,M., Pihlatie,M., Vesala,T., Larsen,K., Carter,M., Ambus,P., Ibrom,A., Beier,C., Hensen,A., Frumau,A., Erisman,J., Brueggemann,N., Gasche,R., Butterbach-Bahl,K., Neftel,A., Spirig,C., Horvath,L., Freibauer,A., Cellier,P., Laville,P., Loubet,B., Magliulo,E., Bertolini,T., Seufert,G., Andersson,M., Manca,G., Laurila,T., Aurela,M., Lohila,A., Zechmeister-Boltenstern,S., Kitzler,B., Schaufler,G., Siemens,J., Kindler,R., Flechard,C. & Sutton,M. 2009. Biosphere-atmosphere exchange of reactive nitrogen and greenhouse gases at the NitroEurope core flux measurement sites: Measurement strategy and first data sets. *Agriculture Ecosystems & Environment*, 133, 139-149

Dinsmore,K.J., **Skiba**,U.M., Billett,M.F., Rees,R.M. & Drewer,J. 2009. Spatial and temporal variability in CH₄ and N₂O fluxes from a Scottish ombrotrophic peatland: Implications for modelling and up-scaling. *Soil Biology & Biochemistry*, 41, 1315-1323

Dinsmore,K.J., **Skiba**,U.M., Billett,M.F. & Rees,R.M. 2009. Effect of water table on greenhouse gas emissions from peatland mesocosms. *Plant and Soil*, 318, 229-242

Hergoualc'h,K., Harmand,J.M., Cannavo,P., **Skiba**,U., Oliver,R. & Henault,C. 2009. The utility of process-based models for simulating N₂O emissions from soils: A case study based on Costa Rican coffee plantations. *Soil Biology & Biochemistry*, 41, 2343-2355

Hewitt,C., MacKenzie,A., Di Carlo,P., Di Marco,C., Dorsey,J., Evans,M., Fowler,D., Gallagher,M., Hopkins,J., Jones,C., Langford,B., Lee,J., Lewis,A., Lim,S., McQuaid,J., Misztal,P., Moller,S., Monks,P., Nemitz,E., Oram,D., Owen,S., Phillips,G., Pugh,T., Pyle,J.,

Reeves,C., Ryder,J., Siong,J., **Skiba**,U. & Stewart,D. 2009. Nitrogen management is essential to prevent tropical oil palm plantations from causing ground-level ozone pollution. *Proceedings of the National Academy of Sciences of the United States of America*, 106, 18447-18451

2008

Dick,J., Kaya,B., Soutoura,M., **Skiba**,U., Smith,R., Niang,A. & Tabo,R. 2008. The contribution of agricultural practices to nitrous oxide emissions in semi-arid Mali. *Soil Use and Management*, 24, 292-301

Hergoual'h,K., **Skiba**,U., Harmand,J.M. & Henault,C. 2008. Fluxes of greenhouse gases from Andosols under coffee in monoculture or shaded by *Inga densiflora* in Costa Rica. *Biogeochemistry*, 89, 329-345

Sanchez-Martin,L., Vallejo,A., Dick,J. & **Skiba**,U.M. 2008. The influence of soluble carbon and fertilizer nitrogen on nitric oxide and nitrous oxide emissions from two contrasting agricultural soils. *Soil Biology & Biochemistry*, 40, 142-151

2007

McDonald,A., Bealey,W., Fowler,D., Dragosits,U., **Skiba**,U., Smith,R., I, Donovan,R., Brett,H., Hewitt,C. & Nemitz,E. 2007. Quantifying the effect of urban tree planting on concentrations and depositions of PM10 in two UK conurbations. *Atmospheric Environment*, 41, 8455-8467

Sutton,M., Nemitz,E., Erisman,J., Beier,C., Bahl,K., Cellier,P., de Vries,W., Cotrufo,F., **Skiba**,U., Di Marco,C., Jones,S., Laville,P., Soussana,J., Loubet,B., Twigg,M., Famulari,D., Whitehead,J., Gallagher,M., Neftel,A., Flechard,C., Herrmann,B., Calanca,P., Schjoerring,J., Daemmgen,U., Horvath,L., Tang,Y., Emmett,B., Tietema,A., Penuelas,J., Kesik,M., Brueggemann,N., Pilegaard,K., Vesala,T., Campbell,C., Olesen,J., Dragosits,U., Theobald,M., Levy,P., Mobbs,D., Milne,R., Viovy,N., Vuichard,N., Smith,J., Smith,P., Bergamaschi,P., Fowler,D. & Reis,S. 2007. Challenges in quantifying biosphere-atmosphere exchange of nitrogen species. *Environmental Pollution*, 150, 125-139

Harmand,J.M., Avila,H., Dambrine,E., **Skiba**,U., de Miguel,S., Renderos,R.V., Oliver,R., Jimenez,F. & Beer,J. 2007. Nitrogen dynamics and soil nitrate retention in a *Coffea arabica*-*Eucalyptus deglupta* agroforestry system in Southern Costa Rica. *Biogeochemistry*, 85, 125-139

Hergoual'h,K., **Skiba**,U., Harmand,J.M. & Oliver,R. 2007. Processes responsible for the nitrous oxide emission from a Costa Rican Andosol under a coffee agroforestry plantation. *Biology and Fertility of Soils*, 43, 787-795

Jones,S., Rees,R., **Skiba**,U. & Ball,B. 2007. Influence of organic and mineral N fertiliser on N₂O fluxes from a temperate grassland. *Agriculture Ecosystems & Environment*, 121, 74-83

Soussana,J., Allard,V., Pilegaard,K., Ambus,P., Amman,C., Campbell,C., Ceschia,E., Clifton-Brown,J., Czobel,S., Domingues,R., Flechard,C., Fuhrer,J., Hensen,A., Horvath,L., Jones,M., Kasper,G., Martin,C., Nagy,Z., Neftel,A., Raschi,A., Baronti,S., Rees,R., **Skiba**,U., Stefani,P., Manca,G., Sutton,M., Tubaf,Z. & Valentini,R. 2007. Full accounting of the greenhouse gas (CO₂, N₂O, CH₄) budget of nine European grassland sites. *Agriculture Ecosystems & Environment*, 121, 121-134

Flechard,C., Ambus,P., **Skiba**,U., Rees,R., Hensen,A., van Amstel,A., van den Pol-van Dasselaar, Soussana,J.F., Jones,M., Clifton-Brown,J., Raschi,A., Horvath,L., Neftel,A., Jocher,M., Ammann,C., Leifeld,J., Fuhrer,J., Calanca,P., Thalman,E., Pilegaard,K., Di Marco,C., Campbell,C., Nemitz,E., Hargreaves,K., Levy,P., Ball,B., Jones,S., van de Bulk,W., Groot,T., Blom,M., Domingues,R., Kasper,G., Allard,V., Ceschia,E., Cellier,P., Laville,P., Henault,C., Bizouard,F., Abdalla,M., Williams,M., Baronti,S., Berretti,F. & Grosz,B. 2007.

Effects of climate and management intensity on nitrous oxide emissions in grassland systems across Europe. *Agriculture Ecosystems & Environment*, 121, 135-152

2006

Simpson,D., Butterbach-Bahl,K., Fagerli,H., Kesik,M., **Skiba,U.** & Tang,S. 2006. Deposition and emissions of reactive nitrogen over European forests: A modelling study. *Atmospheric Environment*, 40, 5712-5726

Vallejo,A., **Skiba,U.M.**, Garcia-Torres,L., Arce,A., Lopez-Fernandez,S. & Sanchez-Martin,L. 2006. Nitrogen oxides emission from soils bearing a potato crop as influenced by fertilization with treated pig slurries and composts. *Soil Biology & Biochemistry*, 38, 2782-2793

Sutton,M., Dragosits,U., Simmons,I., Tang,Y., Hellsten,S., Love,L., Vieno,M., **Skiba,U.**, Di Marco,C., Storeton-West,R.L., Fowler,D., Williams,J., North,P., Hobbs,P. & Misselbrook,T. 2006. Monitoring and modelling trace-gas change's following the 2001 outbreak of Foot and Mouth Disease to reduce the uncertainties in agricultural emissions abatement. *Environmental Science & Policy*, 9, 407-422

Jones,S.K., Rees,R.M., Kosmas,D., Ball,B.C. & **Skiba,U.M.** 2006. Carbon sequestration in a temperate grassland; management and climatic controls. *Soil Use and Management*, 22, 132-142

Dick,J., **Skiba,U.**, Munro,R. & Deans,D. 2006. Effect of N-fixing and non N-fixing trees and crops on NO and N₂O emissions from Senegalese soils. *Journal of Biogeography*, 33, 416-423

Skiba,U., DiMarco,C., Hargreaves,K., Sneath,R. & McCartney,L. 2006. Nitrous oxide emissions from a dung heap measured by chambers and plume methods. *Agriculture Ecosystems & Environment*, 112, 135-139

Hall,N.M., Kaya,B., Dick,J., **Skiba,U.**, Niang,A. & Tabo,R. 2006. Effect of improved fallow on crop productivity, soil fertility and climate-forcing gas emissions in semi-arid conditions. *Biology and Fertility of Soils*, 42, 224-230

Kitzler,B., Zechmeister-Boltenstern,S., Holtermann,C., **Skiba,U.** & Butterbach-Bahl,K. 2006. Nitrogen oxides emission from two beech forests subjected to different nitrogen loads. *Biogeosciences*, 3, 293-310

Skiba,U., Dick,J., Storeton-West,R., Lopez-Fernandez,S., Woods,C., Tang,S. & van Dijk,N. 2006. The relationship between NH₃ emissions from a poultry farm and soil NO and N₂O fluxes from a downwind forest. *Biogeosciences*, 3, 375-382

Kitzler,B., Zechmeister-Boltenstern,S., Holtermann,C., **Skiba,U.** & Butterbach-Bah,K. 2006. Controls over N₂O, NO_x and CO₂ fluxes in a calcareous mountain forest soil. *Biogeosciences*, 3, 383-395

Pilegaard,K., **Skiba,U.**, Ambus,P., Beier,C., Brueggemann,N., Butterbach-Bahl,K., Dick,J., Dorsey,J., Duyzer,J., Gallagher,M., Gasche,R., Horvath,L., Kitzler,B., Leip,A., Pihlatie,M., Rosenkranz,P., Seufert,G., Vesala,T., Westrate,H. & Zechmeister-Boltenstern,S. 2006. Factors controlling regional differences in forest soil emission of nitrogen oxides (NO and N₂O). *Biogeosciences*, 3, 651-661

2005 - 2000

Jones,S.K., Rees,R.M., **Skiba,U.M.** & Ball,B.C. 2005. Greenhouse gas emissions from a managed grassland. *Global and Planetary Change*, 47, 201-211

Kesik,M., Ambus,P., Baritz,R., Bruggemann,N.B., Butterbach-Bahl,K., Damm,M., Duyzer,J., Horvath,L., Kiese,R., Kitzler,B., Leip,A., Li,C., Pihlatie,M., Pilegaard,K., Seufert,G.,

- Simpson,D., **Skiba**,U., Smiatek,G., Vesala,T. & Zechmeister-Boltenstern,S. 2005. Inventories of N₂O and NO emissions from European forest soils. pp. 353-375
- Di Marco,C., **Skiba**,U., Weston,K., Hargreaves,K. & Fowler,D. 2004. Field scale N₂O flux measurements from grassland using eddy covariance. *Water, Air, & Soil Pollution: Focus*, **4**, 143-149
- Fowler,D., **Skiba**,U., Nemitz,E., Choubedar,F., Branford,D., Donovan,R. & Rowland,P. 2004. Measuring aerosol and heavy metal deposition on urban woodland and grass using inventories of ²¹⁰Pb and metal concentrations in soil. *Water, Air and Soil Pollution: Focus*, **4**, 483-499
- Sheppard,L.J., Crossley,A., Harvey,F.J., **Skiba**,U., Coward,P. & Ingleby,K. 2004. Effects of five years of frequent N additions, with or without acidity, on the growth and below-ground dynamics of a young Sitka spruce stand growing on an acid peat: implications for sustainability. *Hydrology and Earth System Sciences Discussions*, **8**, 377-391
- Sutton,M.A., Dragosits,U., Dore,A.J., McDonald,A.G., Tang,Y.S., van Dijk,N., Bantock,T., Hargreaves,K.J., **Skiba**,U., Simmons,I., Fowler,D., Williams,J., Brown,L., Hobbs,P. & Misselbrook,T. 2004. The potential of NH₃,N₂O and CH₄ measurements following the 2001 outbreak of Foot and Mouth Disease in Great Britain to reduce the uncertainties in agricultural emissions abatement. *Environmental Science & Policy*, **7**, 177-194
- Skiba**,U., van Dijk,S. & Ball,B.C. 2002. The influence of tillage on NO and N₂O fluxes under spring and winter barley. *Soil Use and Management*, **18**, 340-345
- Skiba**,U.& Ball,B. 2002. The effect of soil texture and soil drainage on emissions of nitric oxide and nitrous oxide. *Soil Use and Management*, **18**, 56-60
- Sozanska,M., **Skiba**,U. & Metcalfe,S. 2002. Developing an inventory of N₂O emissions from British soils. *Atmospheric Environment*, **36**, 987-998
- Pitcairn,C.E.R., **Skiba**,U.M., Sutton,M.A., Fowler,D., Munro,R. & Kennedy,V. 2002. Defining the spatial impacts of poultry farm ammonia emissions on species composition of adjacent woodland groundflora using Ellenberg Nitrogen Index, nitrous oxide and nitric oxide emissions and foliar nitrogen as marker variables. *Environmental Pollution*, **119**, 9-21
- Skiba**,U., Sozanska,M., Metcalfe,S. & Fowler, D. 2001. Spatially disaggregated inventories of soil NO and N₂O emissions for Great Britain. *Water, Air, & Soil Pollution: Focus* (2001) **1**: 109-118
- Dick,J., **Skiba**,U. & Wilson,J. 2001. The effect of rainfall on NO and N₂O emissions from Ugandan agroforest soils. *Phyton-Annales Rei Botanicae*, **41**, 73-80
- Smith,K.A., Dobbie,K.E., Ball,B.C., Bakken,L.R., Sitaula,B.K., Hansen,S., Brumme,R., Borken,W., Christensen,S., Prieme,A., Fowler,D., Macdonald,J.A., **Skiba**,U., Klemmedtsson,L., Kasimir-Klemmedtsson,A., Degorska,A. & Orlanski,P. 2000. Oxidation of atmospheric methane in Northern European soils, comparison with other ecosystems, and uncertainties in the global terrestrial sink. *Global Change Biology*, **6**, 791-803
- 1999 - 1993**
- Skiba**,U., Sheppard,L.J., Pitcairn,C.E.R., van Dijk,S. & Rossall,M.J. 1999. The effect of N deposition on nitrous oxide and nitric oxide emissions from temperate forest soils. *Water Air and Soil Pollution*, **116**, 89-98
- Simpson,D., Winiwarter,W., Borjesson,G., Cinderby,S., Ferreiro,A., Guenther,A., Hewitt,C.N., Janson,R., Khalil,M.A.K., Owen,S., Pierce,T.E., Puxbaum,H., Shearer,M., **Skiba**,U., Steinbrecher,R., Tarrason,L.315 & Oquist,M.G. 1999. Inventorying emissions from nature in Europe. *Journal of Geophysical Research-Atmospheres*, **104**, 8113-8152

- Fowler,D., Smith,R.I., **Skiba**,U.M., Coyle,M., Flechard,C., Pitcairn,C.E.R. & Sutton,M.A. 1999. The atmospheric nitrogen cycle and the role of anthropogenic activity. *Special Publication - Royal Society of Chemistry*, 237, 121-138
- Macdonald,J.A., Fowler,D., Hargreaves,K.J., **Skiba**,U., Leith,I.D. & Murray,M.B. 1998. Methane emission rates from a northern wetland; Response to temperature, water table and transport. *Atmospheric Environment*, 32, 3219-3227
- Skiba**,U.M., Sheppard,L.J., MacDonald,J. & Fowler,D. 1998. Some key environmental variables controlling nitrous oxide emissions from agricultural and semi-natural soils in Scotland. *Atmospheric Environment*, 32, 3311-3320
- Fowler,D., Flechard,C., **Skiba**,U., Coyle,M. & Cape,J.N. 1998. The atmospheric budget of oxidized nitrogen and its role in ozone formation and deposition. *New Phytologist*, 139, 11-23
- Skiba**,U., Sheppard,L., Pitcairn,C.E.R., Leith,I., Crossley,A., van Dijk,S., Kennedy,V.H. & Fowler,D. 1998. Soil nitrous oxide and nitric oxide emissions as indicators of elevated atmospheric N deposition rates in seminatural ecosystems. *Environmental Pollution* 102, 457-461
- Macdonald,J.A., **Skiba**,U., Sheppard,L.J., Ball,B., Roberts,J.D., Smith,K.A. & Fowler,D. 1997. The effect of nitrogen deposition and seasonal variability on methane oxidation and nitrous oxide emission rates in an upland spruce plantation and moorland. *Atmospheric Environment*, 31,3693-3706
- Skiba**,U., Fowler,D. & Smith,K.A. 1997. Nitric oxide emissions from agricultural soils in temperate and tropical climates: sources, controls and mitigation options. *Nutrient Cycling in Agroecosystems*, 48, 139-153
- Christensen,S., Ambus,P., Arah,J.R.M., Clayton,H., Galle,B., Griffith,D.W.T., Hargreaves,K.J., Klemetsson,L., Lind,A.M., Maag,M., Scott,A., **Skiba**,U., Smith,K.A., Welling,M. & Wienhold,F.G. 1996. Nitrous oxide emission from an agricultural field: Comparison between measurements by flux chamber and micrometeorological techniques. *Atmospheric Environment*, 30, 4183-4190
- Macdonald,J.A., **Skiba**,U., Sheppard,L.J., Hargreaves,K.J., Smith,K.A. & Fowler,D. 1996. Soil environmental variables affecting the flux of methane from a range of forest, moorland and agricultural soils. *Biogeochemistry*, 34, 113-132
- Skiba**,U., McTaggart,I.P., Smith,K.A., Hargreaves,K.J. & Fowler,D. 1996. Estimates of nitrous oxide emissions from soil in the UK. *Energy Conversion and Management*, 37, 1303-1308
- Hargreaves,K.J., Wienhold,F.G., Klemetsson,L., Arah,J.R.M., Beverland,I.J., Fowler,D., Galle,B., Griffith,D.W.T., **Skiba**,U., Smith,K.A., Welling,M. & Harris,G.W. 1996. Measurement of nitrous oxide emission from agricultural land using micrometeorological methods. *Atmospheric Environment*, 30, 1563-1571
- Skiba**,U., Hargreaves,K., Beverland,I., O'Neill,D., Fowler,D. & Moncrieff,J. 1996. Measurement of field scale N₂O emission fluxes from a wheat crop using micrometeorological techniques *Plant and Soil* 181,139-144
- Fowler,D., Hargreaves,K.J., **Skiba**,U., Milne,R., Zahniser,M.S., Moncrieff,J.B., Beverland,I.J. & Gallagher,M.W. 1995. Measurements of CH₄ and N₂O Fluxes at the Landscape Scale Using Micrometeorological Methods. *Philosophical Transactions of the Royal Society A-Mathematical Physical and Engineering Sciences*, 351, 339-355
- Smith,K.A., Clayton,H., Arah,J.R.M., Christensen,S., Ambus,P., Fowler,D., Hargreaves,K.J., **Skiba**,U., Harris,G.W., Wienhold,F.G., Klemetsson,L. & Galle,B. 1994. Micrometeorological and Chamber Methods for Measurement of Nitrous-Oxide Fluxes Between Soils and the

Atmosphere - Overview and Conclusions. *Journal of Geophysical Research-Atmospheres*, 99, 16541-16548

Hargreaves, K.J., **Skiba**, U., Fowler, D., Arah, J., Wienhold, F.G., Klemetsson, L. & Galle, B. 1994. Measurement of Nitrous Oxide Emission from Fertilized Grassland Using Micrometeorological Techniques. *Journal of Geophysical Research-Atmospheres*, 99, 16569-16574

Arah, J.R.M., Crichton, I.J., Smith, K.A., Clayton, H. & **Skiba**, U. 1994. Automated Gas-Chromatographic Analysis System for Micrometeorological Measurements of Trace Gas Fluxes. *Journal of Geophysical Research-Atmospheres*, 99, 16593-16598

Skiba, U., Fowler, D. & Smith, K. 1994. Emissions of NO and N₂O from Soils. *Environmental Monitoring and Assessment*, 31, 153-158

Skiba, U., Smith, K.A. & Fowler, D. 1993. Nitrification and Denitrification As Sources of Nitric Oxide and Nitrous Oxide in A Sandy Loam Soil. *Soil Biology & Biochemistry*, 25, 1527-1536

Skiba, U., Hargreaves, K.J., Fowler, D. & Smith, K.A. 1992. Fluxes of Nitric and Nitrous Oxides from Agricultural Soils in A Cool Temperate Climate. *Atmospheric Environment Part A-General Topics*, 26, 2477-2488

Postdoctoral papers, Aberdeen University 1990 - 1985

Woodin, S., Graham, B., Killick, A., **Skiba**, U. & Cresser, M. 1992. Nutrient Limitation of the Long-Term Response of Heather [*Calluna-Vulgaris* (L) Hull] to CO₂ Enrichment. *New Phytologist*, 122, 635-642

Woodin, S. & **Skiba**, U. 1990. Liming Fails the Acid Test. *New Scientist*, 125, 50-51

Skiba, U. & Cresser, M. 1989. Prediction of Long-Term Effects of Rainwater Acidity on Peat and Associated Drainage Water Chemistry in Upland Areas. *Water Research*, 23, 1477-1482

Skiba, U., Cresser, M.S., Derwent, R.G. & Fitty, D.W. 1989. Peat Acidification in Scotland. *Nature*, 337, 68-69

Skiba, U. & Cresser, M. 1988. The Ecological Significance of Increasing Atmospheric Carbon-Dioxide. *Endeavour*, 12, 143-147

Skiba, U., Radhisanyi, H., Peirsonsmith, T. & Cresser, M. 1988. Acid Deposition Peat Interactions and Their Significance. *Journal of the Science of Food and Agriculture*, 45, 137-138

Cresser, M.S., Edwards, A.C., Ingram, S., **Skiba**, U. & Peirson Smith, T. 1986. Soil Acid Deposition Interactions and Their Possible Effects on Geochemical Weathering Rates in British Uplands. *Journal of the Geological Society*, 143, 649-658

Skiba, U. & Cresser, M.S. 1986. Effects of Precipitation Acidity on the Chemistry and Microbiology of Sitka Spruce Litter Leachate. *Environmental Pollution Series A-Ecological and Biological*, 42, 65-78

Skiba, U., Peirson Smith, T.J. & Cresser, M.S. 1986. Effects of Simulated Precipitation Acidified with Sulfuric and or Nitric Acid on the Throughfall Chemistry of Sitka Spruce *Picea Sitchensis* and Heather *Calluna Vulgaris*. *Environmental Pollution Series B-Chemical and Physical*, 11, 255-270

Edwards, A.C., Creasey, J., **Skiba**, U., Peirson-Smith, T. & Cresser, M.S. 1985. Long-Term Rates of Acidification of Uk Upland Acidic Soils. *Soil Use and Management*, 1, 61-65

PhD papers 1985 – 1982

Wainwright, M., Nevell, W. & **Skiba**, U. 1985. Fertilizer Potential of Some Commercially Available Forms of Keratin and Microbial Biomass. *Enzyme and Microbial Technology*, 7, 108-110

Wainwright, M., **Skiba**, U. & Betts, R.P. 1984. Sulfur Oxidation by A *Streptomyces* Sp Growing in A Carbon-Deficient Medium and Autoclaved Soil. *Archives of Microbiology*, 139, 272-276

- Skiba, U. & Wainwright, M.** 1984. Nitrogen Transformation in Coastal Sands and Dune Soils. *Journal of Arid Environments*, 7, 1-8
- Skiba, U. & Wainwright, M.** 1984. Urea Hydrolysis and Transformations in Coastal Dune Sands and Soil. *Plant and Soil*, 82, 117-123
- Skiba, U. & Wainwright, M.** 1984. Oxidation of Elemental-S in Coastal-Dune Sands and Soils. *Plant and Soil*, 77, 87-95
- Skiba, U. & Wainwright, M.** 1983. Assay and Properties of Some Sulfur Enzymes in Coastal Sands. *Plant and Soil*, 70, 125-132
- Skiba, U. & Wainwright, M.** 1982. Assay of Urease Activity in Marine Sands - Its Use As An Indicator of Sewage Contamination of Beaches. *Enzyme and Microbial Technology*, 4, 310-312